GST No.: 07AHQPA6815Q2ZQ

## PIONEER PROJECT SOLUTION

## **HVAC Design & Built Contractors**

Registered Office: 12A/20B, Gali No. 10, Vijay Mohallah, Maujpur, Delhi-110053

Tel.: 9810634901 Website: www.pioneerprojects.in Email: projectspioneer@gmail.com

Branch : E-93-B, First Floor, Shaheen Bagh, Abul Fazal Enclave-II, Jamia Nagar, Okhla, New Delhi-110025

* . 14.7-0 . FOLLOW	Ô
---------------------	---

	TAX INVOICE		ST No.		07AHQPA6815Q22					
Order No.	TFSPU/PO/23-24/000463		n No.		AHQPA681					
voice Date	20,/11,/2024		n No.							
voice No.	384-2024-25			Clie	nt Detail					
lient Name	Travel Food Services Pvt. Ltd	G:	2L2ZJ							
icii iidiiic			LI.N.							
					NEW Termin	al - 1, Indra Gandhi Internation				
roject	HVAC VENTILATION WORK				Airport, Dom	estic Departure SHA, Mehram				
		Billing	Address		Nagar, New Delhi, New Delhi, Delhi - 110037					
elivery Add	Ventilation Work Delhi T-1, KFC									
		HSN Code	Unit	Qty	Rates	Amount				
Sr. No.	Description	110.11.00.00	7.48		7 1 5,1	THE PERSON IN				
1000	VENTILATION UNIT FOR KITCHEN & TOILET	A THE PARTY OF	110	100	1 2 4 4					
1.0	AIR WASHER UNIT (with Fresh Air Filters)									
	Supply of Cabinate type Air Washer Unit backward inclined DIDW blower with suitable high					and the second				
	-takin processes to create the required intake velocities and over come the pressure loss at the		1			27.80				
	Line of Character of ducts. DIDW Contribugal blower. (Motor outside the enident air stream.)				1					
	Postward inclined, non-over loading type, (smaller motor) mounted directly on motor state.		1 1		1	1.0				
	(slip losses and lesser maintenance) Dynamically balanced to provide a vibration free				1	, T = 100 e gd				
	operation. Control Panel Wall mounted incorporated with suitable starter of make					4				
	siemens/L&T with single phase prevention and to be direct driven to motor. The unit shall		1 1							
	siemens/L&T with single phase prevention? an to be direct divers to motor, the same		1 1		1					
	have water pump for recirculating water, Filter and water elliminator.				1 1					
			<del>                                     </del>							
a	4100 CFM	8479	Nos	1	175000	175000				
	4100 CFM [external Static Pressure: 100 mm]			THE PARTY	A THE STREET					
2.0	DRY SCRUBBER UNIT									
			1 1		1					
	Supply, Installation, testing & commissioning of packaged type Exhaust Fan section along with				1 1					
	Design Servicion Stable placement of unit on respective foundation along with vibration		1 1		1					
	isolation pad as per detail drawing / specification, connecting all wiring, cabling, ducting &		1 1		1					
	other accessories as required to run unit acceptably.each comprising of extract air intake		1 1		1 1					
	other accessories as required to run unit acceptably cache control and among oil smote and		1		1 1					
	section, electrostatic precipitation technology, dry type air cleaner to remove oil, smoke and		1 1		1 1					
	fumes from exhaust air. Electrostatic section shall be made of 16 gauge galvanized sheet, high		1 1		1 1					
	halfa appropriately coated, washable type even air flow distribution plate, stainless steel		1 1		1 1					
	in the disputers to create high voltage DC field, honey comb patented cylindrical structure		1 1		1					
	Change II which should be alternatively charged positive and negative with targe conecting		1 1		1					
	have the magnet for charged smoke and oil particles. Average efficiency of 90-93% in		1 1		1					
	single pass as per ASHRAE test method. Electrostatic Precipitator should be able to charge		1		1					
	single pass as per ASHRAE test method. Electrostatic receptation symply Collector rell		1 1		1 1					
	particles from 0.01 micron to 10 microns through solid state power supply. Collector cell		1 1		1					
	should be of permanent type and incorporate slide out facility for easy removal for cleaning.		1 1		1					
	Devices cumpling chall be 100% solid state UL Listed, Module of Capacity below shall be				1 1					
	equipped with multiple protection functions for power and overload and overheating with		1 1		1					
	interlock switch for safety as per approved specification and drawings).		1		1					
	Interior switch is sorry as party									
a	4500 CFM	0414	Nos	1	325000	325000				
	4500 CFM (external Static Pressure: 100 mm)	8414	nus	<u> </u>	343000	500000				
	TOTAL		-		-	60000				
	Discount					440000				
	Sub Total					39600				
	CGST @ 9 %									
	SGST @ 9 %				-	39600 519200				
			A Control of Control							

Auth Signator

Of to pro cars interprete for

Order Number: TFSPL/PO/23-24/000463 Supplier Code: RV232414136 [ V0002345 ]

Supplier Detail	Shipped Location	Invoice Location	Corporate Address
PIONEER PROJECT SOLUTION	Delhi	Delhi	TRAVEL FOOD SERVICES PRIVATE LIMITED
12A/20B GALI NO.10, VIJAY MOHALLA, MAUJPUR,NORTH EAST DELHI,,India Order Address Code :	New Terminal 1, Indira Gandhi International Airport, Domestic Departure SHA, Mehram Nagar, New Delhi, New Delhi, Delhi, 110037	New Terminal 1, Indira Gandhi International Airport, Domestic Departure Sha, Mehram Nagar, New Delhi, New Delhi, Delhi, 110037 GSTIN No: 07AADCB2762L2ZJ	1St Floor, Block A South Wing, Shiv Sagar Estate, Dr. Annie Besant Road, Worli, Mumbai Suburban, Maharashtra, 400018 Comp GST No : 21AADCB2762L1ZU
PAN No : AHQPA6815Q Supplier GST No : 07AHQPA6815Q2ZQ Supplier Contact No : Contact Person Name : Mohd Ashraf Supplier Email : projectspioneer@gmail.com	Cost Center Code : 90192016 Cost Center Name : KFC Project ID : PO Category : Capex NSO	Payment Term: Advance 100% with GST of HI side work. Advance Payment - 40% of Low side work. RA BILL - Up to 95% after work completion & submission of invoice. Retention - 5% DLP till completion of 6 months.	PO Creation Date: 18/03/2024 PO Approval Date: 27/05/2024 PO Currency: INR Buyer Name: Jogeswar Sahu

Sr. No	Item Code	HSN/SAC	Item Name	Item Description	Pur. Grp.	Qty	now .	Basic Rate	Dis%	Net Rate	Total Amount	SGST %	CGST %	Gross Total Amount
1			, ,,, ,,,	HVAC - High Side	C01	1.00		290,800.00	0.00	290,800.00	290,800.00	14	14	372,224.00
2			Side CHW AHU HVAV Low Side	CHW AHU HVAV Low Side	C01	1.00		52,420.00	0.00	52,420.00	52,420.00	9	9	61,855.60
3			CHW AHU HVAC - Low	CHW AHU HVAC - Low Side	C01	1.00		736,780.00	0.00	736,780.00	736,780.00	9	9	869,400.40
			Side BOQ	BOQ	004	1.00		44500blog	0.00	440,000.00	440,000.00	9	9	519,200.00
4				HVAC - Ventilation BOQ	C01	1.00		Indineral	$\mathbf{v}$	140,000.00	1.3,000.00			

Total Qty:

4.00

1,520,000.00 Total Basic PO Amount **Total Other Charges** 151,340.00 SGST Amount 151,340.00 **CGST Amount** 

**Grand Total PO Amount** 

1,822,680.00

Amount In Words: Rupees Eighteen Lakh Twenty Two Thousand Six Hundred Eighty Only

Remarks:

Standard Terms And Condition :