		IMPULSE BRA	ANDI	NG SO	LUTIO	NS		
0.	3/204,	SUNDAR DARSHAN CHSL, MIR	A BHAY	ANDER	, THANE	- 4011	.07	
					Dat	e:- 22 .	06.2024	
CIP Lo	: Auani unge T3							
		/23-24/001793						
Name o	f the Wo	ork : Electrical CIP Lounge T3 Lok						MKDE SALE
TIL OF		RA-09 MEASUREMENT S	HEET OF	Civil Int				
S. No.	Item. Code	Specification	Descrip tion	w	Н	Unit	Nos	Qty.
1		Civil & Int RA Bill 09						
1		CORION CLADDING: Providing and fixing 12mm thick Solid surface (Corian) for Basin Counter/Ledge/Jamb/cill etc fixed with adhesive of approved make including jointing with adhesive mixed with pigment to matching the shade of solid surface complete as per drawing.including edge chamfering, buffing, polishing complete in all respect. (Basic cost of solid surface (Corian) @ Rs. 750/- Sft) (Actual size to be measured & paid).	Exte	a Voos	K			
						L		
		Baar Area	Sqm	3.4	2.2	1	7.48	
		Recepsion	Sqm	1.74	3.2	1	5.568	
		Premium Lounge	Sqm	1.74	3.2 2	860 I	5.568	01/86/2012/09/01/2012
2 9 1 2 2		Total Qty					18.616	
		RA 98Qty						Sqm
		RA 09 Oty						
5-0300Mass.		244 W. C.		C Spart Samuel	E0.38.6.6384			
2		fixing Marbie strip work in existing flooring using diffrent color shade and sizes in width strips of 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual Lenght of stone strps						
		to be measured & paid). Cost also						

Media

Divert Telpath

a.	Marble Flooring Strips Type 1 upto 25-45mm wide: Base Price of Marble @ 900/- Per sft, For Reception area RAR AREA Reception	site specific	Rmt	5.42			9
	Contribution 2 Asserted Language Programme					11.97	
	Total Qty WO Qty		III I			10.000	10.000
	RA 08Qty						
	RA 09 Qty						
b.	Marble Flooring Strips Type 1 upto 75-150mm wide : Base Price of Marble @ 900/- Per sft, For Reception area	site specific	Rmt				
	Bar Area sicarting			16.78			
	Bar Area skarting			10.84	~		
 	0					- 00	
Stanley for S	Total Qty				TO PART OF THE	97.67	
	WO Qiy					10.000	10.000
	RA 08Qfy						
	RA 09 Qty				y and the second		
	MARBLE CLADDING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:3 (1 cement: 3 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with bubble sheet as per advised by the Project Incharge.						
a.	Marble Cladding Type 1 : Base Price of Marble @ 450/- Per sft,	For counter Splash area	1: 100	H. lo. T			

M

Diver Tailpath

RAY COUNTER PLAND PIGH COUNTER MARBLE FLOORING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	m
Ray counter Ray counter Ray counter Roll - 25 Ray counter To LAND 6.66 1.25 1.665 High counter 4.30 1.005 Total Oty WO Qty RA 08Qty RA 09 Qty RA 09 Qty RA 09 Qty Il.880 MARBLE FLOORING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	m
Ray counter To LAND High Counter High Counter Total Oty WO Qty RA 08Qty RA 09 Qty MARBLE FLOORING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	m
TSLAND High Counter High Counter Total Qty WO Qty RA 08Qty RA 09 Qty MARBLE FLOORING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), white cement slurry, joints treated with tenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	m
Total Qty WO Qty RA 08Qty RA 09 Qty MARBLE FLOORING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	m
WO Qty WO Qty RA 08Qty RA 09 Qty MARBLE FLOORING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	m
WO Qty RA 08Qty RA 09 Qty MARBLE FLOORING : Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), white cement slurry , joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	m
RA 09 Qty MARBLE FLOORING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	
MARBLE FLOORING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	
fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), white cement slurry , joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	
fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), white cement slurry , joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with polythin+POP as per advised by the Project Incharge.	*
a. Marble Flooring Type 1: Base Price of Marble @ 450/- Per sft. 2.98 \ \ 2.98 \ \ 2 \ 3.57	
Price of Marble @ 450/- Per sft, 2-98 12 3.5 1 Washroom Passage Q.A.2 Check	-
Total Qty 0.000	98803500
WO Qty 263.8604 Sq	×4.
RA 02Qty 257.050	100
RA 09 Qty	
RX-02-VII	ABAE)
MARBLE CLADDING: Providing and fixing Marble work 16-18 mm thick, mirror polished, prepolished, machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:3 (1 cement: 3 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. (Actual size of stone to be measured & paid). Cost also include the Protection covering till handover with bubble sheet as per	
advised by the Project Incharge.	

AND

Divest Tailpath

c.	Marble Skirting upto 100mm high: Base Price of Marble @ 1200/- Per sft,	site specific		i i				
SECTION OF SECTION	Total Qty					0.000	Victorial Control	
	WO Qty						Rmt	
	RA 02Qty					82.350		
E FRANCISCO	RA 09 Qty							
	Providing and fixing Marble designer work 16-18 mm thick marble with random size cut pcs in 200/300/400mm high x 75/100/125mm in width with making taper cut on edge to ake 4mm wide groove on vertical/horizontal as per design, all the surface, edges, V groove shall be mirror polished, all the marble will be jet water machine cut of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:3 (1 cement : 3 coarse sand), white cement slurry , joints treated with teenaxe mixed with matching	e		*				
a.	Marble Designer Cladding Type 1 Base Price of Marble @ 450/- Per sft,	: for toilets wall			*			
	Male Washroom		19.9	78.0 W X	=365	16-1	1.38 =	34.
	Fmale Washroom		3.86×	2×2.8	-22.1	A - 9	0.0	9.6
	Desable Washroom			2.44	29.0	8-2	81=2	
	Total Qty			Cancel State		.0.000	81.18	
	WO Qty					67.140	Sqm	
Cold Cold Train	RA 02Qty					-90.000		
		Acres de la constitución de la c	BOOK OF THE PARTY OF	and the Person of the Owner, which				ł

Medical

Divest Taibaths
18/07/24

	1	T				r		
		Providing & fixing Carpet / Rug of Handmade / Machine tuffted with Pile Yarn (80% wool & 20% nylon or 100% Viscose/Bamboo silk) Dyed in Eco freindly pigment color with Enviromental freindly standards. Sanitized with stain free and Alergy resistant quality. Carpet should have warranty of Minimum 10-15 year and installed by the expert installer or manufacturer recommended agency. (1500GSM 12 to 14mm thick Nylon Printed Customized or Axminster) with Protection covering till Handover of the Project.						
-	Karpet	Baar Area		9	3.57		32.13	
-	Itarpet	Premium Lounge		9.45	2.57	2.97	31.61	
		Spa Room		4.4	2.53	١٠٠١	15.53	
				1-14	• 6		0.68	
		Total Qty					8.908	
		WO Qty	100				86.300	Sqm
用機图题		RA 02Qty	SEL X					MICKELL IN
		RA 09 Qty					100	
	ů.	Providing and fixing Marble combination work with 20mm thick, mirror polished, prepolished, water jet cuting of required size and pattern, approved shade, colour and texture inlay as per the design approved by the Architect, laid over 20 mm thick base cement mortar 1:3 (1 cement : 3 coarse sand), white cement slurry, joints treated with teenaxe mixed with matching pigment, epoxy touch ups, including rubbing etc. complete and at all level. Marble stone should be of well known brand with A+ Grade of complies use the Moisture absorption test as per IS 1124 & Hardness test is done as per Mho's						
		Kitchen Ramp Washroom Ramp		2.3	1:2		2.76	
	 	wasiii ooiii naiiip		1.8	1.2		2.16	
		Total Qty					0.000	W 51
		We Qty	usin ka				5.000	Sqm
		RA 02Qty						
	1	<u> </u>	Local	Toubo	11			

Divest Tonbath

		RA 09 Qty						
		KOTA STONE FLOORING : Provide						
		and lay 25mm thick, machine cut						
		and polished Kota Stone of aprroved						
		colour and texture laid over 20 mm						
	1.	thick base cement mortar 1:4 (1						
		cement : 4 coarse sand), joints						21
		treated with white cement, mixed						
		with matching pigment, epoxy						
		touch ups, including rubbing						
		polihing etc. complete and at all						
i		level. (Actual size of stone to be			į			
		measured & paid). Cost also include						
		the Protection covering till						
		handover with polythin+POP as per						
		advised by the Project Incharge. (
		Basic cost of Granite stone @ Rs.						
İ		65/- per sft)						
		oo, per ore,		23				
		Eelctric Room		2.35	1.86		4.37	
			 	2-53	1.00		1.71	
			 					
MATERIA		Total Qty					0.000	
		WO Qty		E 150 87 A			26,670	Sqm
90		RA 08Qty	A TOR				23.870	la la contra
		RA 09 Qty						1000
		LAMINATED DOOR SHUTTER:						
		Providing and fixing 38 mm. thick	İ					
		flush door shutters core of block			1 2	i i		
		board (MR Grade) construction						
		with well matched 1mm thick						
		laminate sheet of approved make		1				
		& shade on both sides of shutter						
		including white ash wood edge						
		lipping (12mm thick) finish with PU		1				
		polish, all required fittings such as 4						
1		nos. 125 mm. size brass butt hinges			,,			
		per leaf with necessary screws and						
	2	S.S. fittings including handles, tower						
		bolts, door stopper, rubber buffer,						
		vision slit as per design with 6mm			1			
		thick glass with wooden beading (
	-3			75				
		SPA	Sqm		2.4	1	2.4	
		Admin	Sqm		2.4	0.9	2.16	
							4.56	
		Total Qty					4.550	
		WO Qty					5.280	Sqm
		RA 08Qty) in the second				3.648	
Control of the		RADO ON This This					0.912	

Jak -

Divest Tripath

	Providing and fixing 38 mm. thick flush door shutters core of block board (MR Grade) construction with well matched 1mm thick laminate sheet of approved make & shade on both sides of shutter including white ash wood edge lipping (12mm thick) finish with PU polish, all required fittings such as 4 nos. 125 mm. size brass butt hinges per leaf with necessary screws and S.S. fittings including handles, tower bolts, door stopper, rubber buffer, vision slit as per design with 6mm					
	7-11-6	NI.			2	
	Toilet	Nos	3		3	
					3	
	Total Qty WO Qty RA 08Qty RA 09 Qty				3.000 3.000 2.400 0.600	Nos
	Providing and fixing 38 mm. thick flush door shutters core of block board (MR Grade) construction with well matched 1mm thick laminate sheet of approved make & shade on both sides of shutter					
	including white ash wood edge lipping (12mm thick) finish with PU polish, all required fittings such as 4 nos. 125 mm. size brass butt hinges per leaf with necessary screws and S.S. fittings including handles, tower bolts, door stopper, rubber buffer, vision slit as per design with 6mm thick glass with wooden beading (20		
b.	lipping (12mm thick) finish with PU polish, all required fittings such as 4 nos. 125 mm. size brass butt hinges per leaf with necessary screws and S.S. fittings including handles, tower bolts, door stopper, rubber buffer, vision slit as per design with 6mm	For Mercha ndise wall	1		1	
b.	lipping (12mm thick) finish with PU polish, all required fittings such as 4 nos. 125 mm. size brass butt hinges per leaf with necessary screws and S.S. fittings including handles, tower bolts, door stopper, rubber buffer, vision slit as per design with 6mm thick glass with wooden beading (For Mercha ndise	1	27		
b.	lipping (12mm thick) finish with PU polish, all required fittings such as 4 nos. 125 mm. size brass butt hinges per leaf with necessary screws and S.S. fittings including handles, tower bolts, door stopper, rubber buffer, vision slit as per design with 6mm thick glass with wooden beading (Double Leaf Door - 1500/1800mm Long x 2400mm high	For Mercha ndise	1		1	
b.	lipping (12mm thick) finish with PU polish, all required fittings such as 4 nos. 125 mm. size brass butt hinges per leaf with necessary screws and S.S. fittings including handles, tower bolts, door stopper, rubber buffer, vision slit as per design with 6mm thick glass with wooden beading (Double Leaf Door - 1500/1800mm Long x 2400mm high	For Mercha ndise	1		1 1.000	Nos
b.	lipping (12mm thick) finish with PU polish, all required fittings such as 4 nos. 125 mm. size brass butt hinges per leaf with necessary screws and S.S. fittings including handles, tower bolts, door stopper, rubber buffer, vision slit as per design with 6mm thick glass with wooden beading (Double Leaf Door - 1500/1800mm Long x 2400mm high	For Mercha ndise	1		1	Nos

last

Divert Tarbath

		LAMINATED DOOR SHUTTER: Providing and fixing 38 mm. thick flush door shutters core of block board (MR Grade) construction with well matched 1mm thick laminate sheet of approved make & shade on both sides of shutter including white ash wood edge lipping (12mm thick) finish with PU polish, all required fittings such as 4 nos. 125 mm. size brass butt hinges per leaf with necessary screws and S.S. fittings including handles, tower bolts, door stopper, rubber buffer,			* *			
	b.	Kitchen	Sqm	1.2	2.4	1	2.88	
		Electrical Room	Sqm	0.9	2.4		2.16	
							5.04	
		Total Qty					5.040	
TO THE		WO Qty		PER PAR	VIII S		8.180	Sqm
		RA 08Qty				1002	4.032	
	(d 1) (e)	RA 09 Qty					1.008	
		LAMINATED SHAFT SHUTTER: Providing and fixing 25 mm. thick flush door shutters core of block board (MR Grade) construction with well matched 1mm thick laminate sheet of approved make & shade on both faces of shutter including white ash wood edge lipping (12mm thick) finish with PU polish, all required fittings such as 4 nos. 125 mm. size brass butt hinges per leaf with necessary screws and S.S. fittings including handles, tower bolts, door stopper, rubber buffer,		2.7	1.6		4321	
		Janicor Koom						
		Total Qty WU Qty RA 08Qty RA 09 Qty					0.000 4.750 0.000 0.000	Sqm
			0	1-1				U

Divest Touballi 18/07/24

		Providing and installation of framed						
		allumunium with vision glass	l					
8		partition sytem of approved series						
		and brand as per approved list of	l					
		make, fixed glass partition using						
		10mm thick Toughened glass in						
		proprietary natural anodised						
		approved aluminium sections with						
		Concealed sealing (No visible						
		Gaskets/Seals) with acoustic. The						
		profile will have Carpert Groove at						
		the Bottom on both sides for						
		accommodating max. 8mm carpets.						
		Glass to be fixed with help of						
		Proprietary Stability GRIPPER Clamp						
		to have a stable system. It should				*		
		consists of intermediate slim	1		li i			
		junction profiles for Glass to Glass						
		Junction profiles for Glass to Glass						
		Single Clared Postition Circ 50						
	a.	Single Glazed Partition, Size 50mm wide x 30mm high, color as	Sqm					
	a.	approved	Sqiii					
-		Recepsion	Sqm	3.2	2.6		8.32	./
		Total Qty	15qm	3.2	2.0		0.000	MENTE PROPERTY.
VEST 11-3		WO Qiy					4.380	Sqm
							4.300	Sqiii
		RA 08Qty					0.000	
TUD SOON INCO	Emerge Control	RA 09 Qty	Manager Park			(A) = 2() (I	0.000	
-								
		Single Clared Destition Size 100						
	b.	Single Glazed Partition, Size 100mm wide x 30mm high, color as						
	D.	approved						
		T T T T T T T T T T T T T T T T T T T	-					
		P Lounge	Sqm	2.16	2.7	1	5.832	
		Dinning Area	Sqm	2.96	2.7	1	7.992	
		Dinning Area	Sgm	2.79	2.7	1		
		Spa Room	Sqm	2.6	2.7	1	7.02	
			34111	2.0	2./		7.02	
		T	 				28.377	-
17-178-58-58-58		Total Qty	6 5-86-8				28.377	
		WO Qty	The state of				28.510	Sqm
		RA 08Qty	L Tallah				20.310	Sqiii
		RA 09 Qty					28.377	
	September 1	A STANDARD TO THE REAL PROPERTY AND ASSESSMENT					20.077	<u> </u>
		Providing & fiving Lludraulia stack	ł					
		Providing & fixing Hydraulic sleek door closer of approved make						
		including all fixing arrangement						
	7	complete in all respect. Door weight						
		capacity upto 80kg, with 10year						
		manufacturer warranty complete as						
		per design approved.						
		Admin,SPA, Kitchen,Electrical,	Nos				4	
V.					V (0			
	Dr		705	moch -1	1111			

Divest Tailathi

		Total Qty	45		No.		4.000	
		WO Qty				N. Marchine	4.000	Nos
		RA 08Qty						1
NA ST		RA 09 Qty					4.000	
		Providing & fixing Door Lock (*		
		Motrise lever one side knob cylinder						
	8	& one side key finish in rose gold SS						
	0) of approved make including all						
		fixing arrangement complete in all						
		respect.						=1
		Toilets, spa,Kitchen	Nos				5	++/
		Total Qty					5.000	
		WO Qty					5.000	Nos
		RA 08Qty		EN LONG				
		RA 09 Qty					5.000	
		Descriding 9 fixing 50mm dia 60 204						
		Providing & fixing 50mm dia SS 304 grade (finish : As per approved)						ľ
	11	600mm Long H type Handle						
		including all the accessories and			i			
		fitting as per requirement complete.						
		With a R. Lawith	N.			ļ		/
		Kitchen & Jonithor	Nos			-	2	1
VALSES IN		Total Qty	Service Control	and silen	a de la contraction de la cont		2.000	O SAN BUSINESS
		WO Qty					2.000	Nos
		RA 08Qty			STATE OF THE PARTY		2.000	avos
	HEROTER STATE	RA 09 Qty	100				2.000	
	EVALUE OF STATE	RA 09 Qty	Calking Thi				2.000	Marie 100 100 100 100 100 100 100 100 100 10
	 	Providing & fixing 1.2mm thick						
		aluminium. Skirting PVDF coated						
						1		
		(100mm height rose gold finish) /						
		anodised as per approved sample				1		
		over existing partition including all			i			
		fixing arrangement complete in all	20					
		respect. (Basic cost Aluminium						
		Skirting @ Rs. 450/-Rmtr)						
		Oute Side Wall	Rmt				8.87	/

		Total Qty					0.000	
		WO Qty					55.000	Rmt
-		RA 08Qty						
PERSONAL PROPERTY.	55. N. B. W. Y.	RA 09 Qty		District Control		POSSESSES	0.000	
	Charles Infrastructur	TARREST MAN AND THE STATE OF TH		The second	THE RESERVE OF SECOND	HOLINA HEROSE	0,000	ADDRESS STREET

Mass

Divest Taibathi

	Providing and fixing over head storage with necessary shelves as per design made out of 19mm thick Natural Fiber Polymer composite Board/Wood Material ply fixed with the help of all necessary hardware like nail and fasteners and all internal surface of storage to be finished with 0.8mm thick laminate & external surface to be finished with 1mm thick laminate including required shelves, shutters and required hardware like handle, knobs, magnetic catcher, hinges, shutter lock etc. all are superior quality of approved make complete in all respect. (Basic cost of laminate for internal surface @ Rs. 28/- sft & external surface laminate@ Rs.90/-Sft	1 a		×			
	Admin Room	Sqm		2	.925	1.85	
	Admir Koom	Jan			123	1.07	
	Total Qty			25 SEC. 23		0.000	
	WO Qty			TVE TENER	10,3450	1.730	Sqm
	RA 08Qty	CAUL STATE					
	RA 09 Qty	300		Total Trees		0.000	
	storage with necessary drawers &						
	Shelves as per design made out of 19mm thick Marine ply board structure fixed with the help of all necessary hardware like nail and fasteners and all internal surface of storage to be finished with 0.8mm thick laminate & external surface to be finished with designer tile, storage includes required shutter / drawer storage unit with required shelves , shutters with required hardware like concealed channel / handle, knobs, magnetic catcher, drawer lock, hinges, shutter lock, drawer channel etc. all are superior quality of approved make &				a'		
	19mm thick Marine ply board structure fixed with the help of all necessary hardware like nail and fasteners and all internal surface of storage to be finished with 0.8mm thick laminate & external surface to be finished with designer tile, storage includes required shutter / drawer storage unit with required shelves , shutters with required hardware like concealed channel / handle, knobs, magnetic catcher, drawer lock, hinges, shutter lock, drawer channel etc. all are superior quality of approved make &	No					
	19mm thick Marine ply board structure fixed with the help of all necessary hardware like nail and fasteners and all internal surface of storage to be finished with 0.8mm thick laminate & external surface to be finished with designer tile, storage includes required shutter / drawer storage unit with required shelves , shutters with required hardware like concealed channel / handle, knobs, magnetic catcher, drawer lock, hinges, shutter lock, drawer channel etc. all are superior quality of approved make &	Nos	1			1	
	19mm thick Marine ply board structure fixed with the help of all necessary hardware like nail and fasteners and all internal surface of storage to be finished with 0.8mm thick laminate & external surface to be finished with designer tile, storage includes required shutter / drawer storage unit with required shelves , shutters with required hardware like concealed channel / handle, knobs, magnetic catcher, drawer lock, hinges, shutter lock, drawer channel etc. all are superior quality of approved make &	Nos	1			1.000	
	19mm thick Marine ply board structure fixed with the help of all necessary hardware like nail and fasteners and all internal surface of storage to be finished with 0.8mm thick laminate & external surface to be finished with designer tile, storage includes required shutter / drawer storage unit with required shelves , shutters with required hardware like concealed channel / handle, knobs, magnetic catcher, drawer lock, hinges, shutter lock, drawer channel etc. all are superior quality of approved make & Baar Area Total Qty WO Qty	Nos	1			1.000	Nos
	19mm thick Marine ply board structure fixed with the help of all necessary hardware like nail and fasteners and all internal surface of storage to be finished with 0.8mm thick laminate & external surface to be finished with designer tile, storage includes required shutter / drawer storage unit with required shelves , shutters with required hardware like concealed channel / handle, knobs, magnetic catcher, drawer lock, hinges, shutter lock, drawer channel etc. all are superior quality of approved make & Baar Area Total Qty WO Qty RA 08Qty	Nos	1			1.000 1.000 0.700	Nos
	19mm thick Marine ply board structure fixed with the help of all necessary hardware like nail and fasteners and all internal surface of storage to be finished with 0.8mm thick laminate & external surface to be finished with designer tile, storage includes required shutter / drawer storage unit with required shelves , shutters with required hardware like concealed channel / handle, knobs, magnetic catcher, drawer lock, hinges, shutter lock, drawer channel etc. all are superior quality of approved make & Baar Area Total Qty WO Qty	Nos	1			1.000	Nos

Diverk Tolikath

Total Qty WO Qty RA 10Qty Dartly closed Servery counter storage as per drawing made out of 19mm thick BWP / Marine board structure fixed with the help of all necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic Total Qty 1.000			For Spa basin counter	Nos	1			1 ,	
RA 06Qty RA 06Qty RA 10Cty Partly closed Servery counter storage as per drawing made out of 19mm thick BWP / Marine board structure fixed with the help of all necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick Iaminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patt edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic For kitchen outside servery area Total Ofy WO Qty RA 09 Qty Size 3529mm long x 800mm deep x 850mm high - For Bar area open lounge	Te vo	TV TOWN TO				Philippin and	0000	1.000	141,851
partly closed Servery counter storage as per drawing made out of 19mm thick BWP / Marine board structure fixed with the help of all necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x for total Qty WO Qty RA 08Qty RA 09 Qty 5 Size 3528mm long x 600mm deep x 600mm high - Total Qty Total Qty 1,000 No. 300 Total Qty 1,000									Nos
partly closed Servery counter storage as per drawing made out of 19mm thick BWP / Marine board structure fixed with the help of all necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic Total Qty WO Qty RA 08Qty RA 09 Qty Size 3529mm long x 600mm deep x 650mm high - Size 3529mm long x 600mm deep x 650mm high - Total Qty Total Qty 1.000 No. 700 RA 09 Qty 1.000 Total Qty 1.000 No. 700 Total Qty 1.000			RA 08Qty					0.700	
storage as per drawing made out of 19mm thick BWP / Marine board structure fixed with the help of all necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For Ritchen outside servery area Total Qty 1.000 No. 3000				Y Pan				0.300	NEWS I
storage as per drawing made out of 19mm thick BWP / Marine board structure fixed with the help of all necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For Ritchen outside servery area Total Qty 1.000 No. 3000									
19mm thick BWP / Marine board structure fixed with the help of all necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile. & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - Total Qty WO Qty RA 08Qty RA 09Qty 5or Bar area open long we 600mm deep x 850mm high - Total Qty Total Qty 1.000 No 0.300 Total Qty 1.000									
structure fixed with the help of all necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic For kitchen classification of the property of the property of the plain of the property of the plain of the property of the plain of the property of the plain of the property of the plain						* a	į		
necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile. & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic Total Qty Total Qty Total Qty Size 5500mm long x 600mm deep x 850mm high - For Bar area open lounge For Bar area open lounge Total Qty Total Qty Total Qty 1,000 Total Qty 1,000 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000									
fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic Size 5500mm long x 600mm deep x 850mm high	. 1		1 in the second			2.			
area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic Total Qty Wo Qty RA 08Qty RA 09 Qty Total Qty			1						
0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 610mm high - For kitchen outside servery area Total Qty WO Qty RA 08Qty RA 08Qty RA 09 Qty Total Qty			I .						
area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic For kitchen outside servery area Total Qty WO Qty RA 09 Qty RA 09 Qty RA 09 Qty Size 3529mm long x 600mm deep x 850mm high - For Bar area open lounge Total Qty 1,000			-						
thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For kinchen outside servery area Total Qty WO Qty RA 08Qty D. 700 RA 09 Qty Total Qty			1						
shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic For like handle, knobs, magnetic For wo Qty Wo Qty RA 08Qty Size 3529mm long x 600mm deep x 850mm high - For Bar area open lounge Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000									
Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic Boroutside servery area Total Oty WO Qty RA 08Qty Bize 3529mm long x 600mm deep x 850mm high - Total Qty Total Qty Total Qty 1,000									
all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area Total Oty WO Oty RA 08Oty B 3000mm long x 600mm deep x 850mm high - Total Oty Total Oty 1.000 No RA 09 Oty Total Oty 1.000									
double patti edge will be fixed with diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area 1 1 1 1 1 1 1 1 1			1						
diamond polish shelves for open space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic Size 5500mm long x 600mm deep x 850mm high -			1						
space, All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area Total Qty WO Qty RA 08Qty D. 7000 RA 09 Qty Size 3529mm long x 600mm deep x 850mm high - For Bar area open lounge Total Qty Total Qty 1,000 Total Qty 1,000			4						
shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area Total Qty WO Qty RA 08 Qty Size 3529mm long x 600mm deep x 850mm high - For Bar area open lounge Total Qty 1,000 No. 3000			14						
designer tile & top surface of survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area Total Qty 1.000 No RA 08Qty 0.700 RA 09 Qty 0.300 b Size 3529mm long x 600mm deep x 850mm high - For Bar area open lounge 1.000 No 0.300		1							
survery storage to be finished with plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic Size 5500mm long × 600mm deep × 850mm high - For kitchen outside servery area Total Qty WO Qty RA 08Qty Disc 3529mm long × 600mm deep × 850mm high - Size 3529mm long × 600mm deep × 850mm high - Total Qty Total Qty Total Qty 1.000 No 0.700 RA 09 Qty 1.000 Total Qty			4						
plain polish Marble fixed with adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area Total Qty WO Qty RA 08Qty B Size 3529mm long x 600mm deep x 850mm high - For Bar area open lounge Total Qty 1,000 Total Qty 1,000 Total Qty 1,000 Total Qty 1,000									
adhesive & 100mm high Gold Plated finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area Total Qty WO Qty RA 08Qty D 3000 B 3000 B 3000 B 3000 C 5000 C 6000 C 7000 C			UII						
finish Aluminium skirting at floor level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
level, including required hardware like handle, knobs, magnetic a Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area 1 1 2000 WO Qty 1.000 No RA 08Qty 0.700 RA 09 Qty 0.300 b Size 3529mm long x 600mm deep x 850mm high - For Bar area open lounge 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			1			- 12			
like handle, knobs, magnetic For kitchen outside servery area 1 1 1 1 1 1 1 1 1									
a Size 5500mm long x 600mm deep x 850mm high - For kitchen outside servery area 1.000 No. RA 08Qty 1.000 No. RA 09 Qty 0.700 RA 09 Qty 0.300 For Bar area open lounge 1.000 No. RA 09 Qty									
a Size 5500mm long x 600mm deep x 850mm high -			ince fiancie, knobs, magnetic						
a Size 3500mm long x 600mm deep x 850mm high - Size 3529mm long x 600mm deep x 850mm high - Size 3529mm long x 600mm deep x 850mm high - Size 3529mm long x 600mm deep x 850mm high - Size 3529mm long x 600mm deep x 850mm lounge 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
Total Qty 1.000 No No No No No No No			Size 5500mm long x 600mm deep x	The state of the s				1	
Total Qty 1.000 No RA 08Qty 0.700 RA 09 Qty 0.300		а		- The second sec				1 \	
Total Qty				AND THE RESERVE		1			
b Size 3529mm long x 600mm deep x 850mm high - For Bar lounge 1.000 Total Qty 1.000		IR NO 39							
BA 08 Qty BA 09 Qty Discretely service and service area open lounge Total Qty Discretely service area open lounge 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									
b Size 3529mm long x 600mm deep x 850mm high - For Bar area open lounge									Nos
b Size 3529mm long x 600mm deep x 850mm high - For Bar area open lounge	16.700	DE EUC.							
b Size 3529mm long x 600mm deep x area open lounge 1 1 1 Total Qty 1,000			RA U9 QIY					0,300	
b Size 3529mm long x 600mm deep x area open lounge 7.	hue y			For Por					
850mm high - open lounge , 1,000			0.000	A Property of the Party of the					
Total Qty 1,000			ISIZE 3529mm long v hijimm geen v					1 1	
Total Qty 1,000		b				í			
		b		open		£			
		b		open		1			
		b	850mm high -	open	a(a) 15	, 		1.000	

MA

Diver Taipathi 18/07/24

		RA 09 Qty	ine i kveti			0.300	
	С	Size 2000mm long x 600mm deep x 850mm high -	For P Lounge	117,12			
		Total Qty				1.000	
	1012	WO Qty				1.000	Nos
		RA 08Qty	0.5082			0.700	
		RA 09 Qty				0.300	
		Providing and fixing ISLAND Counter storage as per drawing, Storage as per drawing made out of 19mm thick BWP / Marine board structure fixed with the help of all necessary hardware like nail and fasteners and all closed internal area of storage to be finished with 0.8mm thick laminate and open area with external finish of 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish all over apart shelf as marble with double patti edge will be fixed with diamond polish shelves for open space (If Any), All the external surface area shall be wrapped and finished in designer tile & top surface of survery storage to be finished with plain polish Marble					
	а	Size 4000mm long x 1200mm deep x 850mm high - kitchen outside servery area				1	
		Total Qty				1.000	
(GISTS)		WO Qty				1.000	Nos
		RA 08Qty				0.700	
		RA 09 Qty			1000	0.300	III II RANDAN

Asso .

Diver Tribathi 18/07/24

11	Providing and fixing Fligh counter Console as per drawing, structure made out of 19mm thick BWP / Marine board construct in boxing form and fixed to existing wall/panneling fixed with the help of all necessary hardware like nail and fasteners all internal back exposed area surface to be finished with 1mm thick laminate, external front 1mm thick SS Sheet cladding of triangle shape emboss texture with white Gold Leafing antique Coating finish & top surface to be finished with plain diamond polish Marble fixed with adhesive & 100mm high Gold plated finish Aluminium skirting at floor level all around, (Basic cost of laminate for internal surface @Rs. 28/- sft & external surface SS Texture Emboss Antique finish coating Sheet @Rs.2500/- per Sft, Marble at Top @ 450/- per sft, Basic cost Gold plated finish					
a	Size 7753mm long x 400mm wide from top with below covered boxing structure x 1050mm high	for Around Large Tree high counter		¥I	1	
	Total Qty			Mary Congression	1.000	
	WO Qty			St. January	1.000	Nos
	RA 08Qty RA 09 Qty				0.700	
NA CASA	AA U QQ			HO METANE	0.300	
12	Providing and fixing High Counter Ledge as per drawing, made out of 19mm thick BWP Board / Ply structure construct in L form with latak 35mm high in front to covered the base supported MS painted 25x25mm angle frames fixed at maximum 1200mm c/c with the help of all necessary hardware like nail and fasteners. all the Ply surface latak / top finished with plain Marble with diamond polish fixed with adhesive complete as per detail drawing. (Base Price of Marble @ Rs. 450/- per sft)			20		
	ſ	Mariach	1			

Joseph

Divest Toribathi 18/07/24

	а	Size 3935mm long x 400mm wide from Top	For High counter Ledge				1	
		Total Qty					1.000	
TOURS EN		WO Qty					1.000	Nos
		RA 08Qty					0.700	
		RA 09 Qty					0.300	
	13	Providing and fixing Reception Table (Size: 1000mm long x 1000mm deep x 750/1050mm high) made out of 19mm thick BWP Board / Ply structure including necessary hardware of superior quality, structure made in double ht form which make front portion along with sides finished in Italion Marble finished with flutted pattern all polish, then worktop / double ht vertical screen in Acrylic surface finish of 12mm thick on base ply with complete buffing /rubbing as per design. front facade, sides & top finish with Italian marble stone of approved make, shade & texture including all fixing arrangement ,grinding polishing, edge chamfering & polishing & all internal surface to be finished with 0.8mm thick laminate & at floor level 100mm high skirting & top & sides edging finished with PVD coated color as Recepsion Counter					2	
	STATE OF THE PARTY			Bullion (Contract	distribution and the	EDISH SWITCH SER		Name (User Control
		Total Qty				HISTORY IN	2.000	
		WO Qty RA 08Qty				71	2.000	Nos
		RA 09 Qty			The state of the		1.400	
	THE REAL PROPERTY.	NA UZ QIŞ		ENERGIA CON	C. C. C. C. C. C. C. C. C. C. C. C. C. C	W. A. HVE	0.600	

Med .

Divest Taibathi 18/07/24

	14	COUNTER front Counter as per drawing structure with necessary drawers & Shelves as per design made out of 19mm thick Marine ply board structure fixed with the help of all necessary hardware like nail and fasteners and all internal surface of Partition / storage to be finished with 0.8mm thick laminate & external surface to be finished with designer tile, internal area shall be finished with worktop at upto 850mm high level with Marble finish polish / Double ht top also finihed in same mable with polish complete along with shape and design . 100mm high Gold Plated finish Aluminium skirting at floor level complete in all respect. Marble top in 20mm thickness with dimaond polish all over surface and edge to be double strip with gola			4 ×			
		nolish complete in all respect of						
	а	Size 3900mm long x overall 700mm deep / Double ht 300mm wide from top x 850/1050mm high	For Bar front counter				1	
	U	Total Qty					1.000	
		WO Qty	10000				1,000	Nos
0.000		RA 08Qty					0.700	
	fe nva	RA 09 Qty					0.300	A STATE OF THE STA
	21	Providing Making & fixing/pasting with approved adhesive in position 1mm thick SS Sheet of grade 304 PVD coated with approved colour, shade, texture & finish over 12mm thick base FLEXI Ply board of approved brand & manufacture, PVD coated sheet shall be wrapped around the base ply frame at site with approved quality adhesive etc complete as per drawings & instructions of Project-in-Charge. cost include the provision of offset spacing for light provision and any back base suface paint in matching shade of PVD finish prior installtion complete as per detail drawing. (
 	a.	Solid Sheet Cladding Plain type 1	Sqm		*			
			~ q. ''					
						45-11-11-1		
				6 1	1			1

Divest Tailpathi 18/07/24

		Total Qty					1.000	
		WO Qty					34.950	Sam
201		RA 08Qty					0.000	
		RA 09 Qty					1.000	/
		FEATURE ROUND CNC CUT SCREEN: Providing & fixing feature round cnc cut screen made in 1mm thick SS sheet with factory made laser cut design and finished in PVD finished color as approved, Entire RIM will be moulded with Pencil round edge & 3mm dia tube shot welded on end circumference with neat / clean finish buffing prior to PVD coating application. Finished RIM shall be packed and cover with temprory packing wooden patti /frame/box to avoid any damgaes and deliver with safety at site, RIM will be install on Existing wall /partition with heavy duty SS clamp / bracket support including fastner complete as per				9		
	a.	Satisfactory of Project Incharge. Art work Type 1: Round Dia	Premu m Lounge	Nos	÷		2	
		Total Qty WO Qty RA 08Qty RA 09 Qty					2.000 2.000 1.400 0.600	Nos
	В.	Art work Type 2: Round Dia	Baar A rea & Dinning	Nos			4	
		Total Qty WO Qty RA 08Qty					4.000 2.000 0.000	Nos
		RA 09 Qty					4.000	
		L	0	d To	11.		L	

Mal

Divest Tribathi 18/07/24

24	TREE ELEMENT: Providing and fixing Tree of Life Design Element made in part and combine in Tree Element as per design, part element is desicribe and detail below with the specification and material used. Also the element has petal and leaves feature with variable sizes of fixed / decorative light as per the design and requirement which include the all provision for base support and other allied requirements.			3			
Α.	FOR BAR AREA	Rmt	6		25	150	
	T OT BY IT () IT E	Rmt	4.5		15		
	Recepsion Glass Wall	Rmt	3.3		16		
	Total Oty	MIHL	3.3		10	270.300	1
						211.670	RMT
	WO Qty				I was a second		RIVII
	RA 08Qty					145.600	
- C VSUDA COVSCILLO	RA 09 Qty					124.700	
i)	i) Solid petal and leaves: made of base 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved complete with fixing support above to fixed on ceiling complete as per detail drawing.			ž.			
a.	L1 : Size 130/250/310/395mm Long x 75/125/150/175mm wide x 1 each	Nos				21	/
				,	-		
	Total Qty					21.000	
	WO Qty		MANAGED !			21.000	Nos
	RA 08Qty		Saut Vala			0.000	
The state of the s	RA 09 Qty					21.000	
i)	i) Solid petal and leaves: made of base 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved complete with fixing support above to fixed on ceiling complete as per detail drawing.						

Divest Tailpathi 18/07/24

b.	L2 : Size 220/285/355mm Long x 100/125/150mm wide x 1 each	Nos				19	
	E					-	-
	Total Qty				A Company	19.000	
	WO Qty	Tree line				19.000	Nos
	RA 08Qty				Designation of the last of the	0.000	
	RA 09 Qty		Miles of Alle			19.000	
60020 FI (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	RA 02 QIY					15.000	Jan 15 and
ii)	ii) Grill Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from bottom with perforation for AC air ventilation as per design and drawing complete.						
a.	L1 : Size 475mm Long x 225mm wide x 1 each					13	
	Total Qty					13.000	
	WO Qiy			No. of the little		11.000	Nos
	RA 08Qty					0.000	HE SOLD
STATE OF THE PARTY							
	RA 09 Otv					13.000	A SECOND
	RA 09 Qty					13.000	- 1 5 5 1 to
iii)	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete. (Note: LED Profile & light cost not included and will be paid seperate)					13.000	
iii)	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete. (Note: LED Profile & light cost not included and	Nos				11	
	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete. (Note: LED Profile & light cost not included and will be paid seperate)	Nos					
	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete. (Note: LED Profile & light cost not included and will be paid seperate) L1: Size 620mm Long x 275mm wide x 1 each	Nos				11	Nos
	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete. (Note: LED Profile & light cost not included and will be paid seperate) L1: Size 620mm Long x 275mm wide x 1 each	Nos				11	Nos

July

Divest Taribathi 18107124

iii)	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete. (Note: LED Profile & light cost not included and will be paid seperate)			2			
b.	L2 : Size395/530/620mm Long x 175/225/275mm wide x 1 each	Nos				12	
	Total Qty WO Qty RA 08Qty RA 09 Qty					12.000 10.000 0.000 12.000	Nos
B.	FOR HIGH COUNTER AREA						
1	TRUNK ELEMENT: made in 15mm dia SS pipe with PVD finish as per color /shade approved or detail drawing. Pipe to be fixed and welded with inner circle pipe fitted for support in bottom and top where curve form start, also the curve and horizontal form in ceiling shall be be fitted with ceiling support with neat & clean finish complete as per detail drawing. pipe length is variable as per the design and provision petal/leaves attachment complete in all respact or advise by the Architect. (note: Length to measured as per actual and paid)						
	HIGH COUNTER AREA	Rmt	47	7.5		352.5	
 	Low Hight Area	Rmt	24	3		72	
2000	Total Qty		Name (Calc)	has the		424.500	
	WO Qty	200				386.000	Rmt
	RA 08Qty				Navos of	0.000	
	RA 09 Qty					424.500	
	14-14	D. 1	TIJ	* /			

Divest Toribathi
18/07/24

i)	i) Solid petal and leaves: made of base 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved complete with fixing support above to fixed on ceiling complete as per detail drawing.		182			
a.	L1 : Size 130/250/310/400mm Long x 75/125/150/175mm wide x 1 each	Nos		V	40	
	Total Qty				40.000	
	WO Qty				40,000	Nos
	RA 08Qty				0.000	
	RA 09 Qty				40.000	Harris .
i)	i) Solid petal and leaves: made of base 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved complete with fixing support above to fixed on ceiling complete as per detail drawing.					
b.	L2 : Size 220/285/355mm Long x 100/125/150mm wide x 1 each	Nos			36	
	Total Qty				36.000	
	WO Qty		TO STATE OF THE PARTY OF THE PA		36.000	Nos
	RA 08Qty RA 09 Qty				36.000	
ii)	ii) Grill Petal / Leaves : made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from bottom with perforation for AC air ventilation as per design and drawing complete.					

Med -

Divest Tailbathi
18/07/24

		HIGH COUNTER AREA	Nos				19	
	a.	L1 : Size 475mm Long x 225mm						
		wide x 1 each		7570 250	Electric Service		10000	
		Total Qty					19.000	Nos
		WO Qty		CHECKING !			0.000	NOS
	20150	RA 08Qty			MY E JOSEPH		19.000	
# 1528		RA 09 Qty					15.000	
	iii)	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete.						
	a.	L1 : Size 615/700/800mm Long x 275/325/350mm wide x 1 each	Nos				23	
		Total Qty					23.000 \	
		WO Qty					16.000	Nos
		RA 08Qty					23.000	
		RA 09 Qty					23.000	
	iii)	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete.			8.			
	b.	Long x 225/275/325/350/375mm wide x 1 each	Nos				22	
							1	/
		m-wio-		900020000		M (UIS ESSON)	22 000	
		Total Qty					22,000	Nas
		WO Qty					15.000	Nos
		WO Qty RA 08Qty					15.000	Nos
		WO Qty					15.000	Nos

Divest Tenbathi 18/07/24

		T		1		Γ		
	1	TRUNK ELEMENT: made in 15mm dia SS pipe with PVD finish as per color /shade approved or detail drawing. Pipe to be fixed and welded with inner circle pipe fitted for support in bottom and top where curve form start, also the curve and horizontal form in ceiling shall be be fitted with ceiling support with neat & clean finish, also on wall bottom fixd to profile skirting as per design complete / detail drawing. pipe length is variable as per the design and provision petal/leaves attachment complete in all respact or advise by the Architect. (note: Length to measured as per actual and paid)			4			
		FOR RECEPTION AREA Piller	Rmt	6		18	108	
		FOR RECEPTION AREA Piller	Rmt	4.5		27	121.5	
		FOR RECEPTION AREA Piller	Rmt	9		15	135	
		FOR RECEPTION AREA Wall	Rmt	3.3		29		
							460.2	
		Total Qty					460.200	
	VENEZ EUR	WO Qty					450.650	Rmt
		RA 08Qty		XIII			0.000	
100		RA 09 Qty					450.200	
	i)	i) Solid petal and leaves: made of base 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) with 1mm thick SS sheet finished with Plain Mirror finish / hammered texture emboss / Solid Color PVD Coated finished as per the shade approved complete with fixing support above to fixed on ceiling /wall complete as per detail drawing.			Z II			
	a.	L1 - Ceiling : Size 305/440/535/585mm Long x 140/440/535/585mm wide x 1 each	Nos				32	
1500533000	ESVE 194	Total Qty		5 N 5 N 5 N 5 N 5 N 5 N 5 N 5 N 5 N 5 N		CLEANE KENTYA	22 000	
		WO Qty	NAS PARTIES				32.000 32.000	Nos
		RA 08Qty					0.000	MOS
		RA 09 Qty					32.000	
		MERNA WILLIAM STATE OF THE STAT	0 1	T.1.	M ·	EN CASE	32.000	COMPRESSED AND A

Jul

Divest Toipathi 18/07/24

	i)	i) Solid petal and leaves: made of base 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) with 1mm thick SS sheet finished with Plain Mirror finish / hammered texture emboss / Solid Color PVD Coated finished as per the shade approved complete with fixing support above to fixed on ceiling /wall complete as per detail drawing.			
	b.	L2 - Ceiling : Size 350/485/580/640mm Long x 160/175/210/265mm wide x 1 each	Nos	32 🔪	/
		Total Qty		32.000	
		WO Qty		32.000	Nos
0.1		RA 08Qty		0.000	
		RA 09 Qty	THE STATE OF	32.000	

i)	i) Solid petal and leaves: made of base 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) with 1mm thick SS sheet finished with Plain Mirror finish / hammered texture emboss / Solid Color PVD Coated finished as per the shade approved complete with fixing support above to fixed on ceiling /wall complete as per detail drawing.	,				
c.	A&B.type Wall Leaf : Size 280/335/410/485/560mm Long x 112/148/192/240/285mm x 1 each	Nos			35 🕇	10
	* Total Qty	Sugar Sul as			35.000	
	WO Qty			NUMBER OF STREET STATE OF STREET	35.000	Nos
	RA USQty	The Man			0.000	
TOTAL TOTAL	RA 09 Oty		150000000		35.000	

Mad ...

Divest Taipalli

iii)	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete.			×	2		
a.	L1 - Ceiling : Size 440/485/585/585mm Long x 130/190/225/255mm wide x 1 each	Nos		38 2		30	
						27	B 77
No. Total	Total Qty				CONTRACTOR OF THE PARTY OF THE	30.000	
52053	WO Qty					17.000	Nos
	RA 08Qty					0.000	
	RA 09 Qty		STOREGE S			30.000	
iii)	iii) Light Petal / Leaves: made of 18mm thick Natural Fiber Polymer Composite Board wood (Eco freindly, Recyclable material) side frame of 25mm wide with 1mm thick SS sheet finished with hammered texture emboss and coated in PVD finished as per the shade approved, covered and wrap from top with central area for light provision with side profile light as per design and drawing complete.						
b.	L2 - Ceiling : Size 290/440/525/640/mm Long x 110/160/190/255mm wide x 1 each	Nos				-30	
	Total Qty WO Qty RA 08Qty RA 09 Qty	1/2/17				30,000 17.000 0,000 30,000	Nos

Mendo

Divesk Teripathi

28	ELIPTICAL SHAPE NICHE BOX: Providing, making & fixing Eliptical shape niche box made in 12mm thick Natural Fiber Polymer Composite Board / wood / Ply(Eco freindly, Recyclable material) using 100mm deep niche with backing of 12mm thick ply with 4mm thick thick mirror pasted both side as per niche shape and design with 12x12mm SS PVD finish moulding in front & back, shelf & pelmet box for light inside the niche, side in curve shape with duco paint finish as per the approved detail drawing. (Overall Niche Box Size 500mm high x 255mm wide x 100mm deep)			න ජ			
	Baar Area & Recepsion	Nos				29	
	Total Qty WO Qty					29.000	Nos
a jan zure	RA 08Qty					0.000	
	RA 09 Qty			100 S		29.000	
4	WallPaper: Providing & fixing Fabric backed Vinyl Wall covering(10.05mtr. X .52mtr) (300gsm Type-II) fire Retardant as per approved sample including all fixing arrangement complete in all respect. (Basic cost of Fabric backed Vinyl Wall covering @ Rs. 90/- per sft) ASper dwg elevation			2			
			26.2	3:1-3	083	04.50	
	P,Lounge Open Door Deduction	Sqm Sqm	26.3	2.27		81.53 -2.6105	
	Glass Door Deduction	Sqm	2.15	2.27		-5.805	
1	Photo Frame Glass Deduction	Sqm	1.59	3.1		-4.929	
	Roller Binder Box	Sqm	2.5	0.3		0.75	
		Sqm				0	
	BAR Area	Sqm	20.14	3.2		64.448	
	P,Lounge door Deduction	Sqm	1.15	2.27		-2.6105	
	Admin Door Deduction	Sqm	0.94	2.33		-2.1902	
		Sqm				0	
	Dinning Area	Sqm	37.4	3.2		119.68	
	Kitchen Door Deduction	Sqm	1.23	2.34		-2.8782	
	Passage Door Deduction	Sqm	1.12	2.3		-2.576	
	Glass Door Deduction (G1)	Sqm	2.96	2.7		-7.992	
	Glass Door Deduction (G2)	Sqm	2.79	2.7		-7.533	
	Roller Binder Box Roller Binder Box	Sqm Sqm	3	0.3		0.9	

		SPA Wall	Sqm	18.1	3.1		56.11	
		Electrical Room Door Deduction	Sqm	0.98	2.34		-2.2932	
		SPA Door Deduction	Sqm	1.2	2.34		-2.808	
		Glass Door Deduction	Sqm	2.625	2.7		-7.0875	
		Roller Binder Box	Sqm	3	0.3		0.9	
			Sqm				0	
		PASSAGE Wall	Sqm	14.4	3.2		46.08	
		Dinnig Open Door Deduction	Sqm	1.1	2.35		-2.585	
		SPA Door Deduction	Sqm	1.2	2.35		-2.82	
		Disable Restroom Deduction	Sqm	1.2	2.35	2	-2.82	
		Male Restroom Deduction	Sqm	0.96	2.35		-2.256	
		Female Restroom Deduction	Sqm	0.96	2.35		-2.256	
			Sqm				0	
		RCC Column	Sqm	7	3.3		23.1	
		Buffar Column	Sqm	3.08	3.3		10.164	
		BAR Column	Sqm	1.1	3.3		3.63	
		Reception Column	Sqm	1.36	3.3		4.488	
							348.63	
		Total Qty					348.6309	
ZO ENE		WO Qty				1	409.160	Sqm
		RA 08Qty					312.000	
5		RA 09 Qty					36.630	
	2	Providing & fixing 6mm thick silver back finish looking mirror with adhesive of approved make on existing Natural Fiber Polymer composite Board/Wood Material ply as per design including all fixing arrangement complete in all respect. (Basic cost of looking Mirror @ Rs. 120/- Sqft)						
	a.	Mirror Panneling with back ply - For Ladies toilet full ht mirror	Sqm	2			2~	
		Total Qty					2.000	
		WO Qty					2.000	Sqm
		RA 08Qty					0.000	
		RA-09 Qty				Dieses (2.000	
	2	Providing & fixing 6mm thick silver back finish looking mirror with adhesive of approved make on existing Natural Fiber Polymer composite Board/Wood Material ply as per design including all fixing arrangement complete in all respect. (Basic cost of looking Mirror @ Rs. 120/- Sqft)						
	I	A company of the second	David	Toub	11:	1	L	

John

Divest Josepath

b.	Mirror with SS PVD Finish Profile Frame and back ply : Size 800mm long x 900mm high - For Toilets	Nos	5			-5	10 2
	Total Qty WO Qty			N 76		5.000	Nos
	RA 08Qty RA 09 Qty					5.000	
3	Providing & fixing Trims profile in wall partition, floor, ceiling etc in Rose Gold or approved color finish as per approved sample fixed with adhesive of approved make including all fixing arrangement complete in all respect.			2			T
a	L- angle profile (12mm x 12mm x 1.5mm thick)(Basic cost of profile @ Rs. 350 Rmtr.)	site specifc	Rmt	22	х3.	3 = =	2.6
	Total Qty WO Qty RA 08Qty RA 09 Qty					55,000	Rmt
3	Providing & fixing Trims profile in wall partition, floor, ceiling etc in Rose Gold or approved color finish as per approved sample fixed with adhesive of approved make including all fixing arrangement complete in all respect.						
b	Transition Profile: size 25mm wide - For where change in in floor such carpet,wooden floor,tile, stone etc. (Basic cost of profile @ Rs. 350 Rmtr.)	site specifc	Rmt	24 24 ×	2.7		64.8
						29.2	
	Total Qty WO Qty RA 08Qty					15.000	Rmt
	RA 09 Qty	0 E (0 E) (1				0.000	

July 5

Divesk Toubathi

		The second secon	v			000000		
	3	Providing & fixing Trims profile in wall partition, floor, ceiling etc in Rose Gold or approved color finish as per approved sample fixed with adhesive of approved make including all fixing arrangement complete in all respect.			-			-
	С	Insert BRASS Strip Trims - size 5mm wide on top x 4mm thick x 25mm deep, Base Price Rs. 550/- per rmt	site specifc	Rmt		26	6mt	
X								
		Total Qty						
		WO Qty					25.000	Rmt
		RA 08Qty						
		RA 09 Qty					0.000	
	7	Joint Trims/Profile: Providing and fixing Expansion joint cover Trim made in SS with PVD finish size upto 150mm wide complete as per manufacturer details and all ht level. Base rate of Trims @ Rs. 1500 Per mtr. (Cost not include of Expansion joint treatment between slab and will be seperate)			ie			
	C ₁	wall	Rmt				26.4	
		Total Qty WO Qty RA 08Qty RA 09 Qty		2223) a			28.000	Rmt
	9	Artifact of approved design , texture , shape fix in wall/ceiling or placing with require hardware and arrangements support, complete as per design.						
	a.	Artifact element - Large, Base Range Rs. 255000/- each,	In Recepti on area				6	
		Total Qty					6.000	
		WO Qty				加州	6.000	Nos
100 CO CO CO CO CO CO CO CO CO CO CO CO CO	CHESTON AND	RA 08Qty				(2 mg/2) 2 h		
		RA 09 Otv				AND THE RESIDENCE	6.000	

My

Divest Tailpathi 18/07/24

Artifical Turf / Creeper bail Green wall: Made with fine quality polyester fabric which is long lasting, easy to clean and maintain. Material - Polyester Fabric, strings - Strings Length - 6ft, approx. Area to covered approx 30 sqm floor /wall, Base range @ 150/- per String for creeper & Turf base price Rs. @ 120/- per sft, Note: Dense for string qty shall be advise by the Architect to enhance the green wall look. Total Qty WO Qty RA 08Qty RA 09 Qty Access Panels; Providing Access Panel Trap Doors with not more than 1/16" shadow/gap on finished surfaces. Panel inlay duplicates wall and ceiling specifications to ensure acoustic integrity. Hardware free finish, opens with concealed touch-latches. The panel can be removed completely for full access. Access Panels gypsum board inlay. Aluminium extrusion with gypsum board installed.			57
Access Panels; Providing Access Panel Trap Doors with not more than 1/16" shadow/gap on finished surfaces. Panel inlay duplicates wall and ceiling specifications to ensure acoustic integrity. Hardware free finish, opens with concealed touch- latches. The panel can be removed completely for full access. Access Panels arrive ready for installation with factory installed gypsum board inlay. Aluminium extrusion with		1	
Access Panels; Providing Access Panel Trap Doors with not more than 1/16" shadow/gap on finished surfaces. Panel inlay duplicates wall and ceiling specifications to ensure acoustic integrity. Hardware free finish, opens with concealed touch- latches. The panel can be removed completely for full access. Access Panels arrive ready for installation with factory installed gypsum board inlay. Aluminium extrusion with			
Access Panels; Providing Access Panel Trap Doors with not more than 1/16" shadow/gap on finished surfaces. Panel inlay duplicates wall and ceiling specifications to ensure acoustic integrity. Hardware free finish, opens with concealed touch- latches. The panel can be removed completely for full access. Access Panels arrive ready for installation with factory installed gypsum board inlay. Aluminium extrusion with		000	
Access Panels; Providing Access Panel Trap Doors with not more than 1/16" shadow/gap on finished surfaces. Panel inlay duplicates wall and ceiling specifications to ensure acoustic integrity. Hardware free finish, opens with concealed touch- latches. The panel can be removed completely for full access. Access Panels arrive ready for installation with factory installed gypsum board inlay. Aluminium extrusion with	Control of the State of the Sta	1.000 LS	1
Access Panels; Providing Access Panel Trap Doors with not more than 1/16" shadow/gap on finished surfaces. Panel inlay duplicates wall and ceiling specifications to ensure acoustic integrity. Hardware free finish, opens with concealed touch- latches. The panel can be removed completely for full access. Access Panels arrive ready for installation with factory installed gypsum board inlay. Aluminium extrusion with			1
Panel Trap Doors with not more than 1/16" shadow/gap on finished surfaces. Panel inlay duplicates wall and ceiling specifications to ensure acoustic integrity. Hardware free finish, opens with concealed touch- latches. The panel can be removed completely for full access. Access Panels arrive ready for installation with factory installed gypsum board inlay. Aluminium extrusion with	1	.000	
Panel Trap Doors with not more than 1/16" shadow/gap on finished surfaces. Panel inlay duplicates wall and ceiling specifications to ensure acoustic integrity. Hardware free finish, opens with concealed touch- latches. The panel can be removed completely for full access. Access Panels arrive ready for installation with factory installed gypsum board inlay. Aluminium extrusion with			
a Size- 450x450 mm Nos Nos		4 4 1 1 6201	11
Total Qty	A	W MISSON	ial b
WO.Qtv	Control of the last of the las	.000 Talah	151
RA 08Qty			
RA 09 Qty	4	.000	

Med

Divest Tailpathi

		,		 r	·	
	HASRDWARE & ACCESSORIES: Corner joinery section made of SS grade 304, brush finish, of size 40x16x0.8mm with thick plastic film pasted for surface protection. Wall joinery section with hamming profile of size 21x22x0.8mm, Fixed front panel to be anchored to floor with L Bracket of SS316 and covered with SS316 grade box type plate from all directions with 100 mm clear height from ground, Matt finish surface. SS grade 304 butt hinges Matt finish, coat hook of SS304 grade lacquer finish with rubber stopper, round knob 30mm dia of SS304 grade lacquer finish, SS 304 grade screws anti-rotation nylon polyamide grade-6 expandable wall plugs etc complete as per approved design, shade, colour, size etc complete					
	Divider, Pilaster and other fixed panels including doors one number per cubicle. Make: Action Tessa / Green / Merino	Nos			4	
	, Total Qty				4.000	
	WO Qty				4.000	Nos
	RA 08Qty					
	RA 09 Qty		Evanistic		4.000	
	As bear Site	1			6->	
24	FROST GLASS FILM: Providing and Pasting Frosted Glass film on Existing Glass partition surface with using Liquid shampoo spraying to set the plotter and wiping process with rubber clipper to ensure all bubble removal and any gap complete in all respact to the satisfaction of Project Incharge. * Face Film appearance 80 micron cast film with frosted. * Back with self Adhesive permanent, acrylic based.	Existin g Glazing	Sqm		2	
	* Backing paper one side coated bleached kraft paper, 135 g/m2. * Durability: 15 years (indoor)/ 7 years (outdoor) Make : Avery / 3M / Garware			Æ	28.37	3/10.25 22.01/6
	bleached kraft paper, 135 g/m2. * Durability: 15 years (indoor)/ 7 years (outdoor) Make : Avery / 3M / Garware			6	28.34	9/a25 22.00 pc
	bleached kraft paper, 135 g/m2. * Durability: 15 years (indoor)/ 7 years (outdoor)			e	28.34	glass 2

Just

Divest Tempath

	RA 08Qty	· 医克特伦特克尔曼 医克里氏 (4) / 光表 医毛囊 发出分裂				
	DA DO CO					
	RA 09 Qty				0.000	
	(4)					
 					<u> </u>	
 		 	2			
			/11			
 					<u> </u>	
					. A	

ĕ

10