### TAX INVOICE

## ORIGINAL FOR RECIPIENT

## **M/S JAGANNATH ENTERPRISE**

### GSTIN 19ATGPJ3421R1Z8 PAN ATGPJ3421R

32/1 14 NEW CORD ROAD,, MULAJORE NUTUN PARA, ATHPUR, North Twenty Four Parganas, WEST BENGAL, 743128 **Mobile** +91 8697739690 **Email** info.jagannathenterprise@gmail.com

Invoice #: JE/24-25/-55	Invoice Date: 05 Aug 2024	Due Date: 05 Aug 2024
Customer Details:	Billing Address:	Shipping Address:
TRAVEL FOOD SERVICES KOLKATA PRIVATI	83, Gate no. 3C, N.S.C.B. INTERNATIONAL	TRAVEL FOOD SERVICES KOLKATA PRIVA-
LIMITED	AIRPORT VIP Road	TE LIMITED
GSTIN: 19AAECT8193L1ZJ	Kazi Nazrul Islam Sarani, Dum Dum	83, Gate no. 3C, N.S.C.B. INTERNATIONAL
	Kolkata, WEST BENGAL, 700052	AIRPORT VIP Road
		Kazi Nazrul Islam Sarani, Dum Dum
		Kolkata, WEST BENGAL, 700052

Place of Supply:

Reference: TFSKPL/PO/24-25/000086

19-WEST	BENGAL

#	Item	Rate / Item	Qty	Taxable Value	Tax Amount	Amount
1	Demolition & Dismantling the existing flooring, upto required base mortar, p- cc/ concrete as per required.Cost to in- clude carting away all debris from site, lead and lifts, material, labours, transp- ortation and all other incidental charges etc. complete and as directed by Site Engineer. SAC: 9984	35.00	94 SQF	3,290.00	592.20 (18%)	3,882.20
2	Removing and Cartying away the De- bris post completion of work from site to the dumping location, all complete as per instruction from the Site engineer Incharge SAC: 9984	45.00	15 LOT	675.00	121.50 (18%)	796.50
3	Providing and fixing in position Glaze- d Vitrified Tile flooring as per detail in drawing. It shall be fixed with cement mortar of 1:4, (required mortar bed is 25mm to 50mm SAC: 9984	170.00	84 SQF	14,280.00	2,570.40 (18%)	16,850.40

#	Item	Rate / Item	Qty	Taxable Value	Tax Amount	Amount
4	Proving & Laying machine cut, machine polished approved 25mm thick Kota s- tone flooring, stone to be machine cu- t, machine polished, laid in pattern and sizes as detailed in drawing or as dire- cted by PM, bedded over cement, sand mortar of mix ratio of 1:6 (1 cement : 6 sand) including cleaning and preparing the surface for bedding, spreading neat cement slurry by using minimum ceme- nt about 2 kg/ sqm prior to bedding and spreading cement paste using minimu- m cement about 4.5 kg/sqm over bed- ding, joints to be cleaned and grouted with matching colour approved quality polymer based readymade grout, curi- ng, machine polishing, cleaning, etc. to required line, level, etc. all complete at all depths, heights and leads to the sa- tisfaction of the PM. Basic rate of Kota @60/- Sqft SAC: 9984	170.00	10 SQF	1,700.00	306.00 (18%)	2,006.00
				Taxable Ame	ount	₹19,945.00
				CGST		₹1,795.05
				SGST 9 Round		₹1,795.05 -0.10
				То	tal ₹	23,535.00
Tota	al Items / Qty : 4 / 203.000 Total a	mount (in words): IN	R Twenty-Three			-
				Amount Paya	ible:	₹23,535.00
Ban	<b>k Details:</b> k: CANARA BANK ount #: 97073070002972			F	or M/S JAGANNATH	ENTERPRISE

Account #:	970730700029
IFSC Code:	CNRB0019707
Branch:	SHYAMNAGAR

Authorized Signatory

### Notes:

None

Terms and Conditions:

1) JOB DONE WITHIN 2 TO 3 WEEKS FROM THE DATE OF ORDER & ADVANCE .

2) FREIGHT EXTRA AT ACTUAL PAID BY CUSTOMER .

3) PAYMENT : 70% ADVANCE ALONG THE ORDER & BALANCE 30% AFTER  $% \mathcal{A} = \mathcal{A} = \mathcal{A} = \mathcal{A}$  INVOICE SUBMITED .

4)INTEREST @ 24% PER ANNUM WILL BE CHARGED IF PAYMENT NOT MAKE WITHIN 30 DAYS FROM BILL DATE.

5) PAYMENT SHOULD BE MADE BY A/C PAYEE CHEQUE/ONLINE TRANSFER

6) ALL SUBJECT TO BARRACKPORE JURISDICTION.

Receiver's Signature

# Purchase Order

Page 1 of 15 12/09/2024 16:20:28

## TRAVEL FOOD SERVICES KOLKATA PRIVATE LIMITED

Order Number : TFSKPL/PO/24-25/000086

Supplier Detail	Shipped Location	Invoice Location
Jagannath Enterprise Supplier Code : RV232415547 [ V0000794 ]	TRAVEL FOOD SERVICES KOLKATA PRIVATE LIMITED Domestic Airport	TRAVEL FOOD SERVICES KOLKATA PRIVATE LIMITED Domestic Airport
(V0000794)	83, Gate no. 3 C, N.S.C.B. INTERNATIONAL AIRPORT VIP Road, Kazi Nazrul Islam Sarani, Dum Dum, Kolkata, West Bengal, 700052	83, Gate No. 3 C, N.S.C.B. International Airport Vip Road, Kazi Nazrul Islam Sarani, Dum Dum, Kolkata, West Bengal, 700052 GSTIN No : <b>19AAECT8193L1ZJ</b>
PAN No : <b>ATGPJ3421R</b> Supplier GST No : <b>19ATGPJ3421R1Z8</b> Supplier Contact No : Contact Person Name : <b>JHUMA BASAK</b> Supplier Email : <b>info.jagannathenterprise@gmail.com</b>	Cost Center Code : <b>90360001</b> Cost Center Name : <b>Projects and Maintenance</b> Project ID : PO Category : <b>Maintenance</b>	Payment Term : <b>Payment to be done as per actual</b> <b>verification of quantities and billing</b> PO Creation Date : <b>19/07/2024</b> PO Approval Date : <b>30/07/2024</b> PO Currency : <b>INR</b> Buyer Name : <b>Binu Balachandran</b>

Sr. No	Item Code	HSN / SAC	Item Name	Item Description	Pur. Grp.	Qty	UOM	Basic Rate	Dis%	Net Rate	Total Amount	SGST %	CGST %	Gross Total Amount
1		9984	Demolition & Dismantling of Existing Flooring	Demolition & Dismantling the existing flooring, upto required base mortar, pcc concrete as per required.Cost to include carting away all debris from site, lead and lifts, material, labours, transportation and all other incidental charges etc. complete and as directed by Site Engineer	B01	3,000.00	SFT	35.00	0.00	35.00	105,000.00	9	9	123,900.00
2		9984	Removing and Cartying away the Debris	Removing and Cartying away the Debris post completion of work from site to the dumping location, all complete as per instruction from the Site engineer Incharge	B01	5,500.00	LOT	45.00	0.00	45.00	247,500.00	9	9	292,050.00
3		9984	Providing & Laying Plain cement concrete	Providing & Laying Plain cement concrete of size 50 75 100mm thk. of specified grade (M10) including the cost of centering and shuttering & required curing. Approved make cement is PPC (ACC, Ultra tech , Birla)	B01	3,000.00	SFT	140.00	0.00	140.00	420,000.00	9	9	495,600.00

4	9984	Providing and	Providing and	B01	1,500.00	SFT	170.00	0.00	170.00	255,000.00	9	9	300,900.00
		fixing in position	fixing in position										
		Glazed Vitrified	Glazed Vitrified										
		Tile flooring	Tile flooring as										
		line neering	per detail in										
			drawing. It shall										
			be fixed with										
			cement mortar of										
			1:4, (required										
			mortar bed is										
			25mm to 50mm										
			thk) with thick										
			grey cement										
			slurry, using										
			cement grout.										
			The job including										
			cutting of tiles &										
			making smooth										
			edges wherever										
			required for drain										
			pipes. The work										
			shall also include										
			cost of materials,										
			wastages, labour,										
			all lead and lift at										
			all levels, loading										
			and unloading,										
			transportation,										
			curing etc. and all										
			other incidental										
			charges etc.,										
			complete and as										
			directed by										
			Engineer-in-char										
			ge. The cost										
			should include										
			PVC floor										
			covering material.										
			Including										
			Corrugated sheet										
			Plastic sheet for										
			tile Protection .										
			(size - 600x600										
			mm)										

	9984	Droving 9		D01	1 500 00	OFT	170.00		170.00		0	0	200 000 00
5	9984	Proving &	Proving & Laying	B01	1,500.00	SFT	170.00	0.00	170.00	255,000.00	9	9	300,900.00
		Laying machine	machine cut,										
		cut, machine	machine polished										
		polished	approved 25mm										
		approved Kota	thick Kota stone										
		stone flooring	flooring, stone to										
			be machine cut,										
			machine										
			polished, laid in										
			pattern and sizes										
			as detailed in										
			drawing or as										
			directed by PM,										
			bedded over										
			cement, sand										
			mortar of mix										
			ratio of 1:6 (1										
			cement : 6 sand)										
			including										
			cleaning and										
			preparing the										
			surface for										
			bedding,										
			spreading neat										
			cement slurry by										
			using minimum										
			cement about 2										
			kg per sqm prior										
			to bedding and										
			spreading										
			cement paste										
			using minimum										
			cement about 4.5										
			kg per sqm over										
			bedding, joints to										
			be cleaned and										
			grouted with										
			matching colour										
			approved quality										
			polymer based										
			readymade grout,										
			curing, machine										
			polishing,										
			cleaning, etc. to										
			required line,										
			level, etc. all										
			complete at all										
			depths, heights										
			,										
				1			1						

			and leads to the satisfaction of the PM. Basic rate of Kota @60 Rs Sqft										
6	9984	Demolition & Dismantling the existing dado tile	Demolition & Dismantling the existing dado tile including cement mortar as per required. Cost to include carting away all debris from site, lead and lifts, material, labours, transportation and all other incidental charges etc. complete and as directed by Site Engineer.	B01	1,500.00	SFT	35.00	0.00	35.00	52,500.00	9	9	61,950.00
7	9984	Providing & Laying Plain cement plaster	Providing & Laying Plain cement concrete of 15 mm thick cement plaster with base preparation for fixing of new dado tiles. Approved make cement is PPC (ACC, Ultra tech , Birla)	B01	1,500.00	SFT	60.00	0.00	60.00	90,000.00	9	9	106,200.00

8	9984	Providing and	Providing and	B01	1,500.00	SFT	170.00	0.00	170.00	255,000.00	9	9	300,900.00
° I	5504	fixing in position	fixing in position		1,000.00	3F1	170.00	0.00	170.00	233,000.00	3	3	300,300.00
		Glazed Vitrified	Glazed Vitrified										
		Dado Tile	Dado Tile as per										
			detail in drawing.										
			It shall be fixed										
			with cement										
			mortar with thick										
			grey cement										
			slurry, using										
			cement grout.										
			The job including										
			cutting of tiles &										
			making smooth										
			edges wherever										
			required for										
			services. The										
			work shall also										
			include cost of										
			materials,										
			wastages, labour,										
			all lead and lift at										
			all levels, loading										
			and unloading,										
			transportation,										
			curing etc. and all										
			other incidental										
			charges etc.,										
			complete and as										
			directed by										
			Engineer-in-char										
			ge. The cost										
			should include										
			PVC floor										
			covering material.										
			Including										
			Corrugated sheet										
			Plastic sheet for										
			tile Protection .										
			(size - 300x600										
			mm)										

9	9984	Demolition &	Demolition &	B01	1,000.00	SFT	35.00	0.00	35.00	35,000.00	9	9	41,300.00
		Dismantling the	Dismantling the										
		existing wall,	existing wall, Wall										
		Wall Plaster,	Plaster, POP,										
		POP, Putty,	Putty, Panelling,										
		Panelling, etc.	etc. upto required										
			and as per										
			instruction from										
			the site Engineer										
			Incharge. Cost to										
			include carting										
			away all debris										
			from site, lead										
			and lifts, material,										
			labours,										
			transportation										
			and all other										
			incidental										
			charges etc.										
			complete and as										
			directed by Site										
			Engineer										

10	9984	Providing and	Providing and	B01	1,000.00	SFT	92.00	0.00	92.00	92,000.00	9	9	108,560.00
10		applying Wall	applying 12mm	201	1,000.00	011	02.00	0.00	02.00	52,000.00	Ũ	Ű	100,000.00
		Plaster	thick plaster with										
			premix mortar										
			mix of ratio CM										
			1:4 (1 cement : 4										
			sand) with air										
			entraining agent										
			Cebex 112,										
			150ml per bag of										
			cement, to										
			internal surfaces										
			of concrete and										
			masonry work;										
			including raking										
			out joints,										
			hacking concrete										
			surfaces and										
			applying										
			approved										
			chemical bonding										
			agent for										
			receiving cement										
			finished dash										
			coat plaster and										
			applying a										
			scratch coat over										
			concrete										
			surfaces by										
			bonding adhesive										
			chemical coat as										
			directed by										
			approved										
			manufacturer to										
			create a key,										
			cleaning grooving										
			deep junctions of										
			concrete &										
			masonry,										
			grouting then										
			back by mortar										
			mixed with non										
			shrinking										
			compound along										
			with packing of										
			clean, fresh										
			square cut										
			ayyieyale, also										
			aggregate; also										

		and the second		-			
		providing and					
		fixing 20 gauge					
		PVC mesh @					
		150 mm wide to					
		junctions of					
		concrete and					
		masonry,					
		preparing jambs,					
		sills, grooves,					
		pattas, wattas,					
		rounding of					
		corners, all					
		complete as per					
		architectural					
		drawings,					
		specifications					
		and finished					
		smooth with					
		wooden rundha					
		or as specified by					
		the PM at all					
		leads, depth and					
		lifts, doing					
		independent					
		double-legged					
		scaffolding,					
		cleaning of					
		surfaces, curing,					
		complete as per					
		specification and					
		to the approval of					
		the PM. (Location					
		: Vertical wall					
		partition wall of					
		any type)					
L	· · · · · ·			-			

11	9	Removing of Existing Wall Paint	Removing of Existing Wall Paint :Scrubbing, Removing of existing wall paint by using appropriate grade sand paper upto the required finish. The surface shall be ready as per the approved instruction from the Site incharge all complete.	B01	8,000.00	SFT	15.00	0.00	15.00	120,000.00	9	9	141,600.00
12	9	Providing & applying Emulsion Paint	New Paint : Providing & applying Three (03) coats of approved Plastic paint on the exposed surface of wall, ceiling, Partition, etc. The cost also includes applying of 2 layers of approved quality and make wall car putty, rubbing the same surface with appropriate sand paper, finishing and maintening the surface upto required, all complete with final coat no brush mark to be visible after painting colour shade as specified.	B01	8,000.00	SFT	38.00	0.00	38.00	304,000.00	9	9	358,720.00

13	9984	Furniture - Additional Cushioning	Additional Cushioning_ Providing, applying and fixing additional Cusioning at the base upto the required finishing as per the approved quality.	D01	270.00	SFT	180.00	0.00		48,600.00	9	9	57,348.00
14	9984	Furniture - Base Fixing	C. Base Fixing_ Repairing, refixing, installation and maintening the existing furniture base work that involves Wood work, Joinery, polishing, etc. all includes necessary hardware and fixtures, all complete as per site incharge	D01	270.00	NOS	2,250.00	0.00	2,250.00	607,500.00	9	9	716,850.00
15	9984	Furniture - Upholstery_ Repairing - Leatherite	D. Upholstery_ Repairing and maintening re-upholstery as per the approved leatherite.	D01	1,000.00	MTR	625.00	0.00	625.00	625,000.00	9	9	737,500.00
16	9984	Furniture - Upholstery_ Repairing - Fabric	D. Upholstery_ Repairing and maintening re-upholstery as per the approved fabric.	D01	350.00	MTR	350.00	0.00	350.00	122,500.00	9	9	144,550.00

Total Qty: 38,890.00

Total Basic PO Amount3,634,600.00Total Other ChargesSGST AmountSGST Amount327,114.00CGST Amount327,114.00Grand Total PO Amount4,288,828.00

Amount In Words : Rupees Fourty Two Lakh Eighty Eight Thousand Eight Hundred Twenty Eight Only

**Remarks** : This PO is for annual rate contract based upon the quantity volumes shared by maintainance team **Standard Terms And Condition** :

### Completion / Delivery TimeLine :

Mobilization Date :

### Defects Liability Period :

### **Retention Percentage**: 0

	Escalation Buyer Detail	
Name	Mobile No.	Email - ID
Mrunal Joshi	8390813805	mrunal.joshi@k-corp.in
Binu Bakachandran	000000000	binu.balachandran@k-corp.in

### Disclaimer :

Point 1: Unless informed to us it is assumed that you are not registered as MSME with the respective government authority. If you have not yet provided the MSME details along with proof kindly provide the same at the earliest. Alternatively once you get registered then provide us relevant proof to update our records.

Point 2 : Supplier is requested to acknowledge or decline the order within 24 hours or else it would be considered as accepted.

ItemC								
ltemN	ame :	Demolition & Dis	smantling of Existing Flooring		Γ	· · · · ·	T	
Sr No	lte	em Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ItemC	ode :							
ltemN	ame :	Removing and C	Cartying away the Debris					
Sr No	lte	em Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ItemC	ode :							
ltemN	ame :	Providing & Layi	ing Plain cement concrete					
Sr No	lte	em Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ItemC	ode :							
ItemN	ame :	Providing and fix	king in position Glazed Vitrified Tile flooring					
Sr No	lte	em Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ItemC	ode :							
ltemN	ame :	Proving & Laying	g machine cut, machine polished approved Kota stone floorin	g				
Sr No	lte	em Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ItemC	ode :							
ltemN	ame :	Demolition & Dis	smantling the existing dado tile					
Sr No	lte	em Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ltemC	ode :							
ltemN	ame :	Providing & Layi	ing Plain cement plaster					
Sr No	lte	em Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00

					Total :	0.00		0.00
ltemC	ode :							
ItemN	lame : Providing	and f	xing in position Glazed Vitrified Dado Tile					
Sr No	Item Code		Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ItemC	ode :							
ItemN	lame : Demolitio	on & D	smantling the existing wall, Wall Plaster, POP, Putty, Panelling	g, etc.				
Sr No	Item Code		Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
	•		·		Total :	0.00		0.00
ItemC	ode :							
ltemN	lame : Providing	and a	pplying Wall Plaster					
Sr No	Item Code		Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
			·		Total :	0.00		0.00
ItemC	ode :							
ltemN	lame : Removin	g of E	kisting Wall Paint					
Sr No	Item Code		Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ItemC	ode :							
ItemN	lame : Providing	∣& ap∣	olying Emulsion Paint					
Sr No	Item Code		Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ItemC	ode :							
ItemN	lame : Furniture	- Add	tional Cushioning					
Sr No	Item Code		Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0						0.00	0.00	0.00
					Total :	0.00		0.00
ItemC	ode :							
ItemN	lame : Furniture	- Bas	e Fixing					
Sr No	Item Code		Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount

0					0.00	0.00	0.00
				Total :	0.00		0.00
ltemC	ode :						
ltemN	ame : Furniture - Uph	olstery_ Repairing - Leatherite					
Sr No	Item Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0					0.00	0.00	0.00
				Total :	0.00		0.00
ItemC	ode :						
ltemN	ame : Furniture - Uph	olstery_ Repairing - Fabric					
Sr No	Item Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
0					0.00	0.00	0.00
				Total :	0.00		0.00

Show	10	✓ entries							Search:		
SR NO	ROUND	PO NO	SUPPLIER CODE	SUPPLIER NAME	LEVEL	APPROVAL REQUIRED BY	ASSIGNED DATE	ACTION TAKEN BY	ACTION TAKEN DATE	STATUS	REMARKS
1	1	TFSKPL/PO/24-25/000086	RV232415547	Jagannath Enterprise	1	Shama Nair ,	22-Jul-2024 09:15:36	Shama Nair	25-Jul-2024 11:20:20	Approved	Approval
2	1	TFSKPL/PO/24-25/000086	RV232415547	Jagannath Enterprise	2	Manish Thakkar ,	25-Jul-2024 11:20:20	Manish Thakkar	25-Jul-2024 11:27:48	Approved	ok
3	1	TFSKPL/PO/24-25/000086	RV232415547	Jagannath Enterprise	3	Gaurav Dewan , VIKAS KAPOOR	25-Jul-2024 11:27:48	Gaurav Dewan	30-Jul-2024 22:24:16	Approved	Okay with me
											Cance
			PRING	86		- ber tsaue - 2arbbuen - 3	agan	PORTAL		POAD	STOCKER STORE
		1 of 1 entries									< 1 >

← → C c kcorp.procuresens.com/UserPO/UserPOPage#!#tabAllPOdata

🗙 🔍 Merge PDF files online. Free se 🛛 🗙 🛛 🕂

F P Type here to search

K Hospitality Corp

o H 💁 🛱 😨 🐋 🧑 🚮 🖬 🖬

🧧 Brea... < 🕵 🖓 🔩 ENG 16:24

- 0 ×

९ 🕁 🛃 :