i	roviding & fixing Bar Sink in SS (304 grade) of KAFF Make reference Model No. KS 22 SB (R10) of size 20x440x200mm Bowl size of 180x400x200mm, 1 mm thick SS Sheet, with sound reduction pad all around & counter as per drawing or equivalent Make as approved by the Project-in-Charge complete as per drawings & Sub Total	1.00			2.00	
3	Providing & fixing dual level spout of CP Brass of KOHLER Make reference Model No.CUFF K-37316IN-4-CP OR OF				2.00	
	EQUIVALENT MAKE AS as approved by Project-in-Charge for bar sink etc complete.					
	Sub Total	1.00			2.00	
		-			2.00	
5	Providing & fixing 12mm thick gypsum board over existing partition for paint base including all fixing arrangement complete in all respect.					
.01	Bathroom side premium lounge partition along Kitchen entrance above 900mm height from floor (Z-4,Z-5,Z-6, and Z-7)	1.00	7.17	0.90	6.45	7
.02	Admin cabin wall (Z-48)	1.00	2.88	2.82	8.11	1
.03	Admin cabin wall (Z-50)	1.00	0.63	2.82	1.78	1 on
5.04	Admin cabin wall (Z-51)	1 00	2.40	2.82	6.77	
5.05	Admin cabin wall (Z-52)	1.00	1.60	2.82	4.51	
	Less (-)					۱ ا
	Admin cabin door	(1.00)	0.86	2.40	-2.06	
	₹ Reception counter back wall	(1.00)	3.59	3.10	-11.14	$\sim gan$
-	Sub Total				14.47	(1)
					25.53	14-2-11
	PHASE-I (EXTRA ITEMS)				P	*
			11.60			
1	Providing and fixing 12 mm thick CNC cut HDHMR jaali as per approved design and drawings finished with Duco Paint of approved shade to be cladded on HHDMR wall from adhasive complete with all accessories.	1.00	12.06	0.90	10. 8 54	\
	Sub Total				10.690	1600
	Providing and installation of coloured film as per aprooved design on bathroom side premium lounge area		2.42	2 12 /	22.26	
	Providing and installation of coloured filling as per specific glass	1.00	9.13	2.43		Was 24
-	Sub Total				22.26	11171
	5 in the floor and well as not required by SIC	-	2/1	94421	to a	
	3 Provding and fixing ss expansion joint cover over Exp joint on floor and wall as per required by EIC	1	267		108	
	Sub Total	2			1	
	4 Providing and fixing wooden Rafter 80mm x 40 mm Size	135.00	2.60	V	65.00	100
-	Sub Total	06			-65.0 0	4
-		0		LL	67.960	1
1	Foot Ruid a) Receiption) 1-80 OR Paris - gluss 5.64 7.44 1171					117

3.80

	1000			All and the same of						BIIDIC IVY OOG & D COCK	U
	10.48.500			No. F.C.	286			8	F-07	Deboox in Southern Providing & supply Square Dining Table as per approved Sample (W 600 x D 600 x H 750mm) (PREMIUM LOUNGE)	ω ? ਹ
	3,36,000		24000	3.00				8	F-06.01	D 1200x H 300mm) Providing & supply Pedestal as per approved sample (W 300 x D 600x H 500mm)	200
	3,70,500			9.50	1			No	F-06	Providing & supply Pedestal as per approved sample (W 300 x	7 5
	3,42,000		/			September Cathol	The Party of the P	0.50	RED ITE	EYTRA NEW ITEMS AS PER DRAWING CHANGE (NON TENDERED ITEM	1
The second secon		luglicos and management			34,79,529		4			Total of Furniture Work	1
See Critical Control of Control	31.78.444	The second second							1	of each. (PREMIUM LOUNGE) 1/200X SKX 16W	0
	3,84,160.00	1.00	11.2	1.00	3,84,160	384160	1.00	S S	F-10.1	_ 0	12
		9						T	1	of each. (PREMIUM LOUNGE) 1375 38 28 C	0
2 redu	8,64,360.00	4.00	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4.00	8,64,360	216090	4.00	Z o	F-10	Providing Metal Screen as per design of approved sample with cluster of 4 no.s. panels having panel size(1325 x 38 x 2800mm)	1
	7,203.00	77.00		1.00	7,203	7,203.00	1.00	Z o	F-09	Providing & Supply mobile pedistal (450mm W x 500mm D x 650mm H) for Admin area finished in laminate	10 F
		0			•						
	21,609.00	1.00	1,	1.00	21,609	21,609	1.00	N _O	F-09	Providing & Supplying AdminTable (2670x600mmxH 750mm)	8
		D			•					sample (W 600 x D 600 x H /50mm) (PREMION LOUNGE)	L
	•			•	2,01,684	14406	14.00	Š	F-07	Providing & supply Square Dining Table as per approved	7 F
					2,01,004	14400	14.00	Ž	7-00	00 x D 600 x H 750mm) (PREMIUM I	
	•	,			201691	4400	3			0	מ
10).	57,624.00	3.00		3.00	96,040	19208	5.00	N _o	F-05	Providing & supply chair as per approved sample (W 580 x D 630x H 960mm) (Admin & Reception Area)	5 F
١١١					•					Area	
10 NOS		,			72,030	36015	2.00	S _o	F-04	Providing & supply ARMCHAIR + OTTOMAN as per approved sample (W 640 x D 680 x H 980mm) (SPA & QUIET Zone	4
	-	3								D 640 x H 800mm) (PREMIUM LOUNGE)	1
2007	13 32 555 00	30		37.00	8.64.360	36015	24.00	2	F-03	Providing & supply ARM Chair as per approved sample (W 690 x	3
	4,00,400.40	7.00		14.00	4,44,544	10000	1.00	-	T	535x D 540 x H 815mm) (EXECUTIVE LOUNGE)	
	2 55 466 40	300	2	1400	3 83 200	18247 A	21 00	2	F-02	Providing & supply SOFACHAIR as per approved sample (W	2
	2,55,466.40	144.00		14.00	3,83,200	18247.6	21.00	No.	F-01	535x D 540 x H 815mm) (EXECUTIVE LOUNGE)	
		1								Providing & supply SOFACHAIR as her approved sample (W.	1
										FURNITURE WORK	0
REMARKS	AMOUNT	RA-2 QTY	NT RATE	RAB-01	BOG AMOUNT RAB-01	RATE	GTY.	TINU	CODE		25
	The same of the sa			E 2 1							4

telved as

27/2

		C9								
A.	1-									
102	1-		Mtrs		27.0		07	7	0	
203 204	-		Mtrs		27.8		27. 22.	1	m	
204	ACCOUNTS AND	37137147	Mtra		8.5		8.	EV P	Jak .	
-			Mtra		8.2		8.		1-104	
206	NAME AND ADDRESS OF THE PARTY.	1000000 1000000 1000000 1000000 1000000 1000000	BERNETE F		0.2	BI DECEMBER	-224		1117/21.	
207		NON PO ITEM,S		-			232.1		// .	
		Supply & wiring of general power point with 2X4+2.5 Sq.mm PVC insulated multistranded copper conductor cable (FRIS) in surface of the cabl		MILLER	東京教育 都然					
		multistranded copper conductor cable (FRLS) in surface/recess MS/PVC conduit including cutting the chases in wall & making good the conduit								
208		including cutting the chases in well a surface/recess MS/PVC conduit								
200		including cutting the chases in wall & making good the same including providing & fixing of M.S. Switch & o modular range 1 No a 6Ame Could fix fixed the same including providing &								
		fixing of M.S. Switch & o modular range 1 No,s 6Amp Socket with 2M USB Charger port input 240v ,50Hz./500mA. Out put 5V-3000ma modular								
		port input 240v ,50Hz,/500mA, Out put 5V=3000ma modular cover plate, etc.								
040	A	The state of the s								
210		PBD-1 TO Pedestal furniture R1	NO,S	1				111	\	
211		IPBD-1 TO Pedestal furniture R2	NO,S	1				111		
212		PBD-1 TO Pedestal furniture R3	NO,S	1				1.		
213		PBD-1 TO Pedestal furniture R4	NO,S	1				1		
214		PBD-1 TO Pedestal furniture R9	NO,S	1				1		
215		PBD-1 TO Pedestal furniture R10	NO,S	1				1	\ , D	
216			NO,S	1				1.	TO TO	-
217			NO,S	1				1	1	
218		PBD-1 TO Pedestal furniture Y2	NO,S	1				1	- 1,	1011
219		PBD-1 TO Pedestal furniture Y3	NO,S	1				1	11/	1/29.
221		PBD-1 TO Pedestal furniture Y9	NO,S	1				100	(/
222		PBD-1 TO Pedestal furniture Y10	NO,S	1				1.		
223		PBD-1 TO Pedestal furniture B1	NO,S	1				1/		
224		PBD-1 TO Pedestal furniture B2	NO,S	1				1		
225		PBD-1 TO Pedestal furniture B3	140,0					15 +	1 3 65	
		Sub Total	100000000000000000000000000000000000000	200000000000000000000000000000000000000						
		Supply & wiring of general power point with 2X4+2.5 Sq.mm PVC insulated								
		multistranded copper conductor cable (FRLHS) in surface/recess MS/PVC conduit								
		including cutting the chases in wall & making good the same including providing & fixing of M.S. Switch & o modular range 1 No,s 6Amp Socket with 2M USB Charger								
		fixing of M.S. Switch & o modular range 1 No,5 Oanip Society and Switch & o modular cover plate, etc.								
		port input 240v ,50Hz,/500mA, Out put 3v=5000ma included in complete as required. (Secondary loop point)Supply of MS/PVC conduit included in								
									1	
	a)	this item.						-	108	
		SECONDARY LOOP POINT		1				10	6 0	
		R8 LOOP	1	2				2	1	-
		Y8 LOOP		2				1	1/10	24-
		Y11 LOOP		1				1/	1111	
		B8 LOOP		1					- ' '	
		B11 LOOP						7		
		Cult Total								
		Sub Total Supply & wiring of general power point with 2X4+2.5 Sq.mm PVC insulated Supply & wiring of general power point with 2X4+2.5 Sq.mm PVC insulated								
		Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring of general power point with 2x472.5 Squint Supply & wiring & wiri								
		multistranded copper conductor cable (FRLIS) in suitable costs that multistranded copper conductor cable (FRLIS) in suitable conductors and including providing & including cutting the chases in wall & making good the same including providing & including cutting the chases in wall & making good the same including providing & incl								
		including cutting the chases in wall & making good the same including providing including cutting the chases in wall & making good the same including providing for including providing the chases in wall & making good the same including providing for including providing the chases in wall & making good the same including providing for including providing the chases in wall & making good the same including providing for including providing the chases in wall & making good the same including providing the chases in wall & making good the same including providing the chases in wall & making good the same including providing the chases in wall & making good the same including providing the chases in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good the same including providing the chase in wall & making good t								
		fixing of M.S. Switch & o modular range 2No,s 6Amp switch with 5 pin orange modular cover plate, etc. complete as required. (First point)Supply of MS/PVC conduit	No,s							
		included in this item.	14012							
	В	Illiciación de la companya del companya de la companya del companya de la companya del companya de la companya de la companya de la companya del companya de la companya de								

/

(",

15

PBD-110 Square Table 2No.8 switch & socket 6A, NO.6 1 1 1 1 1 1 1 1 1		/											
PBD-11 O Square lable R7	/	I	DRD 4 TO Severe Title										
PBD-11 O Square lable R7	528	1	IPPD 1 TO Square Table 2No,s switch & socket 6A.							,			
PBD-1 TO Source label 85	228	-		NOO					- 4		0		
PBD-1 TO Source label 85	229		IPPD 4 TO Square table R7	NO.8	1			_	1	1	mil-	_	
PBD-1 TO Square table B5	7 230		PBD-1 TO Square table Y5	NO.S	1		_		1		OX	_	
Sub Total Sub	231			NO.8	1			-	1		1	. 0	
Supry A wiring of general power point with 2X4+2.5 Sq.mm PVC insulated multistranded copper conductor ceals (FRLHS) is unsufaced receased MSP-VC conduit including cutting the chases is or surfaced receased MSP-VC conduit including cutting the chases is or surfaced receased MSP-VC conduit including cutting the chases is or surfaced receased MSP-VC conduit including cutting the chases is or surfaced receased MSP-VC conduit including cutting the chases is or surfaced receased MSP-VC conduit including cutting the chases is or surfaced receased MSP-VC conduit including on the surfaced receased MSP-VC conduit including on the surfaced receased MSP-VC conduit including on the surfaced receased model are received in the surfaced received model on the surfaced received model in the surfaced received and/or surface conduits surfaced received and/or surface conduits succeeding and/or cost of cutting and filling chases for recessed conduiting complete as per specifications, as required and as below. 246 1 25 mm Dia Ms CONDUIT 247 C surfaced conduiting control in the surfaced received model in the surfaced received and/or surface conduiting and/or cost of cutting and filling chases for recessed conduiting complete as per specifications, as required and as below. 248 1 25 mm Dia Ms CONDUIT 249 PA SYSTEM CONDUIT 350 MMS 554 251 SPI 10 SP2 361 SPI 10 SP2 362 SPI 10 SP2 363 SPI 10 SP2 364 MMS 56 365 SPI 10 SP2 365 SPI 10 SP2 366 SPI 10 SP3 367 SP1 10 SP3 368 MMS 56 369 SP1 10 SP3 369 SPI 10 SP1 360 SP1 10 SP1 361 SP1 10 SP2 362 SP1 10 SP3 363 SPI 10 SP1 364 MMS 56 365 SP1 10 SP2 366 SP1 10 SP3 367 SP1 10 SP3 368 MMS 56 369 SP1 10 SP3 360 SP1 10 SP1 361 SP1 10 SP2 362 SP1 10 SP3 363 SP1 10 SP3 364 SP1 10 SP3 365 SP1 10 SP3 366 SP1 10 SP3 367 SP3			Li pe i i o odnaja rabia bo		1		-		1	5		124.	
Supply & wiring of general power point with 2X4+2.5 Sq.mm PVC insulated multistanded copper conductor cable (FRLHS) in surface/recess MS/PVC conduit including cutting the chases in vall & making good the same including providing & fixing of MS. Switch 5 o modular range 2No, 8 Amp switch with 3 pin 6Amp socket, modular cover plate, etc. complete as required. (Secondary loop point/Supply of MS/PVC conduit included in this flown. 328	233	112000000000000000000000000000000000000	I BB-1 10 Square table 86		1				-	/	111	//- (
Indicate an experience of the property of th	Size Street	Charles and the	Sub Total	110,0							1		
238		b)	including cutting the chases in wall & making good the same including providing & fixing of M.S. Switch & o modular range 2No,s 6Amp switch with 3 pin 6Amp socket, modular cover plate, etc. complete as required. (Secondary loop point)Supply of										
238	226		SECONDARY LOOP POINT						/				
239				NO.S	1					,			
249		-							1	1			
240 100PTO Square table Y6 100PTO Square table Y6 100PTO Square table B5 100PTO Square table B5 100PTO Square table B6 100PTO Square table B7 100PTO Square								/	X	1			
241			LOOP TO Square table YS				/			1			
243							/			1			
243			LOOP TO Square table Bo							1			
Sup Total			LOO TO Square table bo							1			
Supplying and fixing heavy gauge ISI embossed black enameled FRLSH GI recessed and/or surface conduits including cost of providing saddles etc for surface conduiting and/or cost of cutting and filling chases for recessed conduiting complete as per specifications, as required and as below.	245							N. R.		6			
C		1											
248 1 25 mm Dia Ms CONDUIT	247	С	recessed and/or surface conduits including cost of providing saddles etc for										
249	040	1	25 mm Dia Ms CONDUIT					-					
AMPLIFIER TO SP1	248	1	PA SYSTEM CONDUIT		_	5	5	-		5.5			
SP1 TO SP2			AMPLIFIER TO SP1					-		5.4		0	
252 SP1 TO SP3 Mtrs 4.9 4.9				_						2.5	0 1		
253				_	_						TI	11	A
254			SP1 TO SP4			8	# 21	1			1 -	1-176	1
255 SP1 TO SP6 256 SP1 TO SP7 257 SP1 TO SP8 258 SP1 TO SP9 259 SP1 TO SP10 259 SP1 TO SP10 260 SP1 TO SP11 261 SP1 TO SP12 262 SP1 TO SP13 263 NETWORK RACK TO D1 NOTICE CONDUIT 257 Mtrs 258 2.8 2.8 2.8 2.8 2.8 2.8 2.8 2.8								1		6.5		111710	-
SP1 TO SP7												1.//	
SP1 TO SP8				_						1.3			
SP1 TO SP9	250			_						2.8			
SP1 TO SP10			SP1 TO SP9							5.9	-1-		
269 SP1 TO SP11 Mtrs 6.8 6.8								1		8.8 17-	54		
261 SP1 TO SP12 Mtrs 3.6 3.6 262 SP1 TO SP13 Mtrs 263 NVR TO DATA/VOICE CONDUIT Mtrs 264 NETWORK RACK TO D1 Mtrs 25 25 265 NETWORK RACK TO D1 Mtrs 25 25						6	.8 /	1		6.8			
262 SP1 TO SP13 Mtrs			SP1 TO SP12	_						3.6)		
263 NVR TO DATA/VOICE CONDUIT Mtrs 25 25 25 265 NETWORK RACK TO D1 Mtrs 25 25 25													
NVR TO DATA/VOICE CONDUIT													
265 NETWORK RACK TO D1 Mtrs 25 25	203		THE PART OF THE PA	LILL	-		-	-	-				
200	004		NVR TO DATA/VOICE CONDUIT	Mtr	STREET, SQUARE, SQUARE,		25			25			
		1	NVR TO DATA/VOICE CONDUIT NETWORK RACK TO D1	-	S		25	-		25			

2/	T	D3							^		
48		D4	Mtrs		17.5		17.5	1			
269		D5,V2	Mtrs		22.5 20		22.5 21.5	1200	1 -	0	
270		D6,D7	Mtrs	~	215 201			1200	1010	X	
7271		D9,DB	Mtrs	1	18		18	,	1 1		-
272		D10,V3	Mtrs		18.8		18.8	50./	1 =	1	,
273		D11,D12,V4	Mirs		18.5 17 ~		18.5	مرار	1 1	112	4
274		D13,V5	Mtrs		10 155 13		15.5	131X		11/11	1.
275			Mtrs Mtrs	-	198 15		10,0	170			
276		CCTV WIRING CONDUIT	Mtrs	-							
277		C1,C6	Mtrs	<i>>-</i>	17.9		17.9	1	_		
278		C2,C9,C10	Mtrs		22.4		22.4	1 6	TO		
279		C3,C8	Mtrs	2	15.4		15.4		1		
280		C4,C5,C7	Mtrs		18.6		18.6	/	+		
281	N-8000000000000000000000000000000000000	C11.C12	Mtrs		2.5		2.5			1 - 11	
11665	Fig. 1. Control of the second	Sub Total					326.6		11/1	7124	1
283							326.8		11	/	
	D	Supply & installation of GI Earth Bus of size 50 x 6 x 300 mm long with insulator support for earth bus		1		5		-	•		
284		SUP&INST OF GI EARTH BUS 50X6X300MM Electrical room	No,s	4	1		1				
		Sub Total				1.1	1	. 7			
		11000		c	1		1~				
	0	30931	No:	^			1 ~	1			
	6	SFF	No	2.0	,		141	/	780	m	
	Q	1 1 2					1ª	/	100		

SFF

Media convetory Monitor

Severy maker.

Brice Variation Annx

Hor 1

2001 12 17 12 1 12 17 24.

4

		Þ	7			\Box	T	Т	1	1		
	2									N		1
Total	Providing & fixing of PRESSURE GUAGE in FF line as required by EIC	1'X1' SIZE	Providing and fixing of clean out chambers with 50 mm water seal, setting in 1:2:4 mix cement concrete block or clamping to the wall or suspending with the ceiling including cutting and making good the walls and floors wherever required, With Heavy class SS grating with Cockroach proof SS strainer of approved design including setting in floor with cement motor to match with floor finish as per architect requirement suitable for waster F.D. & F.T.	DRAINAGE	NON TENDERED ITEMS	Total		80 mm dia		Providing & fixing of butterfly valve (PN 16) with flanges, nut bolts, gaskets and necessary pad locking arrangement complete required.		city 4.5 Kg.
	Nos.	Nos.					1400.	Nos				No.
	0	o					F	4				2
							12002	12005				9604
3,71,070		6500.00	77000			3,37,341	12,000.00	13 005 00				19,208.00
		0.00				,	1	7	7			
	2	,					7	1	1			2
	27000.00	13000.00	14000 00			266943.18	12003.00	12005 00		7		19208 00
1	17	MAN								717/24	D. C.	1

17/24,