

Purchase Order

Order Number : TF SPL/PO/24-25/000080
Supplier Code : RV242522470 [V0003117]

Supplier Detail SM Infra Services Iip	Shipped Location Delhi	Invoice Location Delhi	Corporate Address TRAVEL FOOD SERVICES PRIVATE LIMITED
B-657, Gate No-7 Green Feilds Colony Faridabad Haryana 121010Faridabad,Haryana, Order Address Code :	New Terminal 1, Indira Gandhi International Airport, Domestic Departure SHA, Mehram Nagar, New Delhi, New Delhi, Delhi, 110037	New Terminal 1, Indira Gandhi International Airport, Domestic Departure Sha, Mehram Nagar, New Delhi, New Delhi, Delhi, 110037 GSTIN No : 07AADCB2762L2ZJ	1St Floor, Block A South Wing, Shiv Sagar Estate, Dr. Annie Besant Road, Worli, Mumbai Suburban, Maharashtra, 400018 Comp GST No : 21AADCB2762L1ZU
PAN No : AFEFS5758Q Supplier GST No : 06AF EFS5758Q174 Supplier Contact No : Contact Person Name : Alisha Supplier Email : sminfraalisha@gmail.com	Cost Center Code : 90192026 Cost Center Name : Dominos Project ID : PO Category : Capex NSO	Payment Term : Advance payment - 50% along with work order. RA BILL - Up to 95% after work completion & submission of invoice. Retention 5% DLP till completion of 6 months.	PO Creation Date : 12/04/2024 PO Approval Date : 14/04/2024 PO Currency : INR Buyer Name : Binu Balachandran

Sr.No	Item Code	HSN\SAC Code	Item Name	Item Description	Pur. Grp.	Qty	UOM	Basic Rate	Dis%	Net Rate	Total Amount	IGST %	Gross Total Amount
1		9954	Plumbing Work	Plumbing Work	C01	1.00	NOS	236,405.00	5.00	224,584.75	224,584.75	18	267,137.65

Total Qty : 1.00

Total Basic PO Amount	224,584.75
Total Other Charges	
IGST Amount	40,425.26
Grand Total PO Amount	265,010.01

Amount In Words : Rupees Two Lakh Sixty Five Thousand Ten And One Paise Only

Remarks :

Standard Terms And Condition :

Completion / Delivery TimeLine : 3 Months

Mobilization Date : 19/04/2024

Defects Liability Period : 6 Months

Retention Percentage : 5

Escalation Buyer Detail		
Name	Mobile No.	Email - ID
Jogeswar	9082949517	
Binu Balachandran	8452876061	

Disclaimer :

Point 1 : Unless informed to us it is assumed that you are not registered as MSME with the respective government authority. If you have not yet provided the MSME details along with proof kindly provide the same at the earliest. Alternatively once you get registered then provide us relevant proof to update our records.

Point 2 : Supplier is requested to acknowledge or decline the order within 24 hours or else it would be considered as accepted.

ItemCode :

ItemName : Plumbing Work

Sr No	Item Code	Item Name	UOM	Remarks	Quantity	Supplier Rate	Amount
1	a.7	Dolphy Multifold Stainless Steel Towel Paper Dispenser	No.	Tissue Dispenser	1.00	3,000.00	3,000.00
2	a.5	Toilet paper holder with cover - Hindware - (Catalogue no. F880003) or equivalent	No.	Toilet accessories	0.00	0.00	0.00
3	g	Providing and fixing of PVC water storage tanks of the approved quality, including making solid work complete in all respects with gate valve and necessary accessories(Sintex or equivalent make)	Ltr		0.00	0.00	0.00
4		INTERNAL DRAINAGE SYSTEM			0.00	0.00	0.00
5	a.10	Hindware-Health Faucet F 160013 CP ABS With Rubbit Cleaning System	No.	Jet Spray (Health Faucet) (Details - Refer Toilet Specs.)	0.00	0.00	0.00
6	b	Gt (18 x18) with 1 st Class brick in cement mortar 1 5 (1 cement 5 cement) m.s grating with pcc SS Cover, 18 x 18 inside size complete and inside chamber base finish in PCC and brick surface to be finished with tile	Each		1.00	6,000.00	6,000.00
7	f	Providing and fixing brass ball balve with SS 304 stem and ball,teflon seat complete.			0.00	0.00	0.00
8	c.4	40mm class 1.0	Nos		0.00	2,000.00	0.00
9	b.4	32mm nominal bore	Nos.		0.00	500.00	0.00
10	b.2	20mm nominal bore for sink+ gyser+ RO+ Basin+papsi machine	Nos.		0.00	350.00	0.00
11		INTERNAL WATER SUPPLY SYSTEM			0.00	0.00	0.00
12	a.15	Waste Coupling for 3Way sink and Makeline sink	No.	Waste Coupling	1.00	1,500.00	1,500.00
13	a.6	Dolphy White ABS Wall Mounted 400 ml Liquid Soap Dispenser Dolphy – DSDR 0065 which is manual not automatic. But the alternative specs are mentioned for Automatic.- will use current only of Dolphy censor one will be use for flagship stores only.	No.	Soap Dispenser Wash Basin (Details - Refer Toilet Specs.)	1.00	1,500.00	1,500.00
14	a.14	SS Kitchen Paper Holder 9 (Make Hindware chrome F840008CP or equivalent)	Each	Kitchen Paper Holder	1.00	2,500.00	2,500.00
15	a.3	Hindware Magma -1719 Artistic Basin-510X360X120 wall hung (white) or equivalent.	No.	Wash Basin (Details - Refer Toilet Specs.)	0.00	0.00	0.00
16	e	SITC RO Water booster pump upto 1 HP Auto Cut Type , mounting with rubber pad nut bolt (Make Crompton Grundfoss,Danfoss ,Kirloskar or equivalent)	Nos.		1.00	15,000.00	15,000.00
17	a.1	Hindware - Enigma or equivalent- wall mounted closet with Quiet-Close seat and cover (Catalogue no. 92024, Colour - Star white)	No.	WC (Details - Refer Toilet Specs.)	0.00	0.00	0.00
18	a.5	75 mm dia.	m		21.00	975.00	20,475.00
19	b(i)	Providing and fixing SS open grating of size 600X300MM with MS jali inside size complete and inside chamber base finish in PCC and brick surface to be finished with tile	Each		2.00	35,000.00	70,000.00
20	d.2	25mm class 1.0	Nos		4.00	950.00	3,800.00
21	a.4	65mm dia	m		0.00	800.00	0.00
22	f.2	32 mm nominal bore	Nos		0.00	4,000.00	0.00

23	a.17	Conceal coak for makeline sink (Make- Hindware F310003ACP OR equivalent) Regular Body Suitable for 15mm Pipe Line with Spindle Extension Plastic Protection Cap (without Exposed Parts) OR equivalent	NO.	Conceal Coak	1.00	3,000.00	3,000.00
24	a.2	40 mm dia	m		14.00	650.00	9,100.00
25	c.5	50 mm class 1.0	Nos		0.00	3,200.00	0.00
26	a.16	PVC Waste flexible Pipe of 1.0m length and 25 mm dia (make SBD Shineman etc)	No.	Waste Flexible Pipe	0.00	150.00	0.00
27	a.12	Providing and fixing C.P brass wall mounted sink mixer with swinging spout including cutting and making good the walls where required. (3 way Sink)	Each	Sink Mixer For 3 way Sink	1.00	4,500.00	4,500.00
28	a.2	Hindware or equivalent- Conceale Cistern (Concealo) and Face Plate (Concealo - Shell) Flushing cistern can be identify from Vendor according to WC.	No.	Cocealed Cistern with flush plate	0.00	0.00	0.00
29	a.13	40 mm CPVC Dia Pipe for 3 way sink for all inclusive fittings	Each	40 mm Dia Pipe	1.00	1,500.00	1,500.00
30	a.8	Hindware - Quadra Pillar cock - (Catalogue no. F380001CP, Finish - Chrome) or equivalent	No.	Pillar Cock for Wash Basin	0.00	0.00	0.00
31	d	Providing, Fixing, testing and commissioning of ISI marked Gun Metal Screwed pattern full way Gate valve with wheel tested to non shock cold working pressure upto 10 kg sq cm(Stop Valve) conforming to IS 778 class 1 including jointing, supporting etc complete and as directed.(Danfoss Jayhiwa Zoloto or equivalent)			0.00	0.00	0.00
32	a.4	Hindware table top wash basin Fornte white 91043 or equivalent	No.	Wash Basin	0.00	0.00	0.00
33	a.9	Hindware -Quadra which is actually "Quadra Bib Cock 2 in 1 with wall flange" or equivalent	No.	Bib cock	1.00	3,500.00	3,500.00
34	b.3	25mm nominal bore for main water supply	Nos.		0.00	465.00	0.00
35	a	Providing Fixing following fixtures, the rate for the following shall be inclusive of all necessary fixtures, accessories attachments to make them operational, etc. complete to the satisfaction of the Architect COST EXCLUDES INTERNAL CONCEALED PLUMBING WITH C.P.V.C. P.V.C. PIPES ONLY (part of plumbing boq)			0.00	0.00	0.00
36		EXTERNAL SEWERAGE			0.00	0.00	0.00
37	a.5	40mm nominal bore	RMT		6.00	520.00	3,120.00
38	c.2	50 MM nominal bore	RMT		0.00	750.00	0.00
39	a.7	150 mm dia.	m		0.00	0.00	0.00
40		Sanitarywares Fittings			0.00	0.00	0.00
41	a.11	Hindware-Addons - Bottle Trap 32mm With 125mm 175mm Long Wall Connection Pipe Wall Flange (ECONOMY MODEL)	No.	Bottle Trap	1.00	3,500.00	3,500.00

42	a	Constructing brick masonry manhole with 1st class bricks in cement mortar 1 5(1 cement 5 fine sand) RCC top slab with 1 2 4 mix (1 cement 2 coarse sand 4 graded stone aggregate 20mm nominal size) foundation concrete 1 4 8 mix (1 cement 4 coarse sand 8 graded stone aggregate 40mm nominal size) inside and out side plastering 12mm thick with cement mortar 1 3(1 cement 3 coarse sand) finished with a floating coat of neat cement inside and rough plaster on outside and making channels in cement concrete 1 2 4 mix(1 cement 2 coarse sand 4 graded stone aggregate 20mm nominal size) neatly finished complete as per standard design including excavation refilling and disposal of surplus earth.Inside size 80X80 cms and 60 cms deep including C.I cover with frame (light duty) 455 x 610 mm internal dimensions total weight of cover and frame not less than 38 kg(wt. Of cover 23 kg and wt.of frame15kg).	Each		0.00	0.00	0.00
43	f.1	25 mm nominal bore	Nos		0.00	3,500.00	0.00
44	d	SITC RO Water booster pump 0.5 HP Auto Cut Type , mounting with rubber pad nut bolt (Make Crompton Grundfoss,Danfoss ,Kirloskar or equivalent)			0.00	0.00	0.00
45	b(ii)	Providing and fixing SS open grating of size 450X300MM with MS jali inside size complete and inside chamber base finish in PCC and brick surface to be finished with tile	Each		0.00	25,000.00	0.00
46	a.1	32 mm dia	m		0.00	582.00	0.00
47	f	Providing and fixing of PVC water vertical type storage tanks of the approved quality, including making solid work complete in all respects with gate valve, float valve and necessary accessories . (Sintex or equivalent make of Capacity - 200-250 ltrs)	Nos		1.00	5,000.00	5,000.00
48	b	Providing ,laying, testing commissioning of approved Multi floor trap Nahani trap with Chilly trap of required sizes, including jointing etc. complete and as directed. (GMGR Chilly or equivalent)	Nos.		5.00	1,000.00	5,000.00
49	e	Providing Fixing 15 mm C.P brass angle valve with C.P copper connecting pipe 375 mm long and nuts washer and C.P brass flange complete ,including cutting and making good the walls where required	Nos		0.00	0.00	0.00
50	a.2	20mm nominal bore for sink+ gyser+ RO+ Basin+papsi machine	RMT		46.00	405.00	18,630.00
51	a.6	110 mm dia.	m		21.00	1,250.00	26,250.00
52	c.3	32mm class 1.0	Nos		3.00	1,500.00	4,500.00
53	a.1	15mm nominal bore	RMT		0.00	380.00	0.00
54	f.3	40 mm nominal bore	Nos		0.00	5,000.00	0.00
55	a.3	50 mm dia.	m		0.00	750.00	0.00
56	b.5	40mm nominal bore	Nos.		0.00	550.00	0.00
57	c.1	25MM nominal bore	RMT		0.00	600.00	0.00
58	a	Providing and fixing UPVC SOIL VENT WASTE SWR pipe of required diameter conforming to I.S.-13592, and I.S.-4985 to withstand continous internal hydroulic pressure of 4 kg cm2 including necessary fixtures and fittings, such as bends, tees,Clean out plugs (for the downtakes near bends). single junctions, double junctions and joining with rubber rings and lubricants, on wall by means of clips or in ground including necessary excavation, laying refilling, trench testing etc. complete. (Prior approval of sample and brand by Ex.Engineer is necessary before use.) (Supreme Prince Astral or as approved.)			0.00	0.00	0.00

59	b	Providing fixing of ISI Mark CPVC ball valves of following dia pipes as mentioned below (Make - supreme prince astral or as approved)			0.00	0.00	0.00
60	c	Providing fixing on walls ceiling floors,C class G I C class pipe of diameter as mentioned below with screwed sockets, joints necessary. (Supreme Prince Astral or as approved.)			0.00	0.00	0.00
61	a.4	32mm nominal bore	RMT		1.00	505.00	505.00
62	d.1	20mm class 1.0	Nos		4.00	900.00	3,600.00
63	b.1	15mm nominal bore	Nos.		0.00	380.00	0.00
64	a	Providing fixing on walls ceiling floors, medium grade having embossed ISI Mark CPVC pipes of diameter as mentioned below with fittings i.e.connector, clamps, tees, elbows, reducers, male-female etc. necessary fittings. (Supreme Prince Astral or as approved.)			0.00	0.00	0.00
65	a.3	25mm nominal bore for main water supply	RMT		45.00	465.00	20,925.00
Total :					184.00		236,405.00