

# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001128F		Report No : ATL202401308		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020690				
Report No	: ATL202401308				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Sanju.S				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU – Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
Baja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001129F		Report No : ATL202401309		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020691				
Report No	: ATL202401309				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Akhiljith				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU – Colony Forming Units					
Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
 Raja B Authorised Signature					




# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001130F		Report No : ATL202401310		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020692				
Report No	: ATL202401310				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Yousaf Ali				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU - Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
 Raja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001131F		Report No : ATL202401311		Date : 05.03.2024	
Name of the Customer	:	Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024			
Sample Id No	:	ATL24020693			
Report No	:	ATL202401311			
Discipline & Group	:	Environmental and pollution			
Sample described by the customer	:	Hand Swabs			
Sample Condition	:	Sealed & Good			
Sampling Details					
Date Of Sampling	:	27-02-2024			
Sampling SOP	:	ATL-SA-SOP-007			
Customer Reference	:	Person Name: Anisha Babu			
Date of receipt of the sample	:	28.02.2024			
Quantity of the sample received	:	2 Nos			
Condition of sample (at the time of receipt)	:	Sealed & Good			
Date of Test starting	:	28.02.2024			
Date of Test completed	:	03.03.2024			
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU - Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
 Raja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001132F		Report No : ATL202401312		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020694				
Report No	: ATL202401312				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Aswadev saji				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU – Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
Raja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001133F		Report No : ATL202401313		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020695				
Report No	: ATL202401313				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Lali				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU – Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
Raja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001134F		Report No : ATL202401314		Date : 05.03.2024	
Name of the Customer	:	Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024			
Sample Id No	:	ATL24020696			
Report No	:	ATL202401314			
Discipline & Group	:	Environmental and pollution			
Sample described by the customer	:	Hand Swabs			
Sample Condition	:	Sealed & Good			
Sampling Details					
Date Of Sampling	:	27-02-2024			
Sampling SOP	:	ATL-SA-SOP-007			
Customer Reference	:	Person Name: Ananthajith.S			
Date of receipt of the sample	:	28.02.2024			
Quantity of the sample received	:	2 Nos			
Condition of sample (at the time of receipt)	:	Sealed & Good			
Date of Test starting	:	28.02.2024			
Date of Test completed	:	03.03.2024			
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU - Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
 Raja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001135F		Report No : ATL202401315		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020697				
Report No	: ATL202401315				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Beena Binoy				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU – Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
 Raja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001136F		Report No : ATL202401316		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020698				
Report No	: ATL202401316				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Binu mon.GP				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Colliforms	ISO 4831: 2006	/ Swab	Absent	
CFU – Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
 Raja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001137F		Report No : ATL202401317		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020699				
Report No	: ATL202401317				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Abdul Rahiman.M				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU - Colony Forming Units					
Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
 Raja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001138F		Report No : ATL202401318		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020700				
Report No	: ATL202401318				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Rogi				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU - Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
Raja B Authorised Signature					



# ANALYTICAL TECHNOLOGY LABORATORY

(A Part Of Sri Gomuki Tex Chem Pvt. Ltd.)



## Test Report



Accredited & Recognized by : ISO/IEC 17025,2017, NABL, EIC, FSSAI, APEDA, TEA BOARD, ISO 45001:2018 & ISO 9001 : 2015

ULR No. TC734124000001139F		Report No : ATL202401319		Date : 05.03.2024	
Name of the Customer	: Semolina Kitchens Pvt Ltd Thiruvananthapuram International Airport T2,Airport Rd, Chackai, Thiruvananthapuram,Under The Bridge,Kerala - 695024				
Sample Id No	: ATL24020701				
Report No	: ATL202401319				
Discipline & Group	: Environmental and pollution				
Sample described by the customer	: Hand Swabs				
Sample Condition	: Sealed & Good				
Sampling Details					
Date Of Sampling	: 27-02-2024				
Sampling SOP	: ATL-SA-SOP-007				
Customer Reference	: Person Name: Reem. S				
Date of receipt of the sample	: 28.02.2024				
Quantity of the sample received	: 2 Nos				
Condition of sample (at the time of receipt)	: Sealed & Good				
Date of Test starting	: 28.02.2024				
Date of Test completed	: 03.03.2024				
#	Parameters	Method of Reference	Unit	Results	
Biological,,Biological					
1	Total plate count	ISO 4833 (Part 1): 2013	cfu/swab	<10	
2	Coliforms	ISO 4831: 2006	/ Swab	Absent	
CFU - Colony Forming Units Note : 1. This report shall not be reproduced except in full without approval of the laboratory can provide assurance that parts of a report are not taken out of context. 2. The results relates only to the items tested. 3. Any correction shall invalidate these reports. 4. Laboratory is not responsible for the authenticity of the xerox / photocopied test reports.					
Raja B Authorised Signature					