

## 27AAAHP0578G1Z6 LOK PRATIK CONSTRUCTION



1. e-Invoice Details

9770e42f8d5bf7125a5c65701ffa30f7 254a032100f05d79b656a71649af40fa

Ack. No: 122422729116760

Ack. Date: 21/08/2024 01:54:00

2. Transaction Details

Supply Type Code: B2B

Document No: LPC0722425

IGST applicable despite Supplier and Recipient located in same State: No

Place of Supply: MAHARASHTRA

Document Type: Tax Invoice

Document Date: 21/08/2024

3. Party Details

Supplier:

GSTIN: 27AAAHP0578G1Z6 LOK PRATIK CONSTRUCTION ROYAL RESORT TOWER CHS T - 38, BUILDING, 1202 12TH FLOOR SHASTRINAGAR

ANDHERI WEST, 400053, MAHARASHTRA

Recipient:

GSTIN: 27ABICS8699F1ZJ SEMOLINA KITCHENS PRIVATE LIMITED Shiv Sagar Estate Block A 1ST FLOOR Dr Annie Besant Road Place of supply: MAHARASHTRA Mumbai, 400018, MAHARASHTRA

#### 4. Details of Goods / Services

SI No	Item	Description	HSN Code	Quantity	Unit Price (Rs)	Discount (Rs)	Taxable Amount	Tax Rate(GST + Cess   State Cess + Cess Non.Advol)		Other Charges (Rs)	Total
1		per attached exure	995479	1	100000	0	100000			0	118000
Taxa Amt	ble	CGST Amt	SGST Amt	IGST Amt	CESS Amt	State CESS Amt	Discount	Other Charges	Round	Off Amt	Total Inv. Amt
1000	000	9000	9000	0	0	0	0	0		0	118000

Generated By: 27AAAHP0578G1Z6 Print date: 21/08/2024 01:53:53

Digitally signed by NIC-IRP On: 21/08/2024 01:54:00



# Lok - Pratik Construction

Engineers, Interior & Contractors

## **ANNEXURE**

Sub-Providing & Fixing Fire Proof Door at Curry Kitchen & Idly.com T1C. PO No. Semolina/PO/24-25/000681 Dt 30/07/24

1st & Final bill

SL.	Description  Civil Work	Qty	Unit	Rate	Amount
1	Providing & Fixing Single leaf swing door with vision panel & Removing Old Door shutter m – P/F 40MM THICK 2 HOUR FIRE RATED WOODEN FIRE PROOF DOOR of approved make Fully Insulated Non Metallic Wooden Fire door at all levels from certified Manufacturer . Fire doors must satisfy the requirement for Fire & Life Safety guidelines for 120 minutes, flush door panel finished with 1mm thk. laminate (as per approved shade on all exposed faces) to be fixed with hairline grooves , including 5mm thk. Seasoned hardwood margin on exposed edges ,door handle & other necessary hardware. Size - 3'-0" Long & 7'-0" High.		Each	36000	72,000.0
	Providing & Fixing Floor spring of approved brand by cutting the floor ,Pevate etc Complete.	2	Each	14000	28,000.00
	Total				
	CGST@9%				1,00,000.00
	SGST@9%				9,000.00
	Grand total	-			9,000.00
					1,18,000.00

GSTIN : 27AAAHP0578G1Z6

VAT No. 27450626854 V w.e.f 13 Sep, 2007

TIN No. 27450626854 C w.e.f 13 Sep, 2007

PAN No: AAAHP0578G ST No: AAAHP0578GST001 Prop. Prakash C. Amarnani - HUF

KARTA



170, Podar Saw Mill Compound, Shop No. 7 & B.
B. N. Pai Road, Reay Road, Mumbar 409010.
Tel : 2170-2200 | Face 2170-6777 | Moh. 982001-9702.
Email: shutledistributors@gnoal.com
Web:: www.shutledistributors.com

## TEST CERTIFICATE

Data: 05/08/2024

### FIRE RETARDANT WITH RATING - 60 MNT

Sr.	TYPE	THIKNESS	SIZE	QUANTITY	FIRE RATING TYPE
1	SOLID CORE FLUSH	40 MM	2.14 X 0.02 = 2	TOTAL 2 NOs.	60 MNT FIRE RETARDANT

Which were supple to BISMILLAH TIMBER MART on dated 05/08/2024 against Tax Invoice No. S/24-25/08/1181 are guaranteed for FIRE RETARDANT with the rating of 60 mins. Above referred doors were tested as per clause 12.3.2 of IS: 5509-200 Record No. OT-472 & Ref. No. OT-3461 specification & results are as follows: -

Sr. No.	Name of test.	Specification required	Remark	
1	Flammability	The Time Taken for Second Ignition Shall Not Less Than 60 Minutes	Satisfactory	
2	Flame Penetration Time Taken for Flame Penetration Shall Not Be Less Than 60 Minutes		Satisfactory	
3	Burning Rate	Time Taken For 30% to 70% reduction of mass Specimen Shall Not Be Less Than 60 Minutes	Satisfactory	

For SHUTTLE DISTRIBUTOR

MR. KAUSHIK D. GORADIA

PROPRIETOR