

Trupti Dalvi

**From:** Sitaram Mistry  
**Sent:** 03 September 2024 18:02  
**To:** Trupti Dalvi  
**Cc:** Santosh Tambe; Khushbu Verma; Abdul Rehman; Prakash Mistry; Swapnil Sutar  
**Subject:** RE: FW: AHM\_ T1\_ Bus Gate Idli.com\_ Kitchen Equipment sizes undulations  
**Attachments:** ID-04 Equipment Detail.pdf; ID-05 Equipment Detail.pdf; ID-07 Equipment Detail.pdf; ID-22 Equipment Detail.pdf; ID-06 Equipment Detail.pdf; L-16 Idli.Com Equipment Schedule.xlsx; PW-04 Equipment Detail.pdf; PW-01 Equipment Detail.pdf; PW-03 Equipment Detail.pdf; BH-01 Equipment Detail.pdf; BH-02 Equipment Detail.pdf; BH-05 Equipment Detail.pdf; BH-03 Equipment Detail.pdf; BH-06 Equipment Detail.pdf

Dear Trupti,

Please find the my revert below

BH-06	SPACE FOR CHEMICALS	FABRIATED	400 x 500 x 2100	1	Rack / Lock Cupboard	Open Rack
ID-23	CO2 CYLINDER FOR FOUNTAIN MACHINE	Ops team	200ø	1	Provide by Ops team	Requirement has been raised to the Operation Team
ID-19	FOINTAIN MACHINE	Ops team	500 x 610 x 645Ht.	1	Provide by Ops team	Requirement has been raised to the operation team.
BH-04	WET DUST BIN			1	Capacity / Ltr / SS / plastic	30 ltr

Also, please find the attached final excel data of the kitchen equipment along with the drawings for your perusal.  
Kindly raise the requirement at the earliest.

Thanks & Regards,  
Sitaram Mistry

---

**From:** Trupti Dalvi <trupti.dalvi@travelfoodservices.com>  
**Sent:** 31 August 2024 16:24  
**To:** Sitaram Mistry <sitaram.mistry@travelfoodservices.com>  
**Cc:** Santosh Tambe <santosh.tambe@travelfoodservices.com>; Khushbu Verma <khushbu.dayal@travelfoodservices.com>; Abdul Rehman <abdul.rehman@k-corp.in>; Prakash Mistry <prakash.mistry@travelfoodservices.com>; Swapnil Sutar <swapnil.sutar@travelfoodservices.com>  
**Subject:** RE: FW: AHM\_ T1\_ Bus Gate Idli.com\_ Kitchen Equipment sizes undulations

Dear Sitaram,

Kindly provide detail of below equipment's –

BH-06	SPACE FOR CHEMICALS	FABRIATED	400 x 500 x 2100	1	Rack / Lock Cupboard	
ID-23	CO2 CYLINDER FOR FOUNTAIN MACHINE	Ops team	200ø	1	Provide by Ops team	
ID-19	FOINTAIN MACHINE	Ops team	500 x 610 x 645Ht.	1	Provide by Ops team	

BH-04	WET DUST BIN		1	Capacity / Ltr / SS / plastic
-------	--------------	--	---	-------------------------------

Thanks & Regards,  
Trupti Dalvi  
Project Coordinator

---

**From:** Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>  
**Sent:** 29 August 2024 17:55  
**To:** Trupti Dalvi <[trupti.dalvi@travelfoodservices.com](mailto:trupti.dalvi@travelfoodservices.com)>  
**Cc:** Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>; Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>; Abdul Rehman <[abdul.rehman@k-corp.in](mailto:abdul.rehman@k-corp.in)>; Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>; Swapnil Sutar <[swapnil.sutar@travelfoodservices.com](mailto:swapnil.sutar@travelfoodservices.com)>  
**Subject:** FW: FW: AHM\_T1\_Bus Gate Idli.com\_Kitchen Equipment sizes undulations

Dear Trupti,

Please find the attached detailed BOQ of kitchen equipment as asked.  
Please raise the requirement at the earliest.  
The Shop drawings of the fabricated equipment's will be shared on coming Saturday.

Thanks & Regards,  
Sitaram Mistry

---

**From:** GAPL <[genarchpl@gmail.com](mailto:genarchpl@gmail.com)>  
**Sent:** 29 August 2024 17:09  
**To:** Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>  
**Cc:** Ankit Panday <[ankit@genarch.in](mailto:ankit@genarch.in)>; Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>; Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>; Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>; Genesis Arch <[navjot@genarch.in](mailto:navjot@genarch.in)>; Trupti Dalvi <[trupti.dalvi@travelfoodservices.com](mailto:trupti.dalvi@travelfoodservices.com)>  
**Subject:** Re: FW: AHM\_T1\_Bus Gate Idli.com\_Kitchen Equipment sizes undulations

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Sitaram,

Please find the attached equipment BOQ as asked and drawings will be shared by saturday.

Regards  
Manpreet Singh

On Thu, Aug 29, 2024 at 1:08 PM Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)> wrote:

Dear Team,

Kindly share an update on the requirement on priority.

Thanks & Regards,  
Sitaram Mistry

Get [Outlook for Android](#)

---

**From:** Sitaram Mistry

**Sent:** Wednesday, August 28, 2024 3:36:32 PM

**To:** GAPL <[genarchpl@gmail.com](mailto:genarchpl@gmail.com)>

**Cc:** Ankit Panday <[ankit@genarch.in](mailto:ankit@genarch.in)>; Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>; Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>; Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>; Genesis Arch <[navjot@genarch.in](mailto:navjot@genarch.in)>; Trupti Dalvi <[trupti.dalvi@travelfoodservices.com](mailto:trupti.dalvi@travelfoodservices.com)>; Ankit Panday <[ankit@genarch.in](mailto:ankit@genarch.in)>

**Subject:** RE: FW: AHM\_T1\_Bus Gate Idli.com\_Kitchen Equipment sizes undulations

Dear GAPL team,

Kindly share the detailed sheet of equipment's as per the below\_

1) Fabricated type

2) Electrical type

3) Qty of fire extinguishers and others

**4) Shop drawings of Fabricated Equipment**

**5) Gas Operated equipment's to be consider as per the available gas pressure (i.e. 110 Mbar)\_ Kindly share the specs for the same in the drawing.**

6) Power load requirement, SB requirement. Etc. etc.

The reference sheet has been shared below.

Kindly do the needful on priority

SR. No.	Eq. No.	DESCRIPTION	MODEL NO	DIMENSIONS(L x W x HT)	QTY	ELECTRIC SUPPLY	Per Kw	TOTAL KW	AMPS	TYPE OF SWITCH	EXHAUST CFM
<b>FOH-IDLI.COM</b>											
1	ID-01	POS	IT	STD	1	1HP	0.5	0.5	5 / 15 Amp	Switch Socket	
2	ID-02	POS COUNTER 915mm HT. WITH IMPULSE DISPLAY & PROVISION OF STORAGE	CARPENTRY WORKS AS PER INTERIOR	1025 x 750 x 915Ht.	1						
3	ID-03	JUICE DISPENSER	UGOLININ-DELUX 12/2	360 x 480 x 570Ht.	1	1PH	1.0	1.0	5 / 15 Amp	Switch Socket	
4	ID-04	FLOOR MOUNTED HOT BAIN MARIE WITH 3Nos. 1/1x150Deep GN PAN WITH EXTERNAL PANEL	FABRICATED	1125 x 650 x 850	1	1PH	3.0	3.0	32	Metal Clad	
5	ID-05	AMBIENT BAIN MARIE WITH 6 Nos. OF 1/6 GN PANS 200mm DEEP	FABRICATED	462 x 650 x 850	1						
6	ID-06	GAS OPERATED FLOOR MOUNTED HOT PLATE WITH 1U/S LEG OFFSET FROM BACK SIDE & LEFT SIDE 150MM	FABRICATED	900 x 650 x 850	1						
7	ID-07	BOX TYPE EXHAUST HOOD WITH BAFFLE FILTERS & FIRE SUPPRESSION SYSTEM, FRESHER GRILL & LED LIGHTS-(1200CFM)	FABRICATED	1100 x 1150 x 600	1	1HP	1.00	1.00	5 / 15 Amp	Switch Socket	1200
8	ID-08	BOX TYPE EXHAUST HOOD WITH BAFFLE FILTERS & FIRE SUPPRESSION SYSTEM, FRESHER GRILL & LED LIGHTS-(1100CFM)	FABRICATED	1500 x 1150 x 600	1	1HP	1.00	1.00	5 / 15 Amp	Switch Socket	1100
9	ID-09	STAND FOR COMBI OVEN WITH GN PAN TRAY PROVISION & OFFSET FROM RHS &	FABRICATED	800 x 850 x 850	1						
10	ID-10	GAS OPERATED COMBI OVEN- 5TRAY	UNOX-5TRAY GAS	750 x 783 x 675Ht.	1	1HP	1.00	1.00	5 / 15 Amp	Switch Socket	
11	ID-11	IDLI STEAMER 6 TRAYS 56 Pcs. Cap.	FABRICATED	450 x 450 x 600Ht.	1	1PH	3.00		32	Metal Clad	
12	ID-12	3 DOOR UNDER COUNTER BACK BAR	BLUESTAR-BC350A	1350 x 520 x 900	1	1PH	0.5	0.5	5 / 15 Amp	Switch Socket	
..	..	BACK COUNTER CLEAR INSIDE HT. 925MM WITH PROVISION OF SUNK IN SINK, ONE NO. CHILLER & STORAGE WITH DOORS RFL OW	CARPENTRY WORKS	2800 x 750 x							

From: GAPL <[genarchpl@gmail.com](mailto:genarchpl@gmail.com)>

Sent: 27 August 2024 15:56

To: Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>

Cc: Ankit Panday <[ankit@genarch.in](mailto:ankit@genarch.in)>; Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>; Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>; Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>; Genesis Arch <[navjot@genarch.in](mailto:navjot@genarch.in)>

Subject: Re: FW: AHM\_ T1\_ Bus Gate Idli.com\_ Kitchen Equipment sizes undulations

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Sitaram,

Please find the attached Equipment Layout and Sheet as discussed.

1. ID-07 is Cold Bain Marie
2. ID-23 is Co2 Cylinder

Regards

Manpreet Singh

On Tue, Aug 27, 2024 at 3:40 PM Ankit Panday <[ankit@genarch.in](mailto:ankit@genarch.in)> wrote:

---

**From:** Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>

**Sent:** Tuesday, August 27, 2024 3:34 PM

**To:** Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>; 'Genesis Arch' <[navjot@genarch.in](mailto:navjot@genarch.in)>; Ankit Panday <[ankit@genarch.in](mailto:ankit@genarch.in)>

**Cc:** Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>; Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>


**Subject:** RE: AHM\_ T1\_ Bus Gate Idli.com\_ Kitchen Equipment sizes undulations

Dear Prakash Bhai,

This is to bring to your attention that the equipment layout has indicated same number's equipment twice (i.e. **ID-07**) but the excel file has only one.

1. **ID-07 : Co2 Cylinder**
2. **ID-07 : Cold Bain Marie**

**LAYOUT**



**EXCEL FORMAT**

OFFSET FROM BACK SIDE & LEFT SIDE EQUIP				
7	ID-07	CO2 CYLINDER FOR FOUNTAIN MACHINE	475 x 650 x850	1

Request you to please refer the excel and equipment layout and kindly share the revised excel as per the layout at the earliest for ordering process.

Thanks & Regards,

Sitaram Mistry

**From:** Ankit Panday <[ankit@genarch.in](mailto:ankit@genarch.in)>  
**Sent:** 05 August 2024 10:57  
**To:** Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>; Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>; 'Genesis Arch' <[navjot@genarch.in](mailto:navjot@genarch.in)>  
**Cc:** Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>; Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>  
**Subject:** RE: AHM\_ T1\_ Bus Gate Idli.com\_ Kitchen Equipment sizes undulations

**CAUTION:** This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

**Ankit Pandey**

Architect | Genesis Architects Pvt Ltd

Phone: +91 11 25062077-79 Mobile: +91 7827897695

Address: 371, First Floor, Rangpuri, NH48, New Delhi 110037

Web: [www.genarch.in](http://www.genarch.in) Email: [ankit@genarch.in](mailto:ankit@genarch.in)



---

**From:** Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>  
**Sent:** Saturday, August 3, 2024 8:38 PM  
**To:** Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>; [ankit@genarch.in](mailto:ankit@genarch.in); Genesis Arch <[navjot@genarch.in](mailto:navjot@genarch.in)>  
**Cc:** Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>; Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>  
**Subject:** RE: AHM\_ T1\_ Bus Gate Idli.com\_ Kitchen Equipment sizes undulations

Dear Team,

Request you to please share an update on the highlighted matter.

Thanks & Regards,



Sitaram Mistry

---

**From:** Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>  
**Sent:** 30 July 2024 12:01  
**To:** [ankit@genarch.in](mailto:ankit@genarch.in); Gurvinder Singh <[gurvinder.singh@travelretail.in](mailto:gurvinder.singh@travelretail.in)>; Genesis Arch <[navjot@genarch.in](mailto:navjot@genarch.in)>  
**Cc:** Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>; Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>; Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>  
**Subject:** FW: AHM\_ T1\_ Bus Gate Idli.com\_ Kitchen Equipment sizes undulations

Hi Ankit,

Please check and revert with your comments

1. BH-02 \_ **WORK TABLE WITH 2U/S\_ Size not mentioned in the drawing**
2. BH-05 \_ **Work Table With Sink On LHS & Half Side 2 U/S & Cross Support\_ Size not mentioned in the drawing**
3. BH-06 \_ **Space for Chemical \_ Size not mentioned in the drawing**

Thanks

Prakash Mistry

---

**From:** Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>  
**Sent:** Sunday, July 28, 2024 6:37 PM  
**To:** Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>; Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>  
**Cc:** Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>; Akshay Sharma <[akshay.sharma@semolinakitchens.com](mailto:akshay.sharma@semolinakitchens.com)>; Shama Nair <[shama.nair@travelfoodservices.com](mailto:shama.nair@travelfoodservices.com)>; Saeed Khan <[saeed.khan@travelfoodservices.com](mailto:saeed.khan@travelfoodservices.com)>; Abdul Rehman <[abdul.rehman@k-corp.in](mailto:abdul.rehman@k-corp.in)>  
**Subject:** RE: AHM\_ T1\_ Bus Gate Idli.com\_ Kitchen Equipment sizes undulations

Dear Prakash Ji,

Front and Back counter's are being made as factory fitted as per the details provided.



I am concerned about the below Equipments, as there are no sizes mentioned in the Equipment excel sheet.

1. BH-02 \_ **WORK TABLE WITH 2U/S\_ Size not mentioned in the drawing**
2. BH-05 \_ **Work Table With Sink On LHS & Half Side 2 U/S & Cross Support\_ Size not mentioned in the drawing**
3. BH-06 \_ **Space for Chemical \_ Size not mentioned in the drawing**

<b>Total</b>				
<b>BAC</b>				
23	BH-01	FOOT OPERATED HAND WASH SINK WITH HOT & COLD WATER CONNECTION & WITH TISSUE HOLDER & SOAP DISPENSER PROVISION	500 x 475 x 850+450	1
24	BH-02	WORK TABLE WITH 2U/S		1
25	BH-03	MS. STORGE RACK	900 x 700 x 900Ht	1
26	BH-04	WET DUST BON		1
27	BH-05	WORK TABLE WITH SINK ON LHS & HALF SIDE 2 U/S & CROSS SUPPORT		1
28	BH-06	SPACE FOR CHEMICALS		1
<b>POT</b>				
29	PW-01	POT RACK 2 Nos SHELF WALL MOUNTED	900 x 500 x 750Ht.	1
30	PW-02	GREASE TRAP	503 x 362 x 303Ht.	1
31	PW-03	POT WASH SINK PERFORETED STRAINER AND BALL VALVE (600x475x250mm Deep)	750 x 650 x 850+150Ht.	1
32	PW-04	SS WALLMOUNTED SHELF	750 x 300	1
33	PW-05	WASTEBIN SWING LID (SUPREMO-40Ltrs.)	305Dia x 603Ht.	1
<b>Total</b>				

Thanks & Regards,

Sitaram Mistry

**From:** Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>

**Sent:** 18 July 2024 15:27

**To:** Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>; Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>

**Cc:** Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>; Akshay Sharma <[akshay.sharma@semolinakitchens.com](mailto:akshay.sharma@semolinakitchens.com)>; Shama Nair <[shama.nair@travelfoodservices.com](mailto:shama.nair@travelfoodservices.com)>; Saeed Khan <[saeed.khan@travelfoodservices.com](mailto:saeed.khan@travelfoodservices.com)>; Abdul Rehman <[abdul.rehman@k-corp.in](mailto:abdul.rehman@k-corp.in)>

**Subject:** RE: AHM\_ T1\_ Bus Gate Idli.com\_ Kitchen Equipment sizes undulations

Dear Sitaram,

Please refer "Detail" folder as a part of the GFC docket for the working table.

Also, refer to the Equipment BOQ for sizes.

Thanks

Prakash Mistry

---

**From:** Sitaram Mistry <[sitaram.mistry@travelfoodservices.com](mailto:sitaram.mistry@travelfoodservices.com)>

**Sent:** Thursday, July 18, 2024 3:13 PM

**To:** Prakash Mistry <[prakash.mistry@travelfoodservices.com](mailto:prakash.mistry@travelfoodservices.com)>; Khushbu Verma <[khushbu.dayal@travelfoodservices.com](mailto:khushbu.dayal@travelfoodservices.com)>

**Cc:** Santosh Tambe <[santosh.tambe@travelfoodservices.com](mailto:santosh.tambe@travelfoodservices.com)>; Akshay Sharma <[akshay.sharma@semolinakitchens.com](mailto:akshay.sharma@semolinakitchens.com)>; Shama Nair <[shama.nair@travelfoodservices.com](mailto:shama.nair@travelfoodservices.com)>; Saeed Khan <[saeed.khan@travelfoodservices.com](mailto:saeed.khan@travelfoodservices.com)>; Abdul Rehman <[abdul.rehman@k-corp.in](mailto:abdul.rehman@k-corp.in)>

**Subject:** AHM\_T1\_Bus Gate Idli.com\_Kitchen Equipment sizes undulations

Dear Prakash bhai/ Khushbu Ji,

This is to bring to your attention that the below listed equipment's sizes are not mentioned in the layout as a result we are unable to measure the actual feasibility for these equipment.

1. BH-02 \_ **WORK TABLE WITH 2U/S\_ Size not mentioned in the drawing**
2. BH-05 \_ **Work Table With Sink On LHS & Half Side 2 U/S & Cross Support\_ Size not mentioned in the drawing**
  
1. BH-06 \_ **Space for Chemical \_ Size not mentioned in the drawing.**

The available size on the site for the above equipment's are as per below

1. BH-02 and BH-05 \_ Total length available is 2900mm for BH-02 & BH-05 equipment.
2. BH-06 \_ Total length available is 400mm for Chemical Rack.

Request you to please review the points and share the details at the earliest.

**Also, I would request you to please make the equipment as per the available sizes accordingly.**

Thanks & Regards,

Sitaram K. Mistry

+91 9082923475