



Date: 21 December 2023

Proposal for Conversion to Gas

Client Name: Grubhub Food Court
Address: Green Avenue, Una

Proposal Information:

Grubhub Food Court	
ICC (Incl Gst)	Rs 1,50,000
Document Processing Fee	Rs 2360
Bank Guarantee (10 Days Usage)	Rs 2,20,000

The scope of work is as follows:

Scope of Work	
BPCL Scope	Customer Scope
Laying of MDPE Pipeline 63 mm till the customer Premises	MS pipe from Meter to Kitchen area
Meter (G40) RPD with Suitable Regulator	
Transition Fitting	

For more details feel free to contact the undersigned.

Harnoor Singh Sandhu,
MT Gas HP-1 (Una)
(+919914201421)

28-ए, ई.सी.ई. हाऊस, कस्तूरबा गांधी मार्ग, पोस्ट बॉक्स नं.-7, नई दिल्ली-110001 फोन : 23316891 फैक्स : 23312078, 23316894
रजिस्टर्ड आफिस : भारत भवन, 4 एवं 6 करीमभाँय रोड, बेलार्ड इस्टेट, मुम्बई-400001 फोन : 22713000, 22714000 फैक्स : 22713837
सीआईएन : L23220MH1952GO1008931

Why Switch To Natural Gas??

- **A Safer Alternative:** Natural Gas is safer as compared to other fuels like LPG, HSD etc.
- **Financial Benefits:** Natural gas is significantly cheaper as compared to other fuels.
- **Cleaner Nature, Natural Gas is Environment friendly fuel:** Burning of Natural Gas doesn't release harmful gases like Sulphur Dioxide. Moreover lesser amount of Carbon Dioxide is released.
- **Hassle Free and Continuous operation:** The supply of Natural Gas is continuous and the hassle of bringing fuel to the premises is completely removed. No Manpower required for handling of fuel.
- **Removal of Loses:** The pilfrige loses are reduced to zero as the customer has to pay for the gas flown through the meter only.
- **Certified meters:** The meters used are certified with Calibration at different Volume flows Q_{min} , $0.25Q_{max}$, $0.5 Q_{max}$, $0.75 Q_{max}$, Q_{max} (5 Point Calibration)

Salient Safety Features

- ❖ **Natural gas** is lighter than Air. In rare incidence of leakage from pipeline, the gas will disperse in the environment, thus eliminating the risk of Fire.
- ❖ The Maximum pressure in case of Natural gas coming inside pipeline is **4 bar**. This low pressure reduces the risk in case of any damage to pipeline.
- ❖ No chances of Spillage.
- ❖ No Chance of Evaporation Losses.