

PRADEEP®



COOKWARE



ELECTRICAL EQUIPMENT



BUFFET WARE



BEVERAGE EQUIPMENT

PRADEEP STAINLESS INDIA PVT LTD

Since its foundation in 1979, Pradeep Stainless India has evolved from a small business venture into one of the country's leading manufacturer and exporter of stainless steel products with a global footprint that spans more than 10 countries. Over 35 years of excellence, innovation, and expertise combined with the latest technological advancements have made us the most trusted name in the business.

The Legacy

Our manufacturing unit was first set up in 1978. In 2001, we shifted our facility to the Madras Export Processing Zone, a special economic zone (SEZ) in Chennai established in 1984. Spread across 16000 sq. metres, our factory stepped up its production of export quality stainless steel utensils, kitchenware, tableware, catering wares, petwares and planters. Our products were exported to UAE and Saudi Arabia and gradually, they were in high demand in the entire Middle-East and Africa. In addition to these countries, today, we have an extensive presence in the Indian continent and Europe. Many of our electrical products have earned international certifications. We have state-of-the-art manufacturing and export infrastructure that's operated by more than 800 skilled and unskilled employees. The entire process from design to production and packaging is deftly conducted within our own factory campus. We also have a special R&D and in-house design cell where our product designs are conceptualised, created, and tested by qualified design and development engineers.

The Legacy Continues

*To develop and market top-grade, value for money products with a keen eye on new trends and technologies has always been the core objective of our company. Therefore, we strive to constantly innovate our product offerings, besides maintaining our well-established range of stainless steel products for food and beverage preparation, storage, and serving. The legacy of **Pradeep Stainless India** is now being carried forward by a team that's endowed with excellent academic and professional achievements under the ever-inspiring guidance of **Mr. B. Ramesh Chand**, the Chairman of the company. Pradeep Stainless India is being steered to greater heights through their dedicated efforts and teamwork.*

UNIT - 1



Cookware

A fusion of elegant design and innovation is at the heart of our excellent range of stainless steel cookware which includes saucepans, frying pans (with and without non-stick coating), and stockpots. Each meticulously-built piece features a special multi-layer construction, where 5mm aluminium core is encapsulated between a top and bottom layer made of finest quality stainless steel in satin or mirror finish. This ensures even heat distribution and retention for superb cooking results. The collection is perfect for use on all heat sources including induction and offers sizes that range from home use to large-scale commercial kitchens.



FEATURES

Heavy Duty 3-ply Encapsulated Construction	Mirror / Satin Finish	Heavy Duty Handle	Folded Edges	Non-Stick Fry Pan Riveted Handles
	<p>Stainless Steel 304</p> <p>Aluminium - 5 mm</p> <p>Stainless Steel 430</p>			



Ceramic



Electric



Induction



Gas



Halogen



Dishwasher

Casserole Low / Cook Pot Low



Casserole Medium / Cook Pot Medium



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229L/24	3.2	240	70	0.8 / 5 / 0.8	1	0.008
7229L/28	4.3	280	70	0.8 / 5 / 0.8	1	0.011
7229L/32	5.6	320	70	0.8 / 5 / 0.8	1	0.014
7229L/36	6.9	360	70	0.8 / 5 / 0.8	1	0.017
7229L/40	8.9	400	70	0.9 / 5 / 0.8	1	0.021
7229L/45	10.5	450	70	1.0 / 5 / 0.8	1	0.030
7229L/50	13.0	500	70	1.0 / 5 / 0.8	1	0.036

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229M/20	3.5	200	120	0.7 / 5 / 0.7	6	0.065
7229M/22	4.5	220	130	0.7 / 5 / 0.7	6	0.082
7229M/24	6.0	240	140	0.7 / 5 / 0.7	6	0.087
7229M/26	7.5	260	150	0.7 / 5 / 0.7	6	0.107
7229M/28	10.0	280	150	0.8 / 5 / 0.8	4	0.018
7229M/32	15.0	320	180	0.8 / 5 / 0.8	1	0.025
7229M/36	20.0	360	200	0.9 / 5 / 0.8	1	0.034
7229M/40	28.0	400	220	0.9 / 5 / 0.8	1	0.046
7229M/45	40.0	450	250	1.0 / 5 / 0.8	1	0.063
7229M/50	53.0	500	270	1.2 / 5 / 0.8	1	0.082
7229M/55*	71.0	550	300	1.2 / 5 / 0.8	1	0.106
7229M/60*	93.0	600	330	1.2 / 5 / 0.8	1	0.133

Casserole Fligh / Cook Pot Fligh



Stock Pot / Cook Pot Full



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229H/28	13.0	280	210	0.8 / 5 / 0.8	1	0.024	7229S/20	6.0	200	200	0.7 / 5 / 0.7	4	0.014
7229H/32	20.0	320	240	0.8 / 5 / 0.8	1	0.033	7229S/22	8.5	220	220	0.7 / 5 / 0.7	4	0.017
7229H/36	28.0	360	270	0.9 / 5 / 0.8	1	0.044	7229S/24	10.0	240	240	0.7 / 5 / 0.7	1	0.021
7229H/40	38.0	400	300	0.9 / 5 / 0.8	1	0.062	7229S/26	14.0	260	260	0.7 / 5 / 0.7	1	0.025
7229H/45	56.0	450	340	1.0 / 5 / 0.8	1	0.087	7229S/28	17.0	280	280	0.8 / 5 / 0.8	1	0.030
7229H/50	75.0	500	380	1.2 / 5 / 0.8	1	0.114	7229S/32	26.0	320	320	0.8 / 5 / 0.8	1	0.043
7229H/55*	100.0	550	420	1.2 / 5 / 0.8	1	0.151	7229S/36	37.0	360	360	1.0 / 5 / 0.8	1	0.060
7229H/60*	130.0	600	460	1.2 / 5 / 0.8	1	0.191	7229S/40	50.0	400	400	1.0 / 5 / 0.8	1	0.080
							7229S/45	72.0	450	450	1.2 / 5 / 0.8	1	0.110
							7229S/50	98.0	500	500	1.2 / 5 / 0.8	1	0.148
							7229S/55*	130.0	550	550	1.2 / 5 / 0.8	1	0.194
							7229S/60*	170.0	600	600	1.2 / 5 / 0.8	1	0.248

COOKWARE

Cook Pot / Steamer with Strainer



Strainer

Colander



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)		Dia(mm)	Height(mm)	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	
2815/12	10.0	280	150	STEAMER SIZE	280	120	7233/28	4.0	280	140	0.6	24	0.065	
3218/12	15.0	320	180		320	120	7233/32	7.0	320	165	0.7	12	0.058	
3620/12	20.0	360	200		STRAINER SIZE	360	120	7233/36	10.0	360	185	0.7	12	0.067
4022/12	28.0	400	220			400	120	7233/40	14.0	400	205	0.7	12	0.088
							7233/45	20.0	450	225	0.7	6	0.076	
							7233/50	25.0	500	245	0.8	6	0.105	
							7233/65	40.0	650	285	0.9	3	0.186	

COOKWARE



Frying Pan



**with Helper Handle*
(7231/FP/36)



Frying Pan (Non - Stick Coated)



**with Helper Handle*
(7232/FP/36)



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7231/FP/20	1.250	200	40	0.8 / 5 / 0.8	16	0.076	7232/FP/20	1.250	200	40	0.8 / 5 / 0.8	16	0.076
7231/FP/22		220	40	0.8 / 5 / 0.8	6	0.049	7232/FP/22		220	40	0.8 / 5 / 0.8	6	0.049
7231/FP/24	2.000	240	45	0.8 / 5 / 0.8	6	0.053	7232/FP/24	2.000	240	45	0.8 / 5 / 0.8	6	0.053
7231/FP/26	2.500	260	50	0.8 / 5 / 0.8	5	0.054	7232/FP/26	2.500	260	50	0.8 / 5 / 0.8	5	0.053
7231/FP/28	3.000	280	50	0.8 / 5 / 0.8	5	0.061	7232/FP/28	3.000	280	50	0.8 / 5 / 0.8	5	0.061
7231/FP/30		300	50	0.8 / 5 / 0.8	5	0.078	7232/FP/30		300	50	0.8 / 5 / 0.8	5	0.078
7231/FP/32	3.750	320	55	0.8 / 5 / 0.8	5	0.081	7232/FP/32	3.750	320	55	0.8 / 5 / 0.8	5	0.081
7231/FP/36*		360	55	1.0 / 5 / 0.8	5	0.109	7232/FP/36*		360	55	1.0 / 5 / 0.8	5	0.109

COOKWARE



Conical Pan



Sauce Pan



**with Helper Handle*



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7230/CP/20	1.400	200	60	0.6 / 5 / 0.5	4	0.047	7230/SP/16	1.900	160	95	0.8 / 5 / 0.8	6	0.048
7230/CP/22	1.800	220	65	0.6 / 5 / 0.5	4		7230/SP/20	3.300	200	105	0.8 / 5 / 0.8	6	0.073
7230/CP/24	3.000	240	75	0.7 / 5 / 0.6	4	0.068	7230/SP/24	5.000	240	110	0.8 / 5 / 0.8	4	0.063
7230/CP/26	3.200	260	80	0.7 / 5 / 0.6	4		7230/SP/26	7.500	260	150	0.7 / 5 / 0.7	1	0.025
7230/CP/28	4.000	280	85	0.7 / 5 / 0.6	4		7230/SP/28*	10.000	280	150	0.8 / 5 / 0.8	1	0.028
							7230/SP/32*	15.000	320	180	0.8 / 5 / 0.8	1	0.039

COOKWARE



Triply Conical Pan



Triply Frypan



*Triply Frypan (Honey comb Non-Stick)**



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Pcs/Ctn	CBM
1170/20	1.6	200	65	1		1168/20	1.2	200	45	1	
1170/22	1.9	220	70	1		1168/24	1.9	240	50	1	
1170/24	2.5	240	75	1		1168/28	2.7	280	55	1	
1170/26	3.25	260	80	1		*1167/20	1.2	200	45	1	
1170/28	3.9	280	85	1		*1167/24	1.9	240	50	1	
						*1167/28	2.7	280	55	1	

Electric Deep Fryer (Double Pan)



Electric Deep Fryer (Single Pan)



ITEM NO	LxWxH(mm)	Oil Volume @Max(Lt)	Pan Capacity(Lt)	Pcs/Ctn	CBM	ITEM NO	LxWxH(mm)	Oil Volume @Max(Lt)	Pan Capacity(Lt)	Pcs/Ctn	CBM
111405	420x397x310	2 x 3	2 x 5	1	0.117	111404	420x184x310	3	5	1	0.061
111401	420x545x310	2 x 5	2 x 8	1	0.151	111400	420x273x310	5	8	1	0.082
111403	420x545x360	2 x 8	2 x 11	1	0.173	111402	420x273x360	8	11	1	0.089

Electrical Steamer with Insert



Item No	Number of Strainers	Capacity (Lt)	CBM
220328	1	10	
220328-2	2		
220328-3	3		
220340	1	28	
220340-2	2		
220340-3	3		

Electrical Steamer



Item No	Capacity (Lt)	Pcs/Ctn	CBM
220305*	4.00	4	0.139
220307	12.00	2	0.177

**Also Available with Glass Lid*

Electrical Specification: 220305 : 220-240v AC, 15A (Single phase), 2400W
220307 : 220-240v AC, 15A (Single phase), 3000W

NEW

Electrical Bain Marie



Electrical Idly Cooker



ITEM NO	WxHxD(mm)	Pan Capacity(Lt)	Pcs/Ctn	CBM	ITEM NO	WxHxD(mm)	Capacity Idly	Pcs/Ctn	CBM
---------	-----------	------------------	---------	-----	---------	-----------	---------------	---------	-----

111596	340x560x305	6.65x3	1	
--------	-------------	--------	---	--

111593	460x505x465	9x4	1	
--------	-------------	-----	---	--

Electrical Hotplate

NEW



Item No	WxHxD(mm)	MS Plate Size (mm) WxHxD(mm)	Pcs/Ctn	CBM
111594	630x225x435	600x12x330	1	

BUFFET WARE

Round Chaffer



Liquid Warmer Plate



ITEM NO	PAN SIZE	DIA x HEIGHT (mm)	PCS/CTN	CBM	ITEM NO	DESCRIPTION	PCS/CTN	CBM
211001	4000	330 x 250	4		111609	DOUBLE	6	0.090
211002	5000	330 x 275	4		111610	SINGLE	10	0.045
211003	7500	390 x 280	4					
211004*	4000	330 x 250	4					
211005*	5000	330 x 275	4					
211006*	7500	390 x 280	4					

*Leg Type: Stainless steel * With Glass lid*

** Dimensions inclusive of side and lid handles*

Electrical Specification: 111609: 220-240v AC, 6A (Single phase), 400W
111610: 220-240v AC, 6A (Single phase), 200W

BUFFET WARE

Hot/Cold Dispenser (with Fuel Plate)



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
9227HC/5	5.00	6	0.138

Hot/Cold Dispenser (with Heater Plate)



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111802	5.00	4	0.157
111803	10.00	4	0.168

BUFFET WARE

PRADEEP

www.pradeepstainless.com

Cold Dispenser



ITEM NO	Capacity (Lt)	Pcs/Ctn	CBM
9227C/5	5.00	4	0.193

Soup Urn

NEW



ITEM NO	Capacity (Lt)	Pcs/Ctn	CBM
*111702	7.00	1	0.043
111702/RG	7.00		

*with out color

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W

BUFFET WARE

NEW

PRADEEP

www.pradeepstainless.com

Food Warmer



Conveyor Toaster



Double



Single

Item No	WxHxD(mm)	Pcs/Ctn	CBM	Item No	WxHxD(mm)	Pcs/Ctn	CBM	
DOUBLE	700 x 680 x 430	1	0.10	111562	290 x 395 x 780	1	0.083	
111411				111592	370 x 430 x 780	1		
111411/RG*								
111411/RG/SG#								
SINGLE	575 x 673 x 379	1	0.07					
111412								
111412/RG*								
111412/RG/SG#								

* With Rose Gold Bulb Cover

With Rose Gold Bulb Cover and Sneeze Guard

Conveyor speed control (Toast colour control)

Variable Heating modes, Stand-by mode

Front loading - Front pick-up, Front loading - Rear pick-up options

Electrical Specification: 111411: 220-240v AC, 6A (Single phase), 1000W
111412: 220-240v AC, 6A (Single phase), 500W

Electrical Specification: 220-240v AC, 6A (Single phase), 1200W

BUFFET WARE

Tea/Coffee URN



Item No	Capacity (Lt)	Pcs/Ctn	CBM
7217/6	6.00	1	0.033
7217/8	8.00	1	0.040
7217/12	12.00	1	0.044
7217/16	16.00	1	0.053
7217/20	20.00	1	0.063
7217/25	25.00	1	0.075
7217/30	30.00	1	0.085
7217/35	35.00	1	0.096

Wide open mouth-Easy to clean
 PUF insulation for longer heat retention
 Heavy duty tap for drip-free dispensing

PRADEEP

www.pradeepstainless.com

Insulated Food Container



Item No	Capacity (Lt)	Pcs/Ctn	CBM
9232/5	5.00	1	0.024
9232/10	10.00	1	
9232/15	15.00	1	
9232/20	20.00	1	0.058
9232/30	30.00	1	0.078
9232/40	40.00	1	0.101
9232/50	50.00	1	0.120

Study and ergonomic handles for easy carrying
 PUF Insulation for longer heat retention
 Locking lid with airtight seal to prevent spillage during transportation

BEVERAGE EQUIPMENT



PRADEEP
www.pradeepstainless.com

Water Boiler



Insulated Water Boiler



ITEM NO	CAPACITY (Gallon)	CAPACITY(LT)	PCS/CTN	CBM
111101	1	4.50	2	0.064
111102	2	9.00	2	0.086
111104	4	18.00	2	0.142
111106	6	27.00	2	0.175
111109	9	40.00	2	0.240

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Water

ITEM NO	CAPACITY (Gallon)	CAPACITY(LT)	PCS/CTN	CBM
111201	1	4.50	1	0.031
111202	2	9.00	1	0.041
111204	4	18.00	1	0.068
111206	6	27.00	1	0.086
111209	9	40.00	1	0.129

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Water
Electricity Saver - PUF Insulation

BEVERAGE EQUIPMENT



PRADEEP

www.pradeepstainless.com

Milk Boiler



Insulated Milk Boiler



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111300	5.00	1	0.054
111312	12.00	1	0.083
111320	20.00	1	0.107
111330	30.00	1	0.131

ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111600	5.00	1	0.062
111612	12.00	1	0.091
111620	20.00	1	0.113
111630	30.00	1	0.139

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Hot Milk, Hot Water

220-240v AC, 15A (Single phase), 3000W

Electrical Specification: 111300, 111312, 111320, 111330

Fill Type: Manual

Fill Temperature: Normal

Electricity Saver - PUF Insulation Dispensing Options: Hot Milk, Hot Water

Electrical Specification: 111600, 111612, 111620, 111630

220-240v AC, 15A (Single phase), 3000W

BEVERAGE EQUIPMENT

PRADEEP

www.pradeepstainless.com

Tea Filter with Warmer Plate



*Easy to Clean
Brewing Basket*



Coffee Filter with Warmer Plate



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM	ITEM NO	CAPACITY(LT)	PCS/CTN	CBM
111505	3.00	6	0.118	111503	3.00	6	0.118
111506	5.00	6	0.178	111504	5.00	6	0.178

Fill Type: Manual

Fill Temperature: Boiling Hot

Dispensing Options: Black Tea

Fill Type: Manual

Fill Temperature: Boiling Hot

Dispensing Options: Black Coffee

Electrical Specification: 220-240v AC, 15A (Single phase), 2400W

Electrical Specification: 220-240v AC, 15A (Single phase), 800W

PRADEEP STAINLESS INDIA PVT LTD

Welcome to *iBrew by Pradeep* India's first indigenously designed Indian Karak Chai and South Indian filter coffee brewing and dispensing machines made from the finest stainless steel and best-in-class electrical and electronic components.

A venture of Pradeep Stainless India Pvt. Ltd., the brand carries the same trust and dedication to quality that the name Pradeep is synonymous with for nearly four decades. Here's a glimpse into how the brand was born.

Inception Of The Brand

Pradeep Stainless India is a market leader in manufacturing and export of superior-grade stainless steel products with a global footprint in more than 10 countries.

With extensive experience of manufacturing coffee brewing machine components for many international companies, the company realised the potential of India's own favourite Karak Chai and South Indian filter Coffee through automated brewing and dispensing machines.

Thus was launched the brand *iBrew by Pradeep* under the ever-inspiring guidance of **Mr. S. Ramesh Chand.**, the Chairman of the company.

Why Choose iBrew?

The brand's foundation has been laid on quality, innovation, and use of latest technology. Designed, manufactured and tested in the state-of-the-art ISO 9001-2008 facility at MEPZ-SEZ in Chennai, all *iBrew* products are built to provide consistent taste and quality of the beverage, while ensuring safety, ease of operation and maintenance of the machine. Qualities combined with innovative features make *iBrew* machines the perfect, professional hot beverage solution. Striving to become world's leading manufacturer of traditional Indian Karak Chai and South Indian filter coffee machines, *iBrew by Pradeep* aims to deliver the real taste of Indian beverages to the world!





Scan for E-Catalogue



Beverage Equipment



Domestic Range



Induction Kitchen
Equipment

PRADEEP®

PRADEEP STAINLESS INDIA PVT LTD

Plot C3,B7 & D1, Phase II, MEPZ - Special Economic Zone, Tambaram, Chennai - 600 045, India.

www.pradeepstainless.com | www.pradeepibrew.com | sales@pradeepstainless.com



pradeepstainless



Pradeep Stainless



PRADEEPSTAINLESS



PradeepPSIPL