

Servo Power Control

ISO 9001:2015

Ground Floor, H. No.-3, Shop No. 2, village Kotla, Mayur Vihar, Phase-1, Delhi-110091

Email: servopowercontrol9582@gmail.com

Mob: 9643430901

DATE 19-01-2024

Quotation

TO

TFS

Anil ji

Dear Sir,

As per your requirement, we are pleased to offer you prices with specification as below:

SI No.	Items Specification	Qty.	Price
1.	<u>Digital microprocessor based servo voltage stabilizer</u> Rating : 500 <u>KVA, Three Phase</u> Type : unbalanced, type <u>Oil Cooled</u> Input voltage : 340 to 480vac 50hz (Phase To Phase) Output voltage : 400vac +/- 1% (Phase To Phase)	01	5,85,000/- (WITH OIL)

Highlights

- ✓ Micro Controller Based **Digital Panel** For Each Phase.
- ✓ Energy Saving Technologies Through **Micro Processor Controlled Circuits**.
- ✓ Same day service.
- ✓ 100 % Copper wound.

Servo Power Control

ISO 9001:2015

Ground Floor, H. No.-3, Shop No. 2, village Kotla, Mayur Vihar, Phase-1, Delhi-110091

Email: servopowercontrol9582@gmail.com

Mob: 9643430901

Technical specification for servo voltage stabilizer

1. Capacity	:500 kva 3-
2. Make	Phase:“ <u>SPC</u> ”
3. Input Voltage Range	: 340To 480vac, 3-Phase
4. Output Voltage	: 400 vac, 3-Phase (Phase To Phase)
5. No. Of Phases	:Three
6. I/P Line Frequency	:47 To 53hz
7. Output Voltage Regulation	:+/-1%
8. Type Of Cooling	: <u>Oil Cooled</u>
9. Type Condition	: Unbalance Supply And Load
10. Efficiency	: >98%
11. Speed Of Correction	:36v Per Sec (For 3-Phase)
12. Wave From Distortion	: Nil
13. Effect Of Load Power Actor	:Nil
14. Ambient Temperature	: 0-65°C
15. Duty Cycle	: Continuous
16. Indications On Each Phase	: Input Mains Supply
17. Controls On Each Phase	: Auto/Manual Selector Switch, Increase/Decrease Push Button Volts Adjuster Potentiometer
18 Metering	: <u>Digital</u>
19. Mounting	: On Bi-Directional Wheel
20. Construction	: MS Sheet Body, Prime Grade Powder Coating
21. Spares Availability	: Min. 15-20 Years
22. Rate of correction	: 36v per second

Servo Power Control

ISO 9001:2015

Ground Floor, H. No.-3, Shop No. 2, village Kotla, Mayur Vihar, Phase-1, Delhi-110091

Email: servopowercontrol9582@gmail.com

Mob: 9643430901

Term & condition

- Payment : 50%advance, 50% before delivery.
- Sales Tax : **GST 18%** will be charged extra.
- Delivery : Within 2Week of receiving confirmed order along with advance payment
- Warranty on site : **1 Year** from the date of billing/Installation.
- Validity : 150 days from the date of offer.
- Input output cable, MCCB, change over bypass in scope of costumer .
- Installation: Free of cost.
- Transport Charges Extra.

(Note: no any hidden cost)

- SCOPE OF SUPPLY: We shall supply unit as per specification enclosed. Any input or output cabling, switchgear, earthing etc. shall not be in our scope. The deliveries of the goods shall be made up to accessible areas on the Ground Floor of the customer establishment /facility / premises.

We hope you will find our quote most competitive and in-line with your requirement and looking forward to be favored with your valuable order. Assure you of our best quality product backed with our experienced and prompt after sales services.

Please do not hesitate to contact the undersigned for any clarification.

Thanking you and assuring our best support at all times.

BANK DETAILS

BANK NAME : BANDHAN BANK

BRANCH :MAYUR VIHAR NEW DELHI

AC. NO- 10200005210930

IFSC CODE : BDBL0001775

Truly yours

For Servo Power Control

Edrish

Mobile: 91-9643430901, 8920261198
