



- NOTE: -**
- 1) CONTRACTOR SHOULD VERIFY THAT THE CONDUITS PROPOSED ADEQUATE FOR WIRING/CABLING.
 - 2) DIRECTION OF CCTV ADJUST AS PER SITE CONDITIONS.
 - 3) ALL CONDUIT PLAN ARE AS CONCEPTUAL BASIC AND TO BE EXECUTED AS PER SITE CONDITIONS.
 - 4) PVC MEDIUM DUTY CONDUIT TO BE USED IN SLAB .
 - 5) MS CONDUIT TO BE USED FOR SURFACE CONDUITING.

LEGENDS:

| Mounting Height | I D | Symbol | Item Description |
|-----------------------------|-------------|--------|---|
| IN CEILING | CONDUIT | | CAT6 IN 25mm Rigid PVC Conduit for CCTV |
| +2100/AS PER SIDE CONDITION | RACK | | 4"NETWORK RACK |
| CEILING | DOME CAMERA | | CCTV CAMERA |

| REV NO | DATE | DESCRIPTION | DESIGNED | DRAWN | CHECKED | APPROVED |
|--------------------|------|-------------|------------|-------|---------|----------|
| REVISIONS | | | | | | |
| CHECKED BY | SIGN | DATE | CHECKED BY | SIGN | DATE | |
| ARCHITECTURE | | | HVAC | | | |
| CIVIL & STRUCTURAL | | | FPS | | | |
| ELECTRICAL | | | PIPING | | | |
| ELV SYSTEM | | | PHE | | | |

tfs FOR :- **TRAVEL FOOD SERVICES PVT LTD**
 Travel Food Services
 VAIBHAV DOSHI (HEAD - DESIGN)
 vaibhav.doshi@travelfoodservices.com

PLUGD
 ARCHITECT
 AR. RITIKA MALIK & AR. SOURABH KHURANA

MEP CONSULTANTS:
PILLARPLUS PVT LTD-The New Age MEP Consultancy Firm
 Plot No. 45,46 guru Jambheshwar Nagar A,
 Vijay Dwar, Gandhipath, Jaipur-302021
 JAIPUR | GURGAON | BANGLORE
 Email: contact@pillarplus.com | Contact No: +91-9799858301 | Website: www.pillarplus.com

| SCALE | DATE | PREPARED BY | CHEKED BY | APPROVED BY |
|-------|------------|-----------------|-----------------|---------------|
| NTS | 10-01-2024 | RAJESH PRAJAPAT | RAJESH PRAJAPAT | RUSHIL MATHUR |

PROJECT
UNA FOOD COURT

| | | |
|---------|-----------------|-------------|
| Job No: | BUILDING NAME | COMMON AREA |
| | DRAWING TITLE | CCTV Layout |
| | DRAWING NUMBER: | |