



LEGEND :- FAS

	SMOKE DETECTOR [B.F.C.]	
	SMOKE DETECTOR [A.F.C.]	
	HEAT DETECTOR	
	RESPONSE INDICATOR	
	MANUAL CALL POINT	
	HOOTER	
	FAS PANEL	

LEGEND :- CCTV

	DOME CAMERA	
	DVR	
	CAT6 CABLE IN CONDUIT	

LEGEND :- PA

	AV SPEAKER	
	6 W CEILING MOUNT SPEAKER	
	VOLUME CONTROLLER	
	MUSIC AMPLIFIER	
	DVD	
	MICROPHONE	
	23#36 TWISTED PAIR/3C CU. CABLE	

CEILING FIXTURE & LIGHTING LEGEND						
REF. PIC	CODE	MODEL	DESCRIPTION	QTY	WATT	TOTAL WATTS
	C1	SUSPENDED LINEAR CHANNEL LIGHT	8'-0" LENGTH	01	72 W	396 W
	C2	595X595mm SURFACED MOUNTED LED PANEL LIGHT	2'-0" LENGTH	01	18 W	
	C3	15W LED LIGHT MOUNTED TO 2 METER TRACK	38 W LED LIGHT, 220-240V, 4000K, 3900 LUMEN OUTPUT.	00	----	
	C4	115mm Ø RECESSED LED DOWN LIGHT	CCT 3K, LIGHT SOURCE-CREE COB, COLOUR-GRAY POWDER COATED WITH SILVER REFLECTOR	00	----	
	C5	115mm Ø SURFACE MOUNTED LED LIGHT	LED DOWN LIGHT, 18W, 220-240V, 3500K, 1000 LUMEN OUTPUT.	17	306 W	
	C6	1200mm SURFACE MOUNTED T5 TUBELIGHT	LED DOWN LIGHT, 18W, 220-240V, 3500K, 1000 LUMEN OUTPUT.	00	----	
			38 W LED LIGHT, 220-240V, 4000K, 3900 LUMEN OUTPUT.	00	----	----

GENERAL NOTES  
 1. THIS DRAWING IS PROPERTY OF MEPTTEK CONSULTANTS  
 IT IS ISSUED SUBJECT TO RETURN UPON DEMAND AND IS NOT TO BE USED EXCEPT IN CONNECTION WITH THE PROJECT FOR WHICH IT IS INTEND.  
 2. DO NOT SCALE DRAWING. USE FIGURED DIMENSIONS ONLY.

REVISIONS		
DATE	REVISION NO	DESCRIPTION

NORTH :  
 FINISHING CODE :

PROJECT :  
**SHOP NO-17 @ L-5, DELHI AIRPORT**

CLIENT :  
 TFS

ISSUED FOR :  
**APPROVAL**

DATE :  
 29.11.2023

DRAWN BY : VIJAY  
 CHECKED BY : RAJESH  
 SCALE :  
 NTS

TITLE :  
 RCP LAYOUT

DRAWING NO :  
 MEPTTEK-SBW-ELE-01

MEP CONSULTANTS :

Sumer kendra, 209, opp. mahindra tower, worli, Mumabi-400018  
 nimish.shah@mepttekkonsultants.com

ARCHITECTS :-

**EVERSUB India Pvt Ltd**  
 OFFICE :-  
 SUBWAY SYSTEMS INDIA PRIVATE LIMITED,  
 Awfis Space Solutions, 3rd Floor, Tower-B,  
 Unitech Cyber Park, Grurgram, Haryana,  
 India-122002.