DUDWEIGER DAD DELLU AIRDORT				Les està	C	Fl	C	to to alt o	C	!= != a!! =
BUDWEISER BAR_DELHI AIRPORT ITEM NAME	UOM	QTY	Rate	Jagit	Rate	se Fire	Spurtbiz India		Spurtbiz India Rate 1 Amount 1	
DRY POWDER STORED FIRE EXTINGUISHER	UOM	QIT	кате	Amount	kare	Amount	кате	Amount	kare i	Amount 1
Supply and fixing of 4.0 Kg ABC Dry Powder (Stored Pressure) Type Fire Extinguisher, pressurized with dry nitrogen gas at 15 bar, Design, construction and testing as per IS 15683 with BIS Fire rating 2A: 21B, Body Hydrotested at 35 bar, Operating temperature -30°C to +55°C, external epoxy powder coating with PO Red Shade No. 538 of IS 5, Supplied with standard accessories.	Nos	3	2150	6450	8259	24777	850	2550	758	2274
CO2 PORTABLE FIRE EXTINGUISHER								,		
Supply and fixing of 2.0 Kg CO2 (Carbon-dioxide) Type Fire Extinguisher. Design, construction and testing as per IS 15683 with BIS Fire rating 21B, Body Hydrotested at 250 bar, Operating temperature -30°C to +55°C, external epoxy powder coating with PO Red Shade No. 538 of IS 5, Supplied with standard accessories.	Nos	4	3150	12600	15750	63000	3200	12800	2990	11960
AR - AFFF PORTABLE FIRE EXTINGUISHER		•		•		•				
Supply and fixing of 2.0 Ltr AR-AFFF (Alcohol Resistant Aqueous Film Forming foams) Type Fire Extinguisher. Design, construction and testing as per IS 15683 with BIS Fire rating 21B.	Nos	1	5000	5000	5400	5400	1500	1500	1375	1375
K TYPE PORTABLE FIRE EXTINGUISHER		•		•		•				
Supply and fixing of 2.0 Ltr Class K wet chemical Type Fire Extinguisher as per BIS Fire Rating 5F. Pressurized with nitrogen gas at 10 bar and body Hydrotested at 35 bar, Operating temperature +5°C to +60°C, Supplied with standard accessories.	Nos	2	1475	2950	18900	37800	4500	9000	4225	8450
FIRE DETECTION TUBE SUPPRESSION SYSTEM		•								
Supply and fixing of 2.0 Kg Fire Detectin Tube Suppression Ssystem (Carbon-dioxide) Type Fire Extinguisher. Design, construction and testing as per IS 15683 with BIS Fire rating 21B, Body Hydrotested at 250 bar, Operating temperature -30°C to +55°C,		1		0		0	35000	35000	33250	33250
FIRE EXTINGUISHER MOUNTING BRACKET / MOUNTING STAND				l.						
Supply and fixing of Mounting Bracket / Stand for Fire Extinguishers fabricated out of good quality M.S., Pipe / Plate & Fittings duly painted with primer and final enamel paint coat as per the regulatory authority or to match with the ID design to suit the above Fire Extinguishers.	Nos	10		0	3000	30000	50	500	50	500
	Basic Amount			27000		160977		61350		57809
	GST @ 18%			4860		28975.86		11043		10405.62
	Total Amount			31860		189952.86		72393		68214.62

Spurtbiz	Spurtbiz India - Fire Project & Building No 60, Near Lions Hos Friends Colony, New Delhi-110 GSTIN: 07ATHPR1326E1ZV Email: Spurtbizindia@gmail.cowww.spurtbiz.in Contact - 011 45721011, 9891 7289838528	spital, New 0025 om	Estimate			
Estimate No.	: EST-000305	Place Of	: Delhi			
Estimate Date	: 30/1/2024	Supply	: Projects			
Expiry Date	: 6/2/2024	Delhi : Estimate for Fire				
Reference#	Mr Heramb- 9702415737		Alarm			
	Bill To		Bank details			

M/S Travel Food Services

SPURTBIZ INDIA , ICICI Bank, Delhi Janpath Branch A/C No.- 663005600628 IFS Code:ICIC0006630

Sr. No.	Items & Discription	UOM	Qty	Rate	Total Amount
	FIRE Exting			- 11110	
1	Fire Extinguisher - 4 Kg ABC Type- ISI	No	3	850	2550
2	Fire Extinguisher - 4.5 Kg CO2 Type- ISI		4	3200	12800
3	Fire Extinguisher - 9Ltr AFFF Foam Type- ISI	No	1	1500	1500
4	Fire Extinguisher - 4 Kg K Type Wet Chemical	No	2	4500	9000
5	Tube Suppresion system 2Kg Clean Agent ((NOVEC 1230/ FK 5-1-12) with 10 mtr Heat sensing Tube - UL	No	1	35000	35000
6	Mounting Breckrt	No	10	50	500
	Total Amount (A)				61350
	GST (B)		18%		11043
	Total Amount (A+B)				72393
	Terms &	Condition			
1	Please be noted that above praposal is based on a	nd limited t	to the above	BOQ only	and any item
2	Any changes in the design as per final drawing app	roval etc. v	vill changes	the BOQ &	costing shall
3	Cable length may vary, shall be charged as actual				
4	Facility: We have considered the following facility	/ services	to be provid	ed to us at s	site at free of cost
5	Safe storage: Safe storage of the materials and sit	te office at	free of cost		
6	Water & Electricity, Ladder or scafollding at site t	free of cos	st.		
7	Payment Terms: 100% Againest PI				
8	Warranty: 12 month from the date of commissioni	ing of the s	ystems.		
9	Delivery: 4-6 days				
10	GST Extra @18%				
11	Freight extra				
12	All Civil work shall be in customer scope.				

Spur	tbiz	Spurtbiz India - Fire Project Building No 60, Near Lions H Friends Colony, New Delhi-1 GSTIN: 07ATHPR1326E1ZV Email: Spurtbizindia@gmail www.spurtbiz.in Contact - 011 45721011, 989 7289838528	lospital, N 10025 / .com	Vew	E	stimate		
Estimate	e No.	: EST-000305		Place Of	: Delhi			
Estimate	e Date	: 30/1/2024		Supply				
Expiry D		: 6/2/2024		Delhi	: Estim Alarm	ate for Fire		
Referen	ice#	Mr Heramb- 9702415737			Alalili			
		Bill To			Bank de	tails		
		Travel Food Services		ICICI Ba	SPURTBIZ ink, Delhi J C No 6630 S Code:ICIO	anpath Branch 05600628 00006630		
Sr. No.	ltems & Discript		UOM	Qty	Rate	Total Amount		
<u> </u>		FIRE Exting	uishers					
-		4 Kg ABC Type- ISI	No	3	758	2274		
-		4.5 Kg CO2 Type- ISI		4	2990	11960		
		9Ltr AFFF Foam Type- ISI	No	1	1375	1375		
$\overline{}$		4 Kg K Type Wet Chemical	No	2	4225	8450		
5	• •	ystem 2Kg Clean Agent ((NOVEC vith 10 mtr Heat sensing Tube - UL	No	1	33250	33250		
	Mounting Breckrt		No	10	50	500		
	Total Amount (N)				57809		
(GST (B)			18%		10406		
-	Total Amount (A	\+B)				68215		
			Condition					
		that above praposal is based on a						
-		he design as per final drawing app	roval etc.	will changes	the BOQ &	costing shall		
-		y vary, shall be charged as actual						
$\overline{}$		ve considered the following facility				site at free of cost		
$\overline{}$		afe storage of the materials and si						
-		ty, Ladder or scafollding at site	free of co	st.				
$\overline{}$: 100% Againest PI						
$\overline{}$		onth from the date of commission	ing of the s	systems.				
9	Delivery: 4-6 day	/s						
10	GST Extra @189	6						
4.4	Erojaht oytra							

Freight extra

All Civil work shall be in customer scope.

11

JAGIT INDIA PVT LTD

B 18, Punit Industrial Estate, Thane-Belapur Road Turbhe MIDC, Navi Mumbai 400705, Maharashtra.

GSTIN/UIN: 27AAECJ9348R1ZL

Email: mumbai@jagit.in Phone: +91 9271100104

Quotation No.: 240113-01-AP-BOQ-TRAVEL FOOD & SERVICES

To.

Company Name: TRAVEL FOOD & SERVICES

Contact Person: Mr. Heramb Contact No.: 9702415737

Address : Ground Floor, Second Floor Anna International ,Chennai Airport ,Tirusula :600027

Sr. No.	Description	Qty	Unit	Rate	Amount
1	Fire Ext: ABC 4 Kg (SAFEX) MAP90	3	Nos.	₹ 2,150.00	₹ 6,450.00
2	Fire Ext: CO2 2 Kg (SAFEX)	4	Nos.	₹ 3,150.00	₹ 12,600.00
3	Fire Ext: K Type 2 Ltr. (SAFEX)	2	Nos.	₹ 5,000.00	₹ 10,000.00
4	Fire Ext: Mechanical Foam 9 Ltr (SAFEX)	1	Nos.	₹ 1,475.00	₹ 1,475.00
		₹ 30,525.00			
		₹ 5,494.50			
		₹ 36,019.50			

Note: For Tube supression system please mention panel size if applicable

Fire extinguisher's mounting brackets are available with above Fire Extinguishers

Other Terms & Condition

GST : Extra at Actuals Price : Ex-Godown

Freight: Loding and unloding Extra at Actuals Payment: 100% advance before dispatch Validity: 5 days from the date of this offer.

All Fitting Material Will Be Extra

Regards,

Jagit India Pvt. Ltd.

Mumbai

0

Date: 13-01-2024

To Trave	t Febuary 2024 - Food Services Pvt Ltd - Mumbai.							
io mave	Trood Screeces Fee Lea Francisco.		1		1	after Dis.	Total	
				Rate	Discount	Rate	Amoun	
C.1.1	Supply and fixing of 4.0 Kg ABC Dry Powder (Stored Pressure) Type Fire Extinguisher, pressurized with dry nitrogen gas at 15 bar. Design, construction and testing as per IS 15683 with BIS Fire rating 2A: 21B, Body Hydrotested at 35 bar, Operating temperature -30°C to +55°C, external epoxy powder coating with PO Red Shade No. 538 of IS 5, Supplied with standard accessories.	Nos	3	8259	2477.7	5781.3	17343.	
C.2	CO2 PORTABLE FIRE EXTINGUISHER							
C.2.1	Supply and fixing of 4.5 Kg CO2 (Carbon-dioxide) Type Fire Extinguisher. Design, construction and testing as per IS 15683 with BIS Fire rating 21B, Body Hydrotested at 250 bar, Operating temperature -30°C to +55°C, external epoxy powder coating with PO Red Shade No. 538 of IS 5, Supplied with standard accessories.	Nos	4	15750	4725	11025	44100	
C.3	AR - AFFF PORTABLE FIRE EXTINGUISHER							
C.3.1	Supply and fixing of 3.0 Ltr AR-AFFF (Alcohol Resistant Aqueous Film Forming foams) Type Fire Extinguisher. Design, construction and testing as per IS 15683 with BIS Fire rating 21B.	Nos	1	5400	1620	3780	3780	
C.4	K TYPE PORTABLE FIRE EXTINGUISHER							
C.4.1	Supply and fixing of 3.0 Ltr Class K wet chemical Type Fire Extinguisher as per BIS Fire Rating 5F. Pressurized with nitrogen gas at 10 bar and body Hydrotested at 35 bar, Operating temperature +5°C to +60°C, Supplied with standard accessories.	Nos	2	18900	5670	13230	26460	
C.5	FIRE DETECTION TUBE SUPPRESSION SYSTEM							
C.5.1	Supply and fixing of 2.0 Kg Fire Detectin Tube Suppression Ssystem (Carbon-dioxide) Type Fire Extinguisher. Design, construction and testing as per IS 15683 with BIS Fire rating 21B, Body Hydrotested at 250 bar, Operating temperature -30°C to +55°C,		1					
C.6	FIRE EXTINGUISHER MOUNTING BRACKET / MOUNTING STAND							
C.6.1	Supply and fixing of Mounting Bracket / Stand for Fire Extinguishers fabricated out of good quality M.S, Pipe / Plate & Fittings duly painted with primer and final enamel paint coat as per the regulatory authority or to match with the ID design to suit the above Fire Extinguishers.	Nos	10	3000	900	2100	21000	
	TOTAL						11268	

18% GST Extra As Applicable


Installation - Rs. 150 Per Fire Extingusher. Delivery - Rs. 175 Per Fire Extingusher. Kamruddin Shaikh - Mobile - +91 9867325220 Regional Manager - Sales - CeaseFire Industries Pvt Ltd.



kamruddin <kamruddin.mum@ceasefire.in>

RE: Fire Extinguisher for T1 DEL Budweiser Bar To Herambraj Sonawane; Herambraj Sonawane

Cc Lovejot Sekhon Kcorp; Capex Purchase; zishan@ceasefire.in





(F)TFS CeaseFire Fire Extingusher's Quotation dt 01.02.2024.xlsx 13 KB

Good Evening Respected Mr. Herambraj Sonawane Ji,

 $With \ Reference\ to\ your\ Enquiry\ for\ Fire\ Extinguisher's\ for\ T1-Delhi\ being\ share\ with\ Your\ Good-Self\ for\ your\ Kind\ Perusal,$

Assuring Best of the Services providing 360 Degree of Fire Protection from CeaseFire Industries Pvt Ltd in all Regard and You can Please Call us anytime and remain highly obliged.

Thanks & Regards,

Kamruddin Shaikh

Regional Sales Manager - West - CKD | Email me| Visit Website| m: 93192 93614/98673 25220

360° FIRE SAFETY & SECURITY

360° FIRE SAFETY & SECURITY

Ceasefire Industries Pvt. Ltd., 803, Crescent Business Square, CTS No.182/6-14, Kherani Road, Sakinaka, Andheri (East), MUMBAI 400072.

Call our Tollfree hotline: 1800 11 3473 / 1800 180 7233 or call t +91 120 4223473

