

Hospitality Appliances Pvt. Ltd.

Ground floor, Hema house, Chandawarkar road, Borivali West, Mumbai 400091, India.
Tel. 91 22 28959893 / 9894 | Email: sales@hapl.co.in / projects@hapl.co.in



ATTN :Abdul Rehman

Client : K Corp

Billing & Delivery address:

Contact Person at site:

GST No.:

PROJECT : COPPER CHIMNEY

HAPL GST NO.: 27AAACW0556E1Z1

Ref : As per mail dated on 31th MAY, 2024

PI-DEC21-

Date :

P.O.No .

Date :

QT-JUN24-126Rev1

Date : 15.06.2024

Sr. NO	Equ. No.	HSN CODE	QTY	DESCRIPTION	Dimension	GST %	HAPL PU-SP	HAPL SP =QTYxPU	Freight	Insurance	Unloading Mathadi	Installation	Total	GST	Grand Total
1	1	MK - 11	1	3 Door Work Top Refrigerator (Compressor on RHS) With Cold Bain Marie on top of 1/6 GN Pans 10 Nos. And Two OHS MG-SPro3-S-2OHS Dimensions (mm): 1770 x 700 x 864 + 125 [LxDxH] Dimensions (inch): 69.7 x 27.6 x 34+5 [LxDxH] Cooling: Undercounter : Static Raised Baine marie : Static Capacity: Undercounter : 410 Ltrs RBM : 1/6 x 100mm - 10 nos. (NOT INCL) Door: 03 Nos. of SS solid doors with key locks Feet: Height adjustable Nylon bullet feet Shelves per door: 02 Nos of nylon coated rod shelves Temperature: +2°C to +6°C at an ambient temperature of 26°C Gn Pan are not included in above U/C: With Manual drain tray RBM: Condensate water will have to be MOP dried WITH 2 OVERHEAD SHELF	1800 x 700 x 838 + 450 + 300	18%	92,335	92,335	Extra	Included	In Client Scope	Extra	92,335	16,620	1,08,955
			10	1/6 x 100mm GN PANS WITH SS LIDS MG-SSGNP1/6-100+SSGNL1/6				Included							
2	2	MK - 15	1	Two Door Work Top Refrigerator (Compressor on RHS) With Cold Bain Marie on top of 1/6 GN Pans 8 Nos. And Two OHS MG-SPro2-S-2OHS Dimensions (mm): 1280 x 700 x 864 + 125 [LxDxH] Dimensions (inch): 50.4 x 27.6 x 34+5 [LxDxH] Cooling: Undercounter : Static Raised Baine marie : Static Capacity: Undercounter : 280 Ltrs RBM : 1/6 x 100mm - 7 nos. (NOT INCL) Door: 02 Nos. of SS solid doors with Key locks Feet: Height adjustable Nylon bullet feet Shelves per door: 02 Nos of nylon coated rod shelves Temperature: +2°C to +6°C at an ambient temperature of 26°C Gn Pan are not included in above U/C: With Manual drain tray RBM: Condensate water will have to be MOP dried WITH 2 OVERHEAD SHELF	1350 x 700 x 838 + 450 + 300	18%	68,500	68,500	Extra	Included	In Client Scope	Extra	68,500	12,330	80,830
			7	1/6 x 100mm GN PANS WITH SS LIDS MG-SSGNP1/6-100+SSGNL1/6				Included							
3	3	MK - 28	1	Three Door Work Top Refrigerator (Compressor on LHS) With Cold Bain Marie on top of 1/6 GN Pans 10 Nos. With 3 OHS and Infra Red Heaters MG-SPro3-S-3OHS-RR HEATERS Dimensions (mm): 1770 x 700 x 864 + 125 [LxDxH] Dimensions (inch): 69.7 x 27.6 x 34+5 [LxDxH] Cooling: Undercounter : Static Raised Baine marie : Static Capacity: Undercounter : 410 Ltrs RBM : 1/6 x 100mm - 10 nos. (NOT INCL) Door: 03 Nos. of SS solid doors with Key locks Feet: Height adjustable Nylon bullet feet Shelves per door: 02 Nos of nylon coated rod shelves Temperature: +2°C to +6°C at an ambient temperature of 26°C Gn Pan are not included in above U/C: With Manual drain tray RBM: Condensate water will have to be MOP dried WITH 3 OVERHEAD SHELF WITH RR HEATERS	1800 x 700 x 838 +550 + 300 +250	18%	1,00,163	1,00,163	Extra	Included	In Client Scope	Extra	1,00,163	18,029	1,18,192
			10	1/6 x 100mm GN PANS WITH SS LIDS MG-SSGNP1/6-100+SSGNL1/6				Included							
4	4	MK - 29	1	Vertical Two Door Chiller MG-CPro600H-S Dimensions (mm): 700 x 840 x 2000 mm [LxDxH] Dimensions (inch): 27.6 x 33 x 78.7 [LxDxH] Cooling: Static Capacity: 600 Ltrs. Door: 02 no. of SS door with Key locks Feet: Height adjustable Nylon bullet feet Shelves per door: 02 Nos of nylon coated rod shelves per Door Temperature: +2°C to +4°C at an ambient temperature of 26°C With Manual drain tray	700 x 810 x 2030	18%	65,000	65,000	Extra	Included	In Client Scope	Extra	65,000	11,700	76,700
5	5	PA - 01	1	Vertical Two Door Freezer MG-CPro600L-S Dimensions (mm): 700 x 840 x 2000 mm [LxDxH] Dimensions (inch): 27.6 x 33 x 78.7 [LxDxH] Cooling: Static Capacity: 600 Ltrs. Door: 02 no. of SS door with Key locks Feet: Height adjustable Nylon bullet feet Shelves per door: 02 Nos of nylon coated rod shelves per Door	700 x 810 x 2030	18%	75,000	75,000	Extra	Included	In Client Scope	Extra	75,000	13,500	88,500

				Temperature: -16°C to -18°C at an ambient temperature of 26°C With Manual drain tray Only for Pre Frozen foods												
6	6	PA - 02	1	Two Door Work Top Refrigerator (Compressor on RHS) With Cold Bain Marie on top of 1/6 GN Pans 8 Nos.	1350 x 700 x 838 + 450 + 300	18%	78,886	78,886	Extra	Included	In Client Scope	Extra	78,886	14,199	93,085	
				MG-SPro2-S-2OHS Dimensions (mm): 1280 x 700 x 864 + 125 [LxDxH] Dimensions (inch): 50.4 x 27.6 x 34+5 [LxDxH] Cooling: Undercounter : Static Raised Baine marie : Static Capacity: Undercounter : 280 Ltrs RBM : 1/6 x 100mm - 7 nos. (NOT INCL) Door: 02 Nos. of SS solid doors with Key locks Feet: Height adjustable Nylon bullet feet Shelves per door: 02 Nos of nylon coated rod shelves Temperature: +2°C to +6°C At an ambient temperature of 26°C Gn Pan are not included in above U/C: With Manual drain tray RBM: Condensate water will have to be MOP dried												
			7	WITH TWO OVERHEAD SHELF 1/6 x 100mm GN PANS WITH SS LIDS					Included							
7	7	PP - 05	1	Vertical Two Door Freezer	700 x 810 x 2030	18%	75,000	75,000	Extra	Included	In Client Scope	Extra	75,000	13,500	88,500	
				MG-CPro600L-S Dimensions (mm): 700 x 840 x 2000 mm [LxDxH] Dimensions (inch): 27.6 x 33 x 78.7 [LxDxH] Cooling: Static Capacity: 600 ltrs. Door: 02 no. of SS door with Key locks Feet: Height adjustable Nylon bullet feet Shelves per door: 02 Nos of nylon coated rod shelves per Door Temperature: -16°C to -18°C at an ambient temperature of 26°C With Manual drain tray Only for Pre Frozen foods												
8	8	PP - 06	1	Vertical Two Door Chiller	700 x 810 x 2030	18%	65,000	65,000	Extra	Included	In Client Scope	Extra	65,000	11,700	76,700	
				MG-CPro600H-S Dimensions (mm): 700 x 840 x 2000 mm [LxDxH] Dimensions (inch): 27.6 x 33 x 78.7 [LxDxH] Cooling: Static Capacity: 600 ltrs. Door: 02 no. of SS door with Key locks Feet: Height adjustable Nylon bullet feet Shelves per door: 02 Nos of nylon coated rod shelves per Door Temperature: +2°C to +4°C at an ambient temperature of 26°C With Manual drain tray												
			42	TOTAL Ex-works				619884	Extra	Included	In Client Scope	Extra	619884	111579	731463	

BANKING DETAILS	
Account Name:	Hospitality Appliances Pvt Ltd
Bank Name:	ICICI Bank
Branch Address:	Reis Magos, Ramdas Sutrare Road, Borivali (W), Mumbai 400092.
Account No.:	001851000069
IFSC CODE:	ICIC0000018
MICR CODE:	400229005

Terms and conditions	
1.	Validity of the price :
a.	30 Days
b.	The price is valid for the equipment with given specifications only.
2.	Price: Ex Works + GST Charges
3.	Payment: 50% advance with Purchase Order. Balance before delivery
4.	Delivery: Approx 35-40 working days from the time of order confirmation and is purchase order, approved drawings and advance payment.
5.	Levies Included :
a.	Sale price is inclusive of charges on account of Packing in corrugated sheet & forwarding.
b.	Freight & Insurance extra
c.	Installation charges extra
6.	Sale Price does not include:
a.	Wooden Pallet or complete wooden Crating for equipment will be extra .
b.	Cost of Spares / Accessories , the items which are not specified as included will cost extra
c.	If required Physical site verification will be extra.
d.	GN Pans / cointainers not included wherever not specified.
e.	Unloading will be done by the Client, any Union or Mathadi workers Union demand is made, HAPL shall not be responsible .
7.	Warranty
a.	12 months by the Manufacturer for defective parts from the date of Invoicing.
b.	EXCLUDE consumables and wear & tear parts/components like seals, digital controllers, gaskets etc.
c.	The warranty will not be applicable if any component is damaged due to voltage fluctuation, mishandling by operator
d.	Warranty will be null and void if equipment is either installed or repaired person/s non authorized by HAPL
8.	Others
a.	Necessary Gas/water/ electricity/drainage connections would be provided by the client.
b.	We are taking all care in dispatch of the materials from our factory/showroom. Therefore, our responsibility ceases once the materials leaves from our factory/ showroom. We are not responsible for any loss/ damages in transit.
c.	Any change in the BOQ may change the no. of vehicles required for transportation & hence the charges on account of freight.
Thanks & Regards,	
Director	
Pranal Ganjawalla	

