



TECHNOCRATS SECURITY SYSTEM PVT LTD

Unit C-2 Model Indl. Colony, (Vikas Indl. Estate), Vishweshwar Nagar, Off Aarey Road, Goregaon (East),
Mumbai – 400063, Maharashtra, India.

March 19, 2024

Ref no: TAS / 03/2024

Kind Attn: Mr. Abdul Rehman

91 9920292129

Travel Food Services Pvt. Limited.

Dear Sir

Greetings! Refer to the meeting with our director Mr. Nitin Munot we are pleased to offer you the contract rates for the Air curtain, fly killers.

For any further query /clarification please do call or mail and we would be happy to assist.

Thanking you

Warm regards

Afrin

02242480410/9324921783

marketing1@technocrat.asia



TECHNOCRATS SECURITY SYSTEM PVT LTD

TECHNICAL SPECS OF AIR CURTAINS:

	3 FT model TKI 090A	4 FT Model TKI 120 A	5 FT Model TKI 120 A
Overall Dimensions (Height, Depth, Width)	L 900 MM W 210 MM H 235 MM	L 1200 MM W 210 MM H 235 MM	L 1500 MM W 210 MM H 235 MM
Standard Height of Curtain Formed	Maximum height upto 12 ft	Maximum height upto 12 ft	Maximum height upto 12 ft
2 Speeds Maximum Air Velocity at Nozzle Discharge (CFM)	18-20	18-20	18-20
Noise level at a distance of 10° from the curtain Db	55 DB	59 DB	62 DB
No of Blower	3 Blowers	4 Blowers	4 Blowers
No. of Motor	120w.1 & 80W.1 (2 Motor)	120w.2 (2 Motor)	120w.2 (2 Motor)
Phase	Single Phase	Single Phase	Single Phase
RPM	2800 RPM	2800 RPM	2800 RPM
Body Material	Aluminium Body & Back Plate MS POWER COATING	Aluminium Body & Back Plate MS POWER COATING	Aluminium Body & Back Plate MS POWER COATING
Motor No. of shaft	1 SINGLE, 1 Double Shaft	2 Double Shaft	2 Double Shaft
Blower	ABS	ABS	ABS
Type of blower	Centrifugal	Centrifugal	Centrifugal



TECHNOCRATS SECURITY SYSTEM PVT LTD

COMMERCIAL OFFER FOR AIR CURTAINS & FLY KILLERS:

Width	Unit rate
3 ft	11300/-
4 ft	12800/-
5 ft	15360/-
Limit switch	1500/-
Motion sensor for the air curtains	16750/-

PVC Specifications

- 1 U V Stabilized
- 2 Temp Range
- 3 Chemical Resistance: High resistance to corrosives substances including acids, alkali's, alcohols & aggressive agents
- 4 Fire Resistance: it's non-flammable & self-extinguishing
- 5 Thickness: 2mm thick quality grade A+
- 6 Width 300 mm
- 7 Transparency index 99.2%
8. Flexibility Index No initiation of cracks up to 4700 kilo cucle

Commercial Offer for PVC strip curtain

Sr no	Description	unit	Unit rate Per sqft	Amt
1	Pvc strip curtain 2100mm X 5000mm (119sqft) including MS bracket	1	250	29750
3	SS bracket 800 rs for 20 inches or ½ meter	10	800	8000
				37750.00

Installation not in our scope.

TERMS AND CONDITIONS

- Delivery: within 3- 4 weeks on receipt of confirmed order.
- Payment: 100% advance,
- Warranty: 12 Months against Manufacturing Defects no warranty of starters and tubes.
- GST extra

We look forward to a long association with you and your very valued order