

**From:** Revac Systems Sales <revacsystems.sales@gmail.com>  
**Sent:** 07 October 2024 12:33  
**To:** Abdul Rehman  
**Cc:** revac systems; Revac Chefmate; Sandeep Bhat; Swapnil Sutar  
**Subject:** Re: Mumbai T2 Josh - SSS exhaust requirement  
**Attachments:** 920F-QU-TFS-T2 JOSH MUMBAI-FCS-07.10.24.pdf

Dear sir,

Please find the Quote attached for Front Cooking Station.

**Thanks & Regards,**  
**Sravanthi**  
**REVAC SYSTEMS-SALES**  
**M: 91-7396907204**



On Mon, Oct 7, 2024 at 11:18 AM Abdul Rehman <[abdul.rehman@k-corp.in](mailto:abdul.rehman@k-corp.in)> wrote:

Dear Partner,

Request you to kindly share the quote for below mentioned equipment.

OUTLET NAME	ITEM NAME	Dimension	Brand
MUM JOSH T2 CSMIA	SS FRONT COOKING UNIT SELF EXHAUST SYSTEM WITH INDUCTION & FRYER	1410 x 750 x 1350Ht.	SSS-S-KMU-2E

## TRAVEL FOOD SERVICES

Eq.No :- JS-14

**SS FRONT COOKING UNIT SELF EXHAUST SYSTEM  
WITH INDUCTION & FRYER ( SSS-S-KMU-2E )**

Over All Size:- 1410 x 750 x 1350Ht.

Qty:- 2 Nos.

**DRAWING** Dimensions Are In MM



**NOMAD FRONT COOKING UNIT**  
with extraction system MODEL S-KMU-2

**ELECTRA**



**APPLICATION**

The mobile front cooking unit for professional use provides the ideal solution when cooking in front of audiences in places such as show cooking at exhibitions and catering for parties. Deep frying, grilling, roasting are just a few of the endless applications for the S-KMU-2 unit. An integrated extraction system is built into the system, reducing the odours and capturing the grease and fumes.

**RECON FILTER**

The flame resistant Poreon filters provide safety as the flash flames do not pass the filters.

The Model S-KMU-2 provides space for maximum 2 table top cooking units. The design of the S-KMU-2 allows for good usability from both sides of the unit for presentation purposes. The air stream supply is introduced from the rear of the unit so that the heat is directed to the hot bank.

**OPTIONS**

Collapsible shelves for additional storage/workspace.  
Front cover plate.

**TECHNICAL DETAILS MODEL S-KMU-2**


2 nos. Exhaust fan 230V - 50Hz	1 nos. Plug with cable 400V - 50Hz
1 nos. Supply fan 230V - 50Hz	2 nos. Removable inspection panels
4 nos. Recirc. Filters dimensions 400 x 200 x 35mm	4 nos. Castors - 2 with brakes
8 nos. Carbon filters	1 nos. Switch board 400V x 230V
1 nos. PFA Filter	1 nos. LED strip lighting 5 Watt
2 nos. Electrical connections 230V	
2 nos. Electrical connections 400V	



Info@sss.india.in  
www.sssindia.in  
Tel: +91 8028454082  
Southern Equipments Steel Fabrication India Pvt Ltd  
Unit No 6 Shreeva Ltd, Campus  
Near Railway Station Whitefield  
Bangalore - 560066 India



TITLE :	JOSH	REV. NO :		DESIGN BY	Sign
		DATE :	31-07-2024	DWN. BY : FAHEEM	
PROJECT :	T2 - MUMBAI	SCALE :	N.T.S.	CHKD BY: SAEED	
				APRVD BY:	



Thanks & Regards,

Abdul Rehman

📞 | 📧 +91 9920292129

Travel Food Services Pvt. Limited.

---

**From:** Abdul Rehman

**Sent:** 04 October 2024 11:19

**Cc:** Sandeep Bhat <[sandeep.bhat@k-corp.in](mailto:sandeep.bhat@k-corp.in)>; Swapnil Sutar <[swapnil.sutar@k-corp.in](mailto:swapnil.sutar@k-corp.in)>

**Subject:** Mumbai T2 Josh - SSS exhaust requirement

Dear Partners,

Request you to kindly share the quote for below mentioned equipment.

OUTLET NAME	ITEM NAME	Dimension	Brand
MUM JOSH T2 CSMIA	SS FRONT COOKING UNIT SELF EXHAUST SYSTEM WITH INDUCTION & FRYER	1410 x 750 x 1350Ht.	SSS-S-KMU-2E

**TRAVEL FOOD SERVICES**

Eq.No :- JS-14

**SS FRONT COOKING UNIT SELF EXHAUST SYSTEM  
WITH INDUCTION & FRYER ( SSS-S-KMU-2E )**

Over All Size:- 1410 x 750 x 1350Ht.

Qty:- 2 Nos.

**DRAWING** Dimensions Are In MM

**SSS**  
KITCHEN EQUIPMENT

**NOMAD FRONT COOKING UNIT**  
with extraction system MODEL S-KMU-2

**ELECTRA**

**RECON FILTER**  
The flame resistant Recon Filter provide safety as the flash flames do not pass the filters.  
The Model S-KMU-2 provides space for maximum 2 table top cooking units. The design of the S-KMU-2 allows for good visibility from both sides of the unit for presentation purposes. The air stream supply is introduced from the rear of the unit so that the heat is directed to the far bank.

**OPTIONS**  
Collapsible shelves for additional storage/workspace.  
Front cover plate.

**TECHNICAL DETAILS MODEL S-KMU-2**

2 nos. Exhaust fan 230V - 50Hz	1 nos. Plug with cable 400V - 50Hz
1 nos. Supply fan 230V - 50Hz	2 nos. Removable inspection panels
4 nos. Recon Filter dimensions 400 x 200 x 30mm	4 nos. Caster - 2 with brakes
6 nos. Carbon filter	1 nos. Switch board 400V x 230V
1 nos. PVC Filter	1 nos. LED strip lighting 5 watt
2 nos. Electrical connections 230V	
2 nos. Electrical connections 400V	

**APPLICATION**  
The mobile front cooking unit for professional use provides the ideal solution when cooking in front of audiences in places such as show cooking at exhibitions and catering for parties. Deep frying, grilling, steaming are just a few of the endless applications for the S-KMU-2 unit. An integrated extraction system is built into the system, reducing the odours and capturing the grease and fumes.

info@ss-india.in  
www.sss-india.in  
Tel: +91 8028450002  
Southern Stainless Steel Fabrication India Pvt Ltd  
Unit #10-8 Silveroak I&II Campus  
Near Railway Station Whitefield  
Bangalore - 560066 India

**SSS**

TITLE :	JOSH	REV. NO :		DESIGN BY	Sign
		DATE :	31-07-2024	DWN. BY : FAHEEM	
PROJECT :	T2 - MUMBAI	SCALE :	N.T.S.	CHKD BY: SAEED	
				APRVD BY:	



Travel Food Services

Thanks & Regards,

Abdul Rehman

☎ | 📞 +91 9920292129

Travel Food Services Pvt. Limited.