

SOWBAGHYA®

**Commercial
Kitchen
Got Smarter
Than Ever!**

Commercial Catalogue

Different restaurant have different needs;
we satisfy them all with our
state-art-the-art commercial products
making you and your customer happier.



Stainless Steel Conventional Grinder



Optimal Grind Always

Available in 110V For USA & Canada

Tilting Wet Grinder



Fully SS

Model No.	CG-003SB	CG-003SG	CG-005SG	CG-007SG	CG-010SG	CG-015SG	CG-020SG
Voltage	220V/50 Hz	220V/50 Hz	220V/50 Hz	220V/50 Hz	220V/50 Hz	440V/50 Hz	440V/50 Hz
Power	0.33 HP	0.5 HP LD	0.5 HP	1 HP LD	1 HP	1.5 HP	2 HP
Unit Size (LxWxH Inch)	25x19x28	29x19x29	32x21x36	33x23x36	35x24x39	41x26x45	53x28x62
Weight of the machine	70	80	125	150	175	200	215
Capacity	3 Ltr Belt	3 Ltr Gear	5 Ltr	7 Ltr	10 Ltr	15 Ltr	20 Ltr
Grinding Capacity							
Rice	2 Kg	2 Kg	3 Kg	4.25Kg	6.25 Kg	9.25 Kg	13 Kg
Dal	0.500Kg	0.500Kg	1Kg	1.500 Kg	2.500 Kg	3.250 Kg	4.750 Kg

Stone Lifting Mechanism Available Note: Rice and Dal Soaking Time: Minimum 5 hours

Model No	CG-005TL	CG-007TL	CG-010TL	CG-015TL	CG-020TL	CG-030TL	CG-040TL
Voltage	220V/50 Hz	220V/50 Hz	440V/50 Hz	440V/50 Hz	440V/50 Hz	440V/50 Hz	440V/50 Hz
Power - Motor	0.5 HP	1 HP LD	1 HP	1.5 HP	2 HP	3 HP	3 HP
Unit Size (Inches)	32Lx22Wx45H	32Lx23Wx36H	39Lx28Wx50H	39Lx28Wx52H	39Lx28Wx54H	45.27Lx27Wx50H	52Lx29Wx67H
Weight of the machine	180	190	220	240	250	425	575
Capacity	5 Ltr	7 Ltr	10 Ltr	15 Ltr	20 Ltr	30 Ltr	40 Ltr
Grinding Capacity							
Rice	3 Kg	4.25Kg	6.25 Kg	9.25 Kg	13 Kg	19.5 Kg	26 Kg
Dal	1Kg	1.500 Kg	2.500 Kg	3.250 Kg	4.750 Kg	7.5 Kg	9.5 Kg

Note: Rice and Dal Soaking Time: Minimum 5 hours

Coconut Scraper



CV-001CS

Mix
It Up



IRG001

Instant Rice Grinder

Available in
110V
For USA
& Canada

Chocolate Melanger



Model No	CV-001CS	IRG001
Voltage	220V/50 Hz	440V/50Hz
Power	0.5 HP	3HP, 3 Phase, 50Hz
Unit Size (Inches)	24Lx20Wx24H	46Lx77Wx132H
Capacity	60 Pcs Per Hour	60 Kg/Hr
Gross Weight	25 kgs	98 Kg

Model No	CG-005CM	CG-007CM	CG-010CM	CG-015CM	CG-020CM
Voltage	220V/50 Hz	220V/50 Hz	440V/50 Hz	440V/50 Hz	440V/50 Hz
Power	0.5 HP	1 HP LD	1 HP	1.5 HP	2 HP
Unit Size (Inches)	32Lx22Wx45H	32Lx23Wx36H	39Lx28Wx50H	39Lx28Wx52H	39Lx28Wx54H
Weight of the machine	180	190	220	240	250
Capacity	5 Ltr	7 Ltr	10 Ltr	15 Ltr	20 Ltr

- Exhaust System for heat extraction
- Heavy Duty Gear Box with hardened gears and suitable gear oil for continuous operation

- Speed Adjustable Control Drive (to control from 0 RPM to 180 RPM)
- Heavy Duty motor (aligned with speed adjustment and HD Gearbox)
- Extra Paddle

*Specification may vary without prior notice as a process of continuous development

Dough Ball Making Machine

Our company is an eminent name of the industry that specializes in manufacturing and supplying a premium quality range of Dough Ball Maker. Cutting-edge techniques as well as qualitative raw materials are used to manufacture our range, which further improve our production capacity and standard of excellence. Clients can specify their demands and orders and we ensure to manufacture the products accordingly.



Capacity	2000 pcs/hr
Voltage	220v/380v
Power	1.1 kw
Unit Size (Inches)	810*400*1480
Weight	110 kg

Features

- Low density smoothness and good roundness

*Specification may vary without prior notice as a process of continuous development

Automate Roti Making

Standardized Preparation: Uniformly rolled, sized and baked chapathis ensure guaranteed satisfaction of the consumer along with 100% accountability of the mass production.

Hygienic Preparation: Extremely stringent norms for personal and environmental cleanliness and be Achieved by eliminating the usage of dry flour for rolling the chapathis and minimizing the direct human contact with flour & chapathis

Capacity	850 Chapathi per hour
Weight of Chapathi	25gm - 45gm
Chapathi thickness	1.5mm - 2.5mm
Chapathi size	6"
Type	Rotary Indexing
Gas consumption	1.25 - 1.75 kg/hr
Dimensions	3000 (L)*2200 (w) * 1520(h) mm
Power consumption	2KW
Thickness of stainless steel used	1mm - 1.6mm (Grade = SS 304)
Weight of the machine	350kg

Rotary Indexing type of design offers following unbeatable advantages
Compact Size: This machine is remarkable compact in size & light in weight
Simple & Easy operations: Extremely simple mechanism and user friendly control interface facilitates surprisingly easy operations. Ordinary labour can operate the machine through minimal training.
Robust Construction & Minimum Maintenance: The robust construction ensures virtually no break downs.
Highly Economical: It partly enclosed concentric double stage rotational baking operation efficiently utilizes the heat energy with minimum losses. Great savings on cost of skilled man power.

Semi Automatic Chapathi Machine



Vegetable Cutter

Fine Grind
All The
Grains
You Need

Masala Machine



CV-001VC



CV-002VC



HLC300



IMG 2HP
Pulveriser



CMG 01

Model No	CV-001VC	CV-002VC	HLC300
Voltage	220V/50 Hz	220V/50 Hz	220V/50 Hz
Power	0.5 HP	1 HP	0.5HP
Unit Size (LxWxH Inch)	18Lx10Wx18H	26Lx17Wx33H	22Lx11.4Wx22H
Capacity	60 Kg/hr	120 Kg/hr	60Kg/hr

Model No.	IMG 2HP	CMG 01
Voltage	440V/50 Hz	440V/50 Hz
Power	2HP HD	3 HP
Unit Size (Inches)	17.5Lx12Wx22H	17.7Lx15.5Wx40H
Capacity	20 Kg P Hr	3 Kg at 1 time
Net Weight	45 Kgs	50 Kg
Grinding Application	Dry And Wet Grinding	Dry And Wet Grinding

Blender & Chopper



SOW 111



CMG 140



SOW117

Blend
Chop
Grill
Repeat

Sandwich Griller & Waffle Maker



GRL1L



GRL15L



GRL2L



WF-1



WF-2

Model No	SOW 111	CMG 140	SOW117
Voltage	1600 Watts	1400 watts	220V / 50 Hz
Power	0.5 HP	0.5 HP	1000W
Unit Size (Inches)	12.9x12.59x21.65	41.27x22.22x30.19	28.5Lx13.7Bx10.6H
Capacity	2.2 Ltrs	2 Ltr wet Jar and 1.5 Dry Jar	2.2 Ltr Dry Jar and 2.2 Ltr Wet Jar
Usage	All kind of Wet Grinding, Chutney, Milkshakes, Ice Crushing and many more	All kind of Wet Grinding, Dry Grinding, Chutney, Milkshakes, Ice Crushing and many more	All Kind of Dry Grinding, Chutney, Meat Mincing, Grind Spices, Cheeses, Hard Chocolates, Nuts and Coffee Beans

Name	Single Griller	Double Griller	Griller Double Lid	Waffle Maker	Double Waffle Maker
Model No	GRL1L	GRL15L	GRL2L	WF-1	WF-2
Voltage	220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz
Power	2.2 KW	2.2 KW	2.2 + 2.2 KW	1 KW	1 KW + 1 KW
Unit Size (Inches)	16Lx13.5Wx8H	17Lx14.17Wx8.5H	22.5Lx14.5Wx8.5H	10Lx18.5Wx10H	20.5Lx18.5Wx10H
Gross weight	20 Kgs	22 Kgs	26 Kgs	6.5 kgs	12 Kgs
Features	Perfect for Sandwich Grill, Burger Grill and many more	Perfect for Sandwich Grill, Burger Grill and many more	Perfect for Sandwich Grill, Burger Grill and many more	Perfect For Waffles	Perfect For Waffles

Rice Steamer

SOWBAGHYA®

Cook like a Pro

Floor Model Induction Stove



ERS-06
6 Trays



ERS-12
12 Trays



ERS-24
24 Trays



SOW 05



SOW 06

Model No.	ERS-06	ERS-12	ERS-24
Voltage	440V/50 Hz	440V/50 Hz	440V/50 Hz
Power	12KW Three Phase	12KW Three Phase	24 KW Three Phase
Unit Size (Inches)	26.3Lx22Wx43.3H	26.3Lx22Wx61H	55.11Lx22.04Wx61.02H
Capacity	15 Kg Input	30 Kg Input	60 Kg Input
Net Weight	54 Kg Weight	98 Kg Weight	146 Kg Weight
Capacity Per Tray	2.5 Kg Raw Rice	2.5 Kg Raw Rice	2.5 Kg Raw Rice

Model No.	SOW 05	SOW 06
Voltage	440V/50Hz	220V-240V/50Hz
Power	10000W	5000W
Features	SS Body, Crystal Glass, Easy Push Temperature Setting, Temperature Control, Unique Design	SS Body, Crystal Glass, Easy Push Temperature Setting, Temperature Control, Unique Design

*Specification may vary without prior notice as a process of continuous development

Table Top Induction Stove

Warming up Restaurant Style

Inbuilt Induction Stove



CIS 001



SOW 03



SOW 04



SOW 09



SOW 10

Model No.	CIS 001	SOW 03	SOW 04
Voltage	220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz
Power	3500W	5000W	5000W
Net Weight			
Gross Weight	4.0 Kg		
Features	SS Body, Crystal Glass, Button Model, Temperature Control, Unique Design	Wok-Induction Stove, Wok/Kadal Style, Full Crystal Glass, Unique Design	SS Body, Crystal Glass, Button Model, Temperature Control, Unique Design
Glass Dimensions	300x300 mm		300x300mm
Body Size	415x330x105mm	450x405x195mm	450x405x195
Application	Restuarant, Cooking Stations, Catering Etc		
SS Material	ss201		
Usable Cooking Material	Stainless Steel Iron Cast		

Name	Inbuilt Induction Stove	
Model No	SOW 09	SOW 10
Voltage	220V-240V/50Hz	220V-240V/50Hz
Power	2500W	2500W
Features	Inbuilt Induction Stove, Full Crystal Glass, Unique design	Inbuilt Induction Stove, Full Crystal Glass, Unique design

Electric Deep Fryer

SOWBAGHYA®

Deep Fry
Deepens
Happiness

Electric Crepe Maker & Cone Baker



DFSM



SOW 81



SOW 82



SCM01



CB-1

Name	Deep - Fryer Standing Model	Deep Fryer - Single	Deep Fryer - Double
Model No	DFSM	SOW 81	SOW 82
Voltage	440V-50Hz	220V-240V/50Hz	220V-240V/50Hz
Power	9 Kw 3 Phase Power	2.5KW	2.5KW+2.5KW
Tank Capacity	32 Ltr	5.5 Ltr	5.5Ltr + 5.5Ltr
Oil Capacity	30 Ltr	4 Ltr	4 Ltr + 4 Ltr
Unit Size (Inches)	15Lx32.6Wx37.7H	11Lx17.3Wx12.6H	22Lx17.3Wx12.6H
Gross weight	48 Kgs	5 Kgs	10 Kgs
Features	All types of Frying	All types of Frying	All types of Frying

Name	Crepe Maker	Cone Baker
Model No	SCM-01	CB-1
Voltage	220V-240V/50Hz	220V-240V/50Hz
Power	3 KW	1 KW
Unit Size (Inches)	18Lx20Wx9.5H	10Lx18.5Wx10.25H
Gross weight	21 Kgs	6.5 Kgs
Features	Suitable for making Crepe, Dosa, Chappathi and more.	Perfect for making cones

*Specification may vary without prior notice as a process of continuous development

Electric Pizza Oven

SOWBAGHYA®

For Baker Pros

Electric Pizza Oven



TD4FT



DD4FT



SD3FT

SD4FT



POS



POM



PODD

Model	TD4FT	DD4FT	SD3FT	SD4FT
Product Description	Triple Deck Pizza Oven 4 Ft	Double Deck Pizza Oven 4 Ft	Single Deck Pizza Oven 3 Ft	Single Deck Pizza Oven 4 Ft
Power - Wattage	19.8 KW	13.2 KW	3 KW	6 KW
Phase	Three Phase	Three Phase	Single Phase	Single Phase
Voltage	380V	380V	220V	220V
Trays	2x3 decks	2x2 decks	1	2
Stone	YES	YES	YES	YES
Machine Dimensions in mm	1210x830x1540	1210x830x1260	930*740*400	1210x810x550
Unit Size (Inches)	47.63Lx32.67Wx49.60H	47.63Lx32.67Wx49.60H	36.61*29.13*15.74	47.63Lx31.88Wx21.65H
Cooking Surface Dimensions in inches	860x630mmx3	860x630mmx2	640*520mm	860x630mm
Height between decks in inches	230mm	230mm	150mm	230mm
Temperature start from	Room temperature	Room temperature	Room temperature	Room temperature
Temperature reach until	350C	350C	300C	350C
Timer Range	400minute	400minute	400minute	400minute
Circuit Breaker Specification required before installation	39.6kw	26.4kw	6kw	12kw

Name	Pizza Oven Small	Pizza Oven Medium	Pizza Oven Double Deck
Model No	POS	POM	PODD
Voltage	220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz
Power	2 KW	2 KW	3 KW + 3 KW
Unit Size (Inches)	22Lx22.4Wx11.02H	27.16Lx25.50Wx11.02H	22.04Lx22.44Wx17.35H
Net weight	24 Kgs	27 Kgs	29 Kgs
Gross weight	27 Kgs	30 Kgs	32 Kgs
Features	Perfect for making Pizza, Reheating and other baking process	Perfect for making Pizza, Reheating and other baking process	Perfect for making Pizza, Reheating and other baking process

*Specification may vary without prior notice as a process of continuous development

Casserole



1500 ml Upto 15000 ml Available

Plate it
Like a
Boss

Potato Peeler & Garlic Peeler

Electric Hot Plate



EHT240



EHT320



CV-005PP



CV-010PP, CV-015PP, CV-020PP



GPM001

Electric Hot Plate

	2.4 FT Electric Hot Plate	3.2 FT Electric Hot Plate
Name	2.4 FT Electric Hot Plate	3.2 FT Electric Hot Plate
Model No	EHT240	EHT320
Voltage	220V-240V/50Hz	220V-240V/50Hz
Power	3 KW + 3 KW	3KW + 3 KW
Unit Size (MM)	750Lx520Wx230H	1000Lx520Wx280H
Net weight	38 Kgs	47 Kgs
Gross weight	41 Kgs	50 Kgs
Features	Suitable for making Dosa, Chappathi and many more	

Model No	CV-005PP	CV-010PP	CV-015PP	CV-020PP	GPM001
Voltage	220V/50 Hz	440V/50 Hz	440V/50 Hz	440V/50 Hz	220V/50Hz
Power	0.5 HP	1 HP	1.5 HP	2 HP	0.25HP
Capacity	5 Kg	10 Kg	15 Kg	20 Kg	20 Kg/Ph
Starter			3 - 4.5 Amps	3 - 4.5 Amps	

Atta Kneader



SOWBAGHYA®

Mixing
Fixes
Everything

Spice Grinding Machine



Model No	CM-005AK	CM-010AK	CM-015AK	CM-020AK	CM-030AK	CM-040AK	CM-050AK
Voltage	220V/50 Hz	220V/50 Hz	440V/50 Hz	440V/50 Hz	440V/50 Hz	440V/50 Hz	440V/50 Hz
Power	0.5 HP	1 HP	1.5 HP	2 HP	2 HP HD	3 HP	3 HP HD
Unit Size (Inches)	44Lx21Wx34H	52Lx25Wx40H	39Lx28Wx52H	56Lx27Wx42H	60Lx30Wx45H	62Lx32Wx45H	65Lx35Wx50H
Capacity	5 Kg	10 Kg	15 Kg	20 Kg	30 Kg	40 Kg	50 Kg
Starter			3 - 4.5 Amps	3 - 4.5 Amps	3 - 4.5 Amps	4 - 6 Amps	4 - 6 Amps

Name	Spice Grinding Machine				
Model No	SGM004	SGM001	SGM002	SGM005	SGM003
Voltage	220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz	220V-240V/50Hz
Power	1 KW, Single Phase, 50Hz	1.5 KW, Single Phase, 50Hz	2 KW, Single Phase, 50Hz	4 KW, Single Phase, 50Hz	5 KW, Single Phase, 50Hz
Unit Size	400x400x320mm	480x480x420mm	520x520x430mm	600x690x500mm	600x690x500mm
Capacity	200(g/Batch)	500(g/Batch)	1000(g/Batch)	2000 (g/Batch)	3000 (g/Batch)
Min level of Jar Loading	100 gms	250 gms	500 gms	1000 gms	1500 gms
Gross Weight	5.5 Kgs	7.4 Kgs	8.2 Kgs	12 Kgs	14 Kgs
Rotation Speed	28000 RPM	28000 RPM	28000 RPM	28000 RPM	28000 RPM

*Specification may vary without prior notice as a process of continuous development

SOWBAGHYA®

Head Office

32 A, North Usman Road, T-Nagar, Chennai-600 017.
+91 44 28341760 / 28342908

For More Details

+91 99449 09944 / +91 99409 24099

Scan to visit our website



Like | Follow | Watch    KitchenSowbaghya

grind@sowbaghya.com | www.sowbaghya.com